		WATER	WELL RECORD FO	orm WWC-	5 KSA 82a-	1212	
1 LOCATION OF W		Fraction	ma ha	1	ction Number	Township Numbe	
County: (Ca		11 W 1/4	1100 VA 1100	1/4	34	T /3	S R S GW
	on from nearest town	or city street add	dress of well if located v	â			
	WIED WAY	+ 1	1 10 000	Cli	<i>7 1</i> 3		
RR#, St. Address, E	WNER: Mank	Janke	,			Roard of Agricu	Iture, Division of Water Resource
City, State, ZIP Cod	funct	ion Ci	ty Ke b	644		Application Num	
	LOCATION WITH 4	DEPTH OF CO	MPLETED WELL	#3	# FLEVA		
→ AN "X" IN SECTI	ON BOX:	epth(s) Groundw	ater Encountered	30	ft. 2		. ft. 3
ă III	T & W	ELL'S STATIC \	NATER LEVEL 7.	J ft.	below land surf	ace measured on mo/o	day/yr
	NE	Pungo	test data: Well water v	was	ft. af	ter hou	urs pumping 1 gpm
1	Es	st. Yield 🆊 🍮	gpm: Well water	was	ft. af	ter hou	urs pumping gpm
A beginning						and	in. toft.
₹ '' !	l i w	ELL WATER TO				8 Air conditioning	11 Injection well
SW	SE	1 Domestic					12 Other (Specify below)
VALUE AND		2 Irrigation			•	- 4	· · · · · · · · · · · · · · · · · · ·
Vanishing and the second	พ.ศ. เป็นการการการการการการการการการการการการการก		acteriological sample sub	omitted to I		•	If yes, mo/day/yr sample was sut
5 TYPE OF BLANK	compression and the contract of the contract o	tted	5 Wrought iron	9 Cone	rete tile	er Well Disinfected? Y	es No Glued Clamped
1 Steel	3 RMP (SR)		6 Asbestos-Cement		reterine r (specify below		Welded
2 PVC	4 ABS		7 Fiberglass			· · · · · · · · · · · · · · ·	Threaded
Blank casing diamet	er in.	ton	, ft Dia	in. t	0	ft Dia	in. to
Casing height above	land surface	J i	n., weight C A C	S. 1.6.	<i>Q.</i> lbs./f	t. Wall thickness or ga	uge No. 2/1
TYPE OF SCREEN OR PERFORATION MATERIAL:				7 PVC 10 Asbestos-cement			
1 Steel	3 Stainless st	reel	5 Fiberglass	8 R	MP (SR)	11 Other (sp	pecify)
2 Brass 4 Galvanized steel 6 Concrete tile				9 A	BS	12 None us	ed (open hole)
				wrapped		8 Saw cut	11 None (open hole)
1 Continuous s			6 Wire wr			9 Drilled holes	
2 Louvered sh SCREEN-PERFORA	•	punched 7	D 1 toron of	" J 3	6 Ever	10 Otner (specify)	
OONEEN EN ON	TEL THIELTONES.						. ft. toft
GRAVEL F	PACK INTERVALS:						. ft. to
_		From	ft. to		ft., Fror		
6 GROUT MATERI	AL: 1 Neat cen	nent 2	Cement grout	3 Ben			,
			ft., From	ft.	to	ft., From	ft. toft
	source of possible co				and the same of th	ock pens	14 Abandoned water well
•	4 Lateral I		7 Pit privy		11 Fuel storage		15 Oil well/Gas well
	2 Sewer lines 5 Cess pool 8 Sewag 3 Watertight sewer lines 6 Seepage pit 9 Feedy			40.1			
Direction from well?	e mes o seepag	a bir	9 Feedyard		How mar	7/	
FROM TO		LITHOLOGIC L	OG	FROM	TO		ING INTERVALS
0 8	Clay				COD COD COD		
0 0	/					·	
8 38	Lime.	1 mix	ed Shale	parameter enterent and the second an		· · · · · · · · · · · · · · · · · · ·	
38 76		P-202					
3 4 76	Gray	300 K					A STATE OF THE STA
76 79	Lime	0+	***				THE MAIN WINDOWS WITH A TOTAL CO.
10 17	17.778	51019 8					
79 80	Wato	lie					

80 R3	Wate Gray F	Pork	-				
	- , , ,						
							7.007.000
7 CONTRACTOR'S	OR LANDOWNER'S	CEPTIFICATIO	N: This water well was	(1) consti	ructed, (2) reco	nstructed, or (3) plugge	ed under my jurisdiction and wa my knowledge;and belief. Kansa
completed on (mo/d	ay/year) l	To 5.7			and this reco	rd is true to the best of	my knowledge and belief. Kansa
t	or's License No/.		This Water Wel				V. 50.00
under the business		Khus	Drilling		· · · · · · · · · · · · · · · · · · ·	ture Jan 17	DUAJAM
						the correct answers. Send top WELL OWNER and retain or	three copies to Kansas Department