	WATER WELL	L RECORD	Form WWC-5	KSA 828	a- <u>1212</u>		
LOCATION OF WATER WELL:	Fractiony 5 W 1/4 W	= 1/	f	ion Number	3, 200		Range Number
County: Stance and direction from nearest town		- ¹ ⁄4 / √ of well if locate	d within city?	30_	<u> </u>	<u> </u>	R & E/W
Dwgfit I will	A Day A - 3	- Dent	La essa o	A A	Acortor	ad	
2 WATER WELL OWNER: W WI	Andrew 1	7 1 V2 V4	W) cole	MINT SA			
RR#, St. Address, Box # :		, 4	f f	57 140	Board of A	Agriculture, [Division of Water Resource
City, State, ZIP Code :	arafit 1	rans	66	877	Application	Number:	
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	DEPTH OF COMPLE	ETED WELL	63	. ft. ELEVA	ATION:		
AN X IN SECTION BOX:	Depth(s) Groundwater E	ncountered 1	·45	ft.	2	ft. 3	oct 15 1981
NW www w and the way							mping gpm
	Est. Yield ./ . () g	pm: Well wate	er was	tt. a	after	. hours pu	mping \dots gpm to $6.3\dots$ ft
	WELL WATER TO BE U		5 Public water		8 Air conditioning		
	The state of the s		6 Oil field wat		-		Other (Specify below)
5W 600 to 00 00 00 00	The state of the s	1 Industrial	7 Lawn and g	arden only	10 Observation we		,
	Was a chemical/bacterio	logical sample	submitted to De	partment? Y	esNo	; If yes,	mo/day/yr sample was sut
	mitted				ater Well Disinfecte		- XI
TYPE OF BLANK CASING USED:		ought iron	8 Concre				d X Clamped
1 Steel 3 RMP (SR	7 Fibe	pestos-Cement	· ·	specify belo	w) 		ed
Blank casing diameter							
Casing height above land surface							
TYPE OF SCREEN OR PERFORATION			(7 PV	and the first		oestos-ceme	· ·
Steel 3 Stainless	steel 5 Fibe	erglass		P (SR)	11 Oth	er (specify)	
2 Brass 4 Galvanize		ncrete tile	9 ABS	3	The state of the s	ne used (op	•
SCREEN OR PERFORATION OPENING			ed wrapped		8 Saw cut		11 None (open hole)
1 Continuous slot 3 Mil 2 Louvered shutter 4 Ke	y punched	7 Torch	wrapped		9 Drilled holes	ν)	****
SCREEN-PERFORATED INTERVALS:				ft Fro			o
Company of the State of the Sta							oft
GRAVEL PACK INTERVALS:							o
	From	ft. to .		ft., Frc	m	π. τ	O
	From	ft. to		ft., Fro	em .	ft. t	o ft
6 GROUT MATERIAL: 1 Neat co	From 2 Cem	ft. to	3 Bentoi	ft., Fro	om Other	ft. t	o <u>ft</u>
6 GROUT MATERIAL: 1 Neat of Strout Intervals: From	From ement 2 Cem ft. to ft.	ft. to	3 Bentoi	ft., Frontite 4	om Other	ft. t	o ft
GROUT MATERIAL: Grout Intervals: From	From ement 2 Cem ft. to 5 ft. contamination:	ent grout	3 Bentoi	ft., Frontie 4 o	om Other	ft. t	o ftft. toft bandoned water well
6 GROUT MATERIAL: 1 Neat of Strout Intervals: From	From ement 2 Cem ft. to ft. contamination: al lines	ent grout	3 Bentol	ft., Fronite 4 10 10 Lives	om Other	ft. t	o ft
GROUT MATERIAL: Grout Intervals: From	From ement 2 Cem ft. to ft. contamination: al lines pool	ft. to ent grout , From 7 Pit privy	3 Bentol	ft., Fromite 4 o	Other	ft. t	o ft . ft. to
GROUT MATERIAL: Grout Intervals: From What is the nearest source of possible of 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Seepa	From ement 2 Cem ft. to ft. contamination: al lines pool age pit	ft. to ent grout From 7 Pit privy 8 Sewage lag	3 Bentoi ft. 1	ft., Fronte 4 o	Other	ft. t	o ft ft. to
GROUT MATERIAL: Grout Intervals: From What is the nearest source of possible of 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Seepa	From ement 2 Cem ft. to ft. contamination: al lines pool	ft. to ent grout From 7 Pit privy 8 Sewage lag	3 Bentol	ft., Fronte 4 o	Other	ft. t	o ft ft. to
GROUT MATERIAL: Grout Intervals: From What is the nearest source of possible of 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Seepa	From ement 2 Cem ft. to ft. contamination: al lines pool age pit	ft. to ent grout From 7 Pit privy 8 Sewage lag	3 Bentoi ft. 1	ft., Fromite 4 0	Other	ft. t	o ft ft. to
GROUT MATERIAL: Grout Intervals: From What is the nearest source of possible of 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Seepa	From ement 2 Cem ft. to ft. contamination: al lines pool age pit	ft. to ent grout From 7 Pit privy 8 Sewage lag	3 Bentoi ft. 1	ft., Fronte 4 o	Other	ft. t	o ft ft. to
GROUT MATERIAL: Grout Intervals: From What is the nearest source of possible of 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Seepa	From ement 2 Cem ft. to ft. contamination: al lines pool age pit	ft. to ent grout From 7 Pit privy 8 Sewage lag	3 Bentoi ft. 1	ft., Fromite 4 0	Other	ft. t	o ft ft. to
GROUT MATERIAL: Grout Intervals: From What is the nearest source of possible of 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Seepa	From ement 2 Cem ft. to ft. contamination: al lines pool age pit	ft. to ent grout From 7 Pit privy 8 Sewage lag	3 Bentoi ft. 1	ft., Fromite 4 0	Other	ft. t	o ft ft. to
GROUT MATERIAL: Grout Intervals: From What is the nearest source of possible of 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Seepa	From ement 2 Cem ft. to ft. contamination: al lines pool age pit	ft. to ent grout From 7 Pit privy 8 Sewage lag	3 Bentoi ft. 1	ft., Fromite 4 0	Other	ft. t	o ft ft. to
GROUT MATERIAL: Grout Intervals: From What is the nearest source of possible of 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Seepa	From ement 2 Cem ft. to ft. contamination: al lines pool age pit	ft. to ent grout From 7 Pit privy 8 Sewage lag	3 Bentoi ft. 1	ft., Fromite 4 0	Other	ft. t	o ft ft. to
GROUT MATERIAL: Grout Intervals: From What is the nearest source of possible of 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Seepa	From ement 2 Cem ft. to ft. contamination: al lines pool age pit	ft. to ent grout From 7 Pit privy 8 Sewage lag	3 Bentoi ft. 1	ft., Fromite 4 0	Other	ft. t	o ft ft. to
GROUT MATERIAL: Grout Intervals: From What is the nearest source of possible of 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Seepa	From ement 2 Cem ft. to ft. contamination: al lines pool age pit	ft. to ent grout From 7 Pit privy 8 Sewage lag	3 Bentoi ft. 1	ft., Fromite 4 0	Other	ft. t	o ft ft. to
GROUT MATERIAL: Grout Intervals: From What is the nearest source of possible of 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Seepa	From ement 2 Cem ft. to ft. contamination: al lines pool age pit	ft. to ent grout From 7 Pit privy 8 Sewage lag	3 Bentoi ft. 1	ft., Fromite 4 0	Other	ft. t	o ft ft. to
GROUT MATERIAL: Grout Intervals: From What is the nearest source of possible of 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Seepa	From ement 2 Cem ft. to ft. contamination: al lines pool age pit	ft. to ent grout From 7 Pit privy 8 Sewage lag	3 Bentoi ft. 1	ft., Fromite 4 0	Other	ft. t	o ft ft. to
GROUT MATERIAL: Grout Intervals: From What is the nearest source of possible of 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Seepa	From ement 2 Cem ft. to ft. contamination: al lines pool age pit	ft. to ent grout From 7 Pit privy 8 Sewage lag	3 Bentoi ft. 1	ft., Fromite 4 0	Other	ft. t	o ft ft. to
GROUT MATERIAL: Grout Intervals: From What is the nearest source of possible of 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Seepa	From ement 2 Cem ft. to ft. contamination: al lines pool age pit	ft. to ent grout From 7 Pit privy 8 Sewage lag	3 Bentoi ft. 1	ft., Fromite 4 0	Other	ft. t	o ft ft. to
GROUT MATERIAL: Grout Intervals: From	From ement Cem ement Cem ft. to 5 ft. contamination: al lines pool age pit LITHOLOGIC LOG Dellass Casina	ft. to ent grout 7 Pit privy 8 Sewage lag 9 Feedyard	3 Benton ft. 1	ft., Fronite 4 0	Other	ft. t	o ft . ft. to
GROUT MATERIAL: Grout Intervals: From	From ement Cem ement Cem ft. to 5 ft. contamination: al lines pool age pit LITHOLOGIC LOG Dellass Casina	ft. to ent grout 7 Pit privy 8 Sewage lag 9 Feedyard	3 Benton ft. 1	ft., Fronite 4 O	Other	ft. t	o ft . ft. to
GROUT MATERIAL: Grout Intervals: From	From ement	ft. to ent grout From 7 Pit privy 8 Sewage lag 9 Feedyard	3 Benton ft. oon	ft., Fronite 4 o	onstructed, or (3)	ft. t	o ft . ft. to
GROUT MATERIAL: Grout Intervals: From	From ement	ft. to ent grout From 7 Pit privy 8 Sewage lag 9 Feedyard	3 Benton ft. oon	ft., Fronite 4 O	Other	ft. t	o ft . ft. to
GROUT MATERIAL: Grout Intervals: From	From ement 2 Cem ft. to 5 ft. contamination: al lines pool age pit LITHOLOGIC LOG PORTORION: THE COUNTY OF THE PRESE PRESE COUNTY OF THE PRESE C	ft. to ent grout 7 Pit privy 8 Sewage lag 9 Feedyard his water well was a sewage water w	3 Benton ft.	ft., Fronite 4 o	Other	plugged underst of my kn	der my jurisdiction and wa owledge and belief. Kansa
GROUT MATERIAL: Grout Intervals: From	From ement 2 Cem ft. to 5 ft. contamination: al lines pool age pit LITHOLOGIC LOG PS CERTIFICATION: The coint pen, PLEASE PRE alth and Environment, Di	ft. to ent grout 7 Pit privy 8 Sewage lag 9 Feedyard his water well was a sewage water w	3 Benton ft.	ft., Fronite 4 o	Other	plugged underst of my kn	der my jurisdiction and wa owledge and belief. Kansa