WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.
1 LOCATION OF WATER WELL: County: WAbuns (6	Fraction NE 1/4 NE 1/4 NE 1/4	Section Number Township No. Range Number T 13 S R 9 LE W
Street/Rural Address of Well Location;	if unknown, distance & direction	Global Positioning System (GPS) information:
from nearest town or intersection: If at		Latitude: (in decimal degrees)
From AUA VISTA Go 4	2 World Ension	Longitude: (in decimal degrees)
H-10 To Private Daine	60 South IT MILIS	Elevation:   Datum:   WGS 84,   NAD 83,   NAD 27
2 WATER WELL OWNER:	Mechaning	Collection Method:
RR#, Street Address, Box #:	Dalle Dave	GPS unit (Make/Model:)
2 WATER WELL OWNER: RR#, Street Address, Box #: City, State, ZIP Code : 22/	6.503	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey  Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m
MON	11110, 16) 0000	Est. Accuracy. Sin, Ses in, Ses in, Ses in, Ses in, Ses in
WITH AN "X" IN 4 DEPTH OF	COMPLETED WELL 50	ft.
SECTION BOX: Depth(s) Groun	dwater Encountered (1)	ft. (2) ft. (3) ft.
WITH AN "X" IN SECTION BOX:  N  WELL'S STATIC WATER LEVEL		
	p test data: Well water was	ft. after hours pumping gpmft. after hours pumping gpm
NW NE Bore Hole Diar	neter 9 in to 50	t., andin. toft.
WELLWATE	R TO BE USED AS: Public wat	er supply  Geothermal  Injection well
		er supply   Dewatering   Other (Specify below)
Irrigation		
Was a chemical/bacteriological sample submitted to Department?  Yes No		
S If yes, mo/day/yr sample was submitted		
water went distincted: He is 100		
5 TYPE OF CASING USED: Steel PVC Other		
CASING JOINTS:  Glued  Clamped  Threaded		
Casing diameter		
TYPE OF SCREEN OR PERFORATION MATERIAL:		
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)		
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE:		
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)		
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft.		
From		
GRAVEL PACK INTERVALS: From		
From		
Grout Intervals: From		
Grout Intervals: From		
Septic tank		
Sewer lines Cesspool		
☐ Watertight sewer lines ☐ Seepage		
Direction from well		TO LITHO. LOG (cont.) or PLUGGING INTERVALS
A / Tag C	GIC LOG FROM	ETTIO. LOG (COIL.) OF I LOGOTIVO INTERVALS
1 11 6000		
11 18 FINT ROLL	$C_{i}=1$	
18 24 Lieustant	(MITIC)	
24 28 600 Shell		
2X 38 Rober Shol	/	
38 50 6my 0ily 5h		
00 00 000		
7 CONTRACTOR'S OR LANDOWNE	R'S CERTIFICATION This avail	er well was W constructed,  reconstructed, or plugged
under my jurisdiction and was completed on (mo/day/year)		
Kansas Water Well Contractor's License No		
under the business name of	a Mall fritten	by (signature)
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.		
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at		
http://www.kdheks.gov/waterwell/index.html.		
KSA 82a-1212		