


1 LOCATION OF WATER WELL: Fraction NW 1/4 NE 1/4 NE 1/4 Section Number 20 Township Number T 14 S Range Number R 12 EW
 County: WABAUNSEE
 Distance and direction from nearest town or city street address of well if located within city?
 2 1/8 south 1/8 west of Eskridge

2 WATER WELL OWNER: Tri-Co. Trust Wittmer & Associates
 RR#, St. Address, Box #: 1136 SW Wanamaker Board of Agriculture, Division of Water Resources
 City, State, ZIP Code: Topeka, KS Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

 4 DEPTH OF COMPLETED WELL: 140' ft. ELEVATION:
 Depth(s) Groundwater Encountered 1... 110' ft. 2... 126' ft. 3... ft.
 WELL'S STATIC WATER LEVEL... 100' ft. below land surface measured on mo/day/yr 9-14-93
 Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield... 30... gpm: Well water was ft. after hours pumping gpm
 Bore Hole Diameter... 8 3/4 in. to ft., and in. to ft.
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes... No... X...; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes X No

5 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued... X... Clamped...
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded...
 7 Fiberglass Threaded...
 Blank casing diameter... 5" in. to 0-100 ft., Dia... in. to ft., Dia... in. to ft.
 Casing height above land surface... 3' in., weight... 2.82 lbs./ft. Wall thickness or gauge No... 258
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement
 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify)...
 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify)...
 SCREEN-PERFORATED INTERVALS: From... 100 ft. to 140 ft., From... ft. to... ft.
 GRAVEL PACK INTERVALS: From... 24 ft. to 140 ft., From... ft. to... ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grout Intervals: From... 4 ft. to 24 ft., From... ft. to... ft., From... ft. to... ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 13 Insecticide storage
 Direction from well? west How many feet? 200'

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	Top Soil	82	87	Shale-Yellow
2	5	Clay-Brown	87	109	Limestone-Yellow
5	7	Limestone-Yellow	109	110	Limestone-Yellow-Loose
7	15	Shale-Yellow	110	122	Shale-Yellow
15	19	Limestone-Grey	122	127	Limestone-Yellow-Loose
19	42	Shale-Grey	127	130	Shale-Grey
42	52	Limestone-Yellow	130	140	Limestone-Tan
52	53	Shale-Black			
53	54	Limestone-Tan			
54	55	Shale-Grey			
55	60	Limestone-Grey			
60	68	Shale-Grey			
68	72	Limestone-Grey			
72	78	Shale-Grey			
78	82	Limestone-Grey			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9-14-93 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 182 This Water Well Record was completed on (mo/day/yr) 10-21-93 under the business name of STRADER DRILLING CO., INC. by (signature) Dale Strader

OFFICE USE ONLY