					At the state of	
LOCATION OF WA	- 3	E 4 SE 4 NE	Section Numb	er Township	Number S	Range Number
	n from nearest town or city :	street address of well if located w	ithin city?		.	
		Carbonda	e, 1->	A.1.3	.	
	VNER: LEL Compa			WM		
	* # : 11623 Arb			Board of	Agriculture, Divi	ision of Water Resource
ty, State, ZIP Code	: Omaha, N	٧		Applicati	on Number:	
LOCATE WELL'S L AN "X" IN SECTIO	OCATION WITH 4 DEPTH N BOX: Depth(s)	H OF COMPLETED WELL. 13 Groundwater Encountered 1	3 ft. ELE	VATION:		
		STATIC WATER LEVEL				
1		Pump test data: Well water w				
NW	NE Fst Yield	1 gpm: Well water w				
	1 ' #	e Diameterin. to				
w 			Public water supply			ection well
i	1 1 1		Dil field water supply		•	ner (Specify below)
SW	SE					
!					\	
<u> </u>		emical/bacteriological sample sub				o/day/w sample was su
TYPE OF BLANK	\$ mitted	5 Wanasaha (an		Water Well Disinfed		
TYPE OF BLANK		5 Wrought iron	8 Concrete tile			Clamped
	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify be	*	Welded	
2 3 7 0	ABS	7 Fiberglass			hreade	
-	r in. to	• ft., Dia				
	land surface					
	OR PERFORATION MATERI		PVC		sbestos-cement	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	11 0	ther (specify)	
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	12 N	one used (open	hole)
	RATION OPENINGS ARE:	5 Gauzed	• •	8 Saw cut	1	1 None (open hole)
1 Continuous sk		6 Wire wra	pped	9 Drilled holes	5	
2 Louvered shut	tter 4 Key punche	d 7 Torch cu	t 12	` '	• •	,
REEN-PERFORAT	ED INTERVALS: From.					
	ED INTERIORES. FIGHT.			rom		
	From.					
	From.				ft. to.	
GRAVEL PA	From. ACK INTERVALS: From. From L: 1 Neat cement	ft. to		rom	ft. to	
GRAVEL PA	From. ACK INTERVALS: From. From	7.5 ft. to ft. to ft. to		rom	ft. to	
GRAVEL PA	From. ACK INTERVALS: From. From L: 1 Neat cement	ft. to ft. to ft. to ft. to ft. to ft. to	13 ft., F ft., F ft., F	rom	ft. to.	
GRAVEL PA GROUT MATERIAI out Intervals: Fro	From. ACK INTERVALS: From. From L: 1 Neat cement om. 6	ft. to ft. to ft. to ft. to ft. to ft. to	ft., F	rom	ft. to. ft. to ft. to	
GRAVEL PA	From. ACK INTERVALS: From. From L: 1 Neat cement om. ft. to ource of possible contamina	ft. to ft. to ft. to ft. to ft. to ft. to ft. From ation:	ft., F	from	ft. to ft. to ft. to 14 Abar 15 Oil v	ft. to
GRAVEL PAGROUT MATERIAL out Intervals: Fro lat is the nearest so 1 Septic tank 2 Sewer lines	From. ACK INTERVALS: From. From L: 1 Neat cement om. 6	ft. to ft. privy	1.3	from	ft. to ft. to ft. to 14 Abar 15 Oil v	ft. to findoned water well
GRAVEL PAGROUT MATERIAL Out Intervals: Fro nat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev	From. ACK INTERVALS: From. From L: 1 Neat cement om. 6 ft. to ource of possible contamina 4 Lateral lines 5 Cess pool	ft. to	1.3ft., F ft., F ft. to	from	14 Abar 15 Oil w	ft. to find find find find find find find find
GRAVEL PA GROUT MATERIAL out Intervals: Fro nat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev ection from well? ROM TO	From. ACK INTERVALS: From. From L: 1 Neat cement of the to cource of possible contaminary of the contamin	ft. to	1.3ft., F ft., F ft. to	from	ft. to ft. to ft. to 14 Abar 15 Oil v	ft. to find find find find find find find find
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? ROM TO	From. ACK INTERVALS: From. From L: 1 Neat cement of the to cource of possible contaminary of the contamin	ft. to ft. to ft. to ft. to ft. to ft. years ft.	1.3ft., F ft., F ft. to	from	14 Abar 15 Oil w	ft. to find find find find find find find find
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? ROM TO	From. ACK INTERVALS: From. From L: 1 Neat cement of the to cource of possible contaminary of the contamin	ft. to ft. to ft. to ft. to ft. to ft. years ft.	1.3ft., F ft., F ft. to	from	14 Abar 15 Oil w	ft. to find find find find find find find find
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? ROM TO	From. ACK INTERVALS: From. From L: 1 Neat cement of the to cource of possible contaminary of the contamin	ft. to ft. to ft. to ft. to ft. to ft. years ft.	1.3ft., F ft., F ft. to	from	14 Abar 15 Oil w	ft. to find find find find find find find find
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? ROM TO	From. ACK INTERVALS: From. From L: 1 Neat cement of the to cource of possible contaminary of the contamin	ft. to ft. to ft. to ft. to ft. to ft. years ft.	1.3ft., F ft., F ft. to	from	14 Abar 15 Oil w	ft. to find find find find find find find find
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO	From. ACK INTERVALS: From. From L: 1 Neat cement of the to cource of possible contaminary of the contamin	ft. to ft. to ft. to ft. to ft. to ft. years ft.	1.3ft., F ft., F ft. to	from	14 Abar 15 Oil w	ft. to find find find find find find find find
GRAVEL PA GROUT MATERIAL aut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? GOM TO	From. ACK INTERVALS: From. From L: 1 Neat cement of the to cource of possible contaminary of the contamin	ft. to ft. to ft. to ft. to ft. to ft. years ft.	1.3ft., F ft., F ft. to	from	14 Abar 15 Oil w	ft. to find find find find find find find find
GRAVEL PA GROUT MATERIAL aut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? GOM TO	From. ACK INTERVALS: From. From L: 1 Neat cement of the to cource of possible contaminary of the contamin	ft. to ft. to ft. to ft. to ft. to ft. years ft.	1.3ft., F ft., F ft. to	from	14 Abar 15 Oil w	ft. to find find find find find find find find
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO	From. ACK INTERVALS: From. From L: 1 Neat cement of the to cource of possible contaminary of the contamin	ft. to ft. to ft. to ft. to ft. to ft. years ft.	1.3ft., F ft., F ft. to	from	14 Abar 15 Oil w	ft. to find find find find find find find find
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO	From. ACK INTERVALS: From. From L: 1 Neat cement of the to cource of possible contaminary of the contamin	ft. to ft. to ft. to ft. to ft. to ft. years ft.	1.3ft., F ft., F ft. to	from	14 Abar 15 Oil w	ft. to find find find find find find find find
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? ROM TO	From. ACK INTERVALS: From. From L: 1 Neat cement of the to cource of possible contaminary of the contamin	ft. to ft. to ft. to ft. to ft. to ft. years ft.	1.3ft., F ft., F ft. to	from	14 Abar 15 Oil w	ft. to find find find find find find find find
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? ROM TO	From. ACK INTERVALS: From. From L: 1 Neat cement of the to cource of possible contaminary of the contamin	ft. to ft. to ft. to ft. to ft. to ft. years ft.	1.3ft., F ft., F ft. to	from	14 Abar 15 Oil w	ft. to find find find find find find find find
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO	From. ACK INTERVALS: From. From L: 1 Neat cement of the to cource of possible contaminary of the contamin	ft. to ft. to ft. to ft. to ft. to ft. years ft.	1.3ft., F ft., F ft. to	from	14 Abar 15 Oil w	ft. to find find find find find find find find
GRAVEL PA GROUT MATERIAL out Intervals: Fro nat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev ection from well? ROM TO 9.5	From. ACK INTERVALS: From. From L: 1 Neat cement of the to cource of possible contaminary of the contamin	ft. to ft. to ft. to ft. to ft. to ft. years ft.	1.3ft., F ft., F ft. to	from	14 Abar 15 Oil w	ft. to find find find find find find find find
GRAVEL PA GROUT MATERIAL out Intervals: Fro nat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev rection from well? ROM TO 1 Septic tank 2 Sewer lines 3 Watertight sev rection from well?	From. ACK INTERVALS: From. From L: 1 Neat cement of the to cource of possible contaminary of the contamin	ft. to ft. to ft. to ft. to ft. to ft. years ft.	1.3ft., F ft., F ft. to	from	14 Abar 15 Oil w	ft. to find find find find find find find find
GRAVEL PA GROUT MATERIAL out Intervals: Fro nat is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sev rection from well? FROM TO 5 7	From. ACK INTERVALS: From. From L: 1 Neat cement of the to cource of possible contaminary of the contamin	ft. to ft. to ft. to ft. to ft. to ft. years ft.	1.3ft., F ft., F ft. to	from	14 Abar 15 Oil w	ft. to find find find find find find find find
GRAVEL PA GROUT MATERIAL out Intervals: Fro nat is the nearest si 1 Septic tank 2 Sewer lines 3 Watertight sev rection from well? FROM TO 6 11	From. From L: 1 Neat cement om. ft. to ource of possible contamina 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit LITHOL Cracuta Grand - 7:1 Sand Coarse Clay brown	ft. to ft. to ft. to ft. to ft. to ft. fo cement grout ft., From ation: 7 Pit privy 8 Sewage lagoon 9 Feedyard LOGIC LOG	1.3	From From Other St., From Pestock pens el storage ritilizer storage many feet? The storage of	ft. to. ft. to	ft. to ff ft. to ff
GRAVEL PA GROUT MATERIAL out Intervals: Fro nat is the nearest si 1 Septic tank 2 Sewer lines 3 Watertight sev ection from well? ROM TO 5 7 9.5	From. From L: 1 Neat cement om. ft. to ource of possible contamina 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit LITHOL Cracuta Grand - 7:1 Sand Coarse Clay brown	ft. to ft. to ft. to ft. to ft. to ft. fo cement grout ft., From ation: 7 Pit privy 8 Sewage lagoon 9 Feedyard LOGIC LOG	1.3	From From Other St., From Pestock pens el storage ritilizer storage many feet? The storage of	ft. to. ft. to	ft. to ff ft. to ff
GRAVEL PA GROUT MATERIAL out Intervals: Fro nat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO 2 Septic tank 3 Watertight sevention from well? ROM TO 2 Septic tank 3 Watertight sevention from well? ROM TO 3 Septic tank 4 Sep	From. From. From. L: 1 Neat cement of the to cource of possible contamina 4 Lateral lines 5 Cess pool over lines 6 Seepage pit LITHOL Cractt Grand - 7:1 Sand Coarse Clay brown	ft. to ft. to ft. to ft. to ft. to ft. to ft. ft. from ft., From f	13ft., F ft., F ft., F ft., F ft. to	From From From From From From From From	ft. to. ft. to	ft. to ff ft. to ff
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest si 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? ROM TO 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? ROM TO 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? ROM TO 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? ROM TO 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? ROM TO 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? ROM TO 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? ROM TO 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? ROM TO 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? ROM TO 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? ROM TO 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? ROM TO 1 Septic tank 2 Sewer lines 3 Watertight sevection from well?	From. From. From. L: 1 Neat cement of the to cource of possible contamina 4 Lateral lines 5 Cess pool over lines 6 Seepage pit LITHOL Cractt Grand - 7:1 Sand Coarse Clay brown	ft. to ft. to ft. to ft. to ft. to ft. ft. fo Cement grout ft., From Ation: 7 Pit privy 8 Sewage lagoon 9 Feedyard LOGIC LOG	1.3	from from 4 Other ft., From restock pens el storage ritilizer storage secticide storage many feet? ft., From restock pens el storage recticide storage many feet?	ft. to. ft. to	ft. to ff ft. to ff