	WAT		orm WWC-5 KSA 828	a-1212	
1 LOCATION OF WATER W	Fraction 5 W 1/4	SE 14 NW	Section Number		Range Number
County: 0509e	50 %	3L 4 100			h 13 W
Distance and direction from to F CAPDO	NAA1e		Street address of well if	located within city?	
2 WATER WELL OWNER:	LeRoy minzer				
RR#, St. Address, Box # :	BOX 225			Board of Agriculture	e, Division of Water Resources
City, State, ZIP Code :	WAKARUSA 66:	546		Application Number	•
3 DEPTH OF COMPLETED	WELL 130 ft.	Bore Hole Diameter	8in. to 136	2 ft., and	in. to ft.
Well Water to be used as:	5 Public water		8 Air conditioning	11 Injection w	
1 Domestic 3 Feedlot 6 Oil field water supply		9 Dewatering 12 Other (Specify below)		cify below)	
2 Irrigation 4 Industria	al 7 Lawn and ga		10 Observation well		
Well's static water level	40 ft below lar	d surface measured on .			day . 1983 year
Pump Test Data Est. Yield 2	: Well water was.				gpm
4 TYPE OF BLANK CASIN		5 Wrought iron	8 Concrete tile		ued 🖳 . Clamped
<del></del>	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify belo		elded
	• •		, , ,		readed
	4 ABS	7 Fiberglass	5		in. to ft.
Blank casing dia	ع در جان in. to	π., Dia α	ラ in. to 1.は. /	<b>2</b> 3 π., υια	3<9
1		7 in., weight			e No25.8
TYPE OF SCREEN OR PER			7 PVC	10 Asbestos-cei	
	3 Stainless steel	5 Fiberglass	8 RMP (SR)		fy)
İ	4 Galvanized steel	6 Concrete tile	9 ABS	12 None used (	•
Screen or Perforation Openii	ngs Are:	5 Gauze	d wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire w	rapped 9 Drilled holes		
2 Louvered shutter	4 Key punched	7 Torch		10 Other (specify)	
Screen-Perforation Dia 5					in to
Screen-Perforated Intervals:					), , ,
					)
Gravel Pack Intervals:	From	ft. to 130	ft., From		)
	From	ft. to	ft., From	ft. to	ft.
5 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite 4	Other	
	Ø ft. to i C	ft., From	ft. to	ft., From	ft. to ft.
What is the nearest source of				·	Abandoned water well
1 Septic tank	4 Cess pool	7 Sewage lago		•	Oil well/Gas well
2 Sewer lines	5 Seepage pit	8 Feed yard		•	Other (specify below)
3 Lateral lines	6 Pit privy	9 Livestock per			
Direction from well					
Was a chemical/bacteriologic					: If yes, date sample
was submitted	month	dav	vear: Pumn Installe	ed? Yes —	
If Ves. Pump Manufacturer's	nama T46.11971	,	Model No #55410	HP 1/2	Volts 2.3.0
Denth of Pump Intaka	120		Bumps Capacity rated at	10	gal./min.
l .					iting 6 Other
					under my jurisdiction and was
completed on	<i>9</i>	month		/.7(.;-2	year
and this record is true to the	best of my knowledge an	d belief. Kansas Water W	ell Contractor's License N	10	
This Water Well Record was		/			year under the business
name of 5 Trader			by (signature)	a askre	
7 LOCATE WELL'S LOCAT	TION FROM TO	LITHOLOG	IC LOG FRO	м то	LITHOLOGIC LOG
WITH AN "X" IN SECTI		TOP SOIL			
	3 8	Clay, brown			
N		Shale grey			
	16 26	L5, 91e4			
NW NE	26 50	Shale, grey			
* w   X	50 70	SANdSTONE	qrey		
7	70 90	shale grey			
SW SE	90 /11	25. 9Ney			
	111 126	Shale grey			
5 1 ← 1 Mile − → 1	126 130	LS, grey			
ELEVATION:	120 130	4107			
Depth(s) Groundwater Enco		0 # 2	4.4	01	
INSTRUCTIONS: Use himself	riter or hall point non print	o proce firmly and DDMT	π. 4π.	ke underline or circle the	sheet if needed) rrect answers. Send top three
copies to Kansas Department	t of Health and Environment	Division of Environment.	Water Well Contractors. To	ns, underline or circle the co opeka, KS 66620. Send one to	o WATER WELL OWNER and
retain one for your records.					