


1 LOCATION OF WATER WELL: County: ELLIS	Fraction NE ¼ SW ¼ NW ¼	Section Number 12	Township Number T 14 S	Range Number R 18 E/W
---	---	-----------------------------	----------------------------------	---------------------------------

Distance and direction from nearest town or city street address of well if located within city?

500 COMMERCE PKY HAYS KS

2 WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code :	A-1 PLANK & SCAFFOLD MFG 500 COMMERCE PKY XXX HAYS KS 67601	Board of Agriculture, Division of Water Resources Application Number:
---	---	--

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL 70 ft. ELEVATION:
--	--



N
W E
S

Depth(s) Groundwater Encountered 1 **40** ft. 2 ft. 3 ft.

WELL'S STATIC WATER LEVEL **40** ft. below land surface measured on mo/day/yr **8-26-04**

Pump test data: Well water was ft. after hours pumping gpm
Est. Yield **30** gpm: Well water was ft. after hours pumping gpm

WELL WATER TO BE USED AS:

5 Public water supply	8 Air conditioning	11 Injection well
1 Domestic	3 Feedlot	6 Oil field water supply
2 Irrigation	4 Industrial	9 Dewatering
	7 Domestic (lawn & garden)	10 Monitoring well
		12 Other (Specify below)

Was a chemical/bacteriological sample submitted to Department? Yes No **XX**; If yes, mo/day/yr sample was submitted
Water Well Disinfected? Yes No **XX**

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued XX . Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	Welded
Blank casing diameter 5 in. to ft., Dia in. to ft.	50		Threaded
Casing height above land surface 18 in., weight 160 lbs./ft. Wall thickness or guage No.			
TYPE OF SCREEN OR PERFORATION MATERIAL:			
1 Steel	3 Stainless Steel	5 Fiberglass	8 RVC
2 Brass	4 Galvanized Steel	6 Concrete tile	9 ABS
			10 Asbestos-Cement
			11 Other (Specify)
			12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:			
1 Continuous slot	2 Mill slot	5 Gauzed wrapped	8 Saw cut
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes
		7 Torch cut	10 Other (specify)
			11 None (open hole)
SCREEN-PERFORATED INTERVALS: From 50 ft. to 70 ft., From ft. to ft.			
GRAVEL PACK INTERVALS: From 35 ft. to 70 ft., From ft. to ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals: From 0 ft. to 30 ft., From ft. to ft., From ft. to ft.				
What is the nearest source of possible contamination:				
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	
Direction from well?			How many feet?	

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	10	SURFACE CLAY			
10	40	HARD YELLOW CLAY			
40	50	FINE SAND			
50	60	FINE TO MED SAND			
60	65	LARGE SAND			
65	70				
65	70	BLUE SHALE			

RECEIVED
SEP 13 2004
BUREAU OF WATER

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was XX constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8-26-04 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No 444 This Water Well Record was completed on (mo/day/yr) 8-26-04 under the business name of ANDY ANDERSON DRILLING by (signature) <i>Andy Anderson</i>
--