

Well # 19

WATER WELL RECORD

Form WWC-5

Division of Water Resources; App. No.

1 LOCATION OF WATER WELL: County: Douglas, Fraction SW 1/4 SW 1/4 SE 1/4, Section Number 26, Township Number T 14 S, Range Number R 19 EW

Distance and direction from nearest town or city street address of well if located within city? 3.5 West of Baldwin City on St. 1 North on S9

2 WATER WELL OWNER: KDOT, RR#, St. Address, Box #: PO Box 74 Dist one - Area Two, City, State, ZIP Code: Lawrence, KS 66044

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: [Diagram showing a 3x3 grid with an 'X' in the bottom-right cell]

4 DEPTH OF COMPLETED WELL: 40' ft. Depth(s) Groundwater Encountered (1) 28' ft. (2) (3) WELL'S STATIC WATER LEVEL: 28' ft. below land surface measured on mo/day/yr. 6-12-09

5 TYPE OF CASING USED: 1 Steel, 3 RMP (SR), 6 Asbestos-Cement, 9 Other (specify below) Dug well, 2 PVC, 4 ABS, 7 Fiberglass, Threaded.

Blank casing diameter: 7 FT. in. to 5 FT. in., Diameter. Casing height above land surface: 5 FT. in., Weight. Wall thickness or guage No. Rock Lining

TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel, 3 Stainless Steel, 5 Fiberglass, 7 PVC, 9 ABS, 11 Other (Specify) Dug well, 2 Brass, 4 Galvanized Steel, 6 Concrete tile, 8 RM (SR), 10 Asbestos-Cement, 12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot, 3 Mill slot, 5 Gauzed wrapped, 7 Torch cut, 9 Drilled holes, 11 None (open hole) Dug well, 2 Louvered shutter, 4 Key punched, 6 Wire wrapped, 8 Saw Cut, 10 Other (specify)

SCREEN-PERFORATED INTERVALS: From... ft. to... ft., From... GRAVEL PACK INTERVALS: From... ft. to... ft., From...

6 GROUT MATERIAL: 1 Neat cement, 2 Cement grout, 3 Bentonite, 4 Other. Grout Intervals: From... ft. to... ft., From...

What is the nearest source of possible contamination: 1 Septic tank, 4 Lateral lines, 7 Pit privy, 10 Livestock pens, 13 Insecticide Storage, 16 Other (specify)

Direction from well? WEST, How many feet? 150 FT. Old Highway 59

Table with columns FROM, TO, LITHOLOGIC LOG, FROM, TO, PLUGGING INTERVALS. Rows include: 40-35 Rock Lining From Well, 35-25 Washed Gravel, 25-8 Soil, 8-5 Bentonite Half plug, 5-0 Top Soil

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 6-12-09 and this record is true to the best of my knowledge and belief.

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.