USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

Dia ch.

WATER WELL RECORD KSA 82a-1201-1215 Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	County	Fraction	Section	number	Township number	Range number
1. Location of well:	ohnson	SE/4 SW 1/4 SE 1	/4 7		r 14 s	R 22 €W
2. Distance and direc	ction from nearest town or city: 4	mi. NW of 3	. Owner of well	·E.]	Lavonia Harri	son
Street address of well	location if in city:	rdner, Ks.	.R. or street:	Rt.]	l Bx 150	6070
4 1 11 11 11 11 11			Lity, state, zip o	code: († 8	ardner, Ks. 6	6030 Completion date 8/25/
4. Locate with "X" in N		Sketch map:			Well depth 250 ft.	
DOUBLE DOUBLE DOUBLE DOUBLE DE PRICE				[7 Cable tool _XRotary	
				-	Hollow rod Jetted	Bored Reverse rotary
				<u> </u>	8. Use: X Domestic Public supply Industry Irrigation Air conditioning Stock Lawn Oil field water Other	
sw	SE			Ī	9. Casing: Material	
EDGERTON RD.					Threaded WeldedX	Surfacelbs./ft.
S 1 Mi	` .				Dia. 5 in. to 220. dep	
5. Type and color of material			From	То	Dia in. to ft. dep	th gage No
					10. Screen: Manufacturer's r	name
surface			Ü	2	Type orilVslot	_ Dia
clay			2	7	Slot/gwozer	_ Length
lime (white)			7	12	Set betweenft. c	ft. andft.
snale (grey)			12	72	Gravel pack? Tes Size ra	nge of materia
lime (grey) shale (med. grey, chan e to Ok. grey)			18	25	11. Static water level:	mo./day/yr.
lime (grey)			42	48	12. Pumping level below land	, - , , ,
shale (grey)			48	54		ors. pumping g.p.m.
lime (med. grey, numerous shlae brakes)				73		nrs. pumping g.p.m.
shale (red) shale (green)			73	75	Estimated maximum yield	g.p. mo./day/yr.
	y, numerous sha	le hreake) 601	DEG.	1 1	Yes <u> </u>	Date
	J' Homo Toub Bild		IIUI	164	14 Well head completion:	30
shale (gr	eу)		16	19		12_ Inches above grade
lime (grey)			1195	20	With: Y Neat cement	Bentonite Concrete
shale (grey) lime (grey)					Depth: From II. To	35 ft.
shale (grey)			206	1 1	10. Itelies source of possible	e contamination: duy
(8-9)			200		ft Direction Well disinfected upon comple	East yes well well
					17. Pump:	Not installed
					Manufacturer's name Model number 10' EU	3/4 Volts 220
						Oft. capacity 350.p.m.
					Type: X Submersible	Turbine
					Jet	Reciprocating
		sheet if needed)		L	Centrifugal	Other
	19. Remarks: Customer is aware of state reg-				20. Water well contractor's This well was drilled under m	
ulation and agrees to install a 4' square re-enforced concrete platform				m	is true to the best of my know	
laround ton of well				"]		illing Co., I
ropograpny:	around top of w					License No. I
Hill	around top of w	./ _			Business name Address 6355 Rob	inhood In.
ropograpny:	X E Laurence 9	Harrison			Address 6355 Rob	