USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215 Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas: 66620

1. Location of well: Johnson  2. Distance and direction from nearest town or city: N, V E, 34N 3. Owner of well: HS, ALTMAN  R.R. or street:  Street address of well location if in city: EDGERTON, KS. City, state, zip code: EDGERTON, KS. 66C  4. Locate with "X" in section below:  Sketch map:  Section number  Township number  Tow	E/W
2. Distance and direction from negrest town or city: N, D, E, 34N  Street address of well location if in city: EDGERTON, KS. City, state, zip code: EDGERTON, KS. 660  4. Locate with "X" in section below:  N  Sketch map:  O  O  O  O  O  O  O  O  O  O  O  O  O	
4. Locate with "X" in section below:  Sketch map:  Well depth 217 ft.	,21
4. Locate with "X" in section below:  N  Sketch map:  Sketch map:  O  Sketch m	21
N Well depth ft.	
	1301/6
T 1 Cable fool _ Kordry _ Diver _ Dog	
NW NE WE WE WE WE WE-	
B. Use: ** Domestic ** Public supply In Irrigation Air conditioning St Irrigation Air conditioning Air co	tock
SW SE	
Threaded Welded ISurface	in.
S   AN^   Y   S   RMP   PVC   X   Weight   PVC   X	
5. Type and color of material From To Dia in. to tt. depth gage No	
10. Screen: Manufacturer's name JESS	<u>+</u>
Soil & Joint Clay  14 6 14  Type PLASTIC Dia. 5  Slot/gauze 1/4 Halfshgth 20	_
Blue Lime Set between 50 ft. and 10	ft.
Hard Sandy Gray Shale  6 17 23 Gravel pack? Size range of material	ft.
White Lime 22 23 45 11. Static water level:	15/76
Black Slale 5 45 50 12. Pumping level below land surface Date 5 6	21/9
Blue Lime- possible water  8 50 58ft. afterhrs. pumping	
Estimated maximum yield 170 2.	g.p.m.
13. Water sample submitted: mo	o./day/yr.
Blue Lime 24 05 07 14. Well head completion:	
Gray Shale 1 87 88 X Pitless adapter Inches above	grade
Red Shale 5 88 93 With:Neat cement Bentonite	Concrete
Gray Sand  14 93 107 16. Nearest source of possible contamination: S	EPTIC
Blue Lime 7 107 115 Well disinfected upon completion? X Yes	AVK
17. Pump: Not installed	
White Lime 12 115 127 Manufacturer's name Red Jacket  Model number HP 3/4 ye	
Gray Shale 15 127 142 Length of drop pipe 212 ft. copocity 5	_g.p.m.
Blue Lime 16 142 158 Type:  X Submersible Turbin	
Gray Shrale (Use a second sheet if needed) 12 158 170 — Jet — Recipt — Centrifugal — Other	rocating
18. Elevation: 19. Remarks: 20. Water well contractor's certification:	
This well was drilled under my jurisdiction and this is true to the best of my knowledge and belief.	19
Topography: SWANKWATERWELL DRILL T	cense No.
Hill   Rusiness name	
Slope Upland  Business name I PR NCF TON K	5/21

OSE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	County Fraction			Section number		Township number	Range number	
1. Location of well:		1/4 1/4	1/4			T S	R	E/W
Distance and direction from nearest town or city:     3. Owner of well:					н. H.S	. Altman		
Street address of well location if in city:  R.R. or street:  City, state, zip code:					code: Ed	dgerton, Kansas 66021  6. Bore hole dia. 61 in. Completion date 5/30/76		
4. Locate with "X" in section below: Sketch map:						6. Bore hole dia. 41 in. Well depth 2174 ft.	Completion date 5/	<b>30/</b> 70
I I						7 Cable tool Rotary Driven Dug Hollow rod Jetted Bored Reverse rotary		
PASE 2					Ī	8. Use: X Domestic Public supply Industry Irrigation Air conditioning Stock		
SW SE						Lawn Oil field water Other  9. Casing: Material Height: Above or below		
s s						ThreadedWeldedSurfacein.  RMPPVCWeightIbs./ft.  Dia. 5 in. to 17 ft. depth Wall Thickness: inches or		
. Type and color of	material			From	То	Dia in. to ft. dep	th Wall Thickness: inches th gage No.	or
- Type and color of	THE CONTROL OF THE CO					10. Screen: Manufacturer's r	name	
White Lime			6	170	176	Type Dia		
Blue Lime			9	176	185	Slot/gauze Set between	ft. and	
White Lime			8	185	193	ft. c	and	ft.
ray Shal	e		8	193	205	11. Static water level:ft. below land sur	mo./do	у/уг.
White Lime			12	205	217	12. Pumping level below land surfaces:  ft. after hrs. pumping g.p.m.  ft. after hrs. pumping g.p.m.		
Gray Shale				217				
						13. Water sample submitted:		y/yr.
							Date	
				1		14. Well head completion:  X Pitless adapter	Inches above gra	de
						15. Well grouted? With: Neat cementX Bentonite Conc		
						Depth: From ft. to		
				-		16. Nearest source of possible ft Direction	Туре	
				ļ.,		Well disinfected upon comple 17. Pump:	etion? Yes Not installed	_Nº
						Manufacturer's name Red	i jacket	*
						Model number	HP Volts _ ft . capacity g .	p.m.
						Туре:	, , -	
						Submersible Jet	Turbine	ing
(Use a second sheet if needed)						Centrifugal	Other	ž.
8. Elevation:	19. Remarks:					This well was drilled under m	y jurisdiction and this rep	port
Topography:						is true to the best of my knowledge and belief.		
— Hill						Business name License No.		
Slope Upland						Address Good V	wank 5	31/2
Valley						Signed Althorized rep	presentative	7/6