

County: Johnson Fraction S2 NW SE Sec. 2 T 14 S R 24 EW

CORRECTION(S) TO WATER WELL COMPLETION RECORD (WWC-5)

(to rectify lacking or incorrect information)

Owner: Tony & Marsha Fangman

Location was listed as:

Section-Township-Range: 25-14 S-24 E

Fraction ($\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$): SW SW NE SW

Location changed to:

2-14 S-24 E

S2 NW SE

Other changes: Initial statements: _____

Changed to: _____

Comments: _____

Verification method: wellsite address, city street map, and
mapping tool on KGS website.

initials: DRK date: 2/28/2017

Submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726

to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

WATER WELL RECORD

Form WWC-5

Division of Water Resources App. No.

1 LOCATION OF WATER WELL: County: Johnson		Fraction <u>SW 1/4 SW 1/4 NE 1/4 SW 1/4</u>		Section Number <u>25</u>	Township No. <u>T 14 S</u>	Range Number <u>R 24 E</u> ☐ W																																																																		
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here ☐ . 18240 Goodard Street Overland Park, Kansas 66221		Global Positioning System (GPS) information: Latitude: (in decimal degrees) Longitude: (in decimal degrees) Elevation: Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method: ☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m																																																																						
2 WATER WELL OWNER: <u>Tony + Marsha Fangman</u> RR#, Street Address, Box #: <u>13223 Carter</u> City, State, ZIP Code: <u>Overland Park, KS 66213</u>																																																																								
3 LOCATE WELL WITH AN "X" IN SECTION BOX: N <table border="1" style="width: 100%; text-align: center; border-collapse: collapse;"> <tr> <td colspan="2">NW</td> <td colspan="2">NE</td> </tr> <tr> <td colspan="2">SW X</td> <td colspan="2">SE</td> </tr> </table> E S 1 mile		NW		NE		SW X		SE		4 DEPTH OF COMPLETED WELL <u>200</u> ft. <u>11-200' Bores</u> Depth(s) Groundwater Encountered (1) <u>None</u> ft. (2) ft. (3) ft. WELL'S STATIC WATER LEVEL <u>None</u> ft. below land surface measured on mo/day/yr..... Pump test data: Well water was ft. after hours pumping gpm EST. YIELD <u>0</u> gpm. Well water was ft. after hours pumping gpm Bore Hole Diameter <u>6</u> in. to ft., and in. to ft. WELL WATER TO BE USED AS: ☐ Public water supply ☒ Geothermal ☐ Injection well ☐ Domestic ☐ Feedlot ☐ Oil field water supply ☐ Dewatering ☐ Other (Specify below) ☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well CLOSED LOOP Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☒ No If yes, mo/day/yr sample was submitted..... Water well disinfected? ☐ Yes ☒ No																																																														
NW		NE																																																																						
SW X		SE																																																																						
5 TYPE OF CASING USED: ☐ Steel ☐ PVC ☒ Other <u>HD POLYETHYLENE</u> CASING JOINTS: ☐ Glued ☐ Clamped ☒ Welded ☐ Threaded <u>Fusion</u> Casing diameter <u>3/4</u> in. to <u>200</u> ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface <u>36</u> in., Weight <u>SDR11</u> lbs./ft., Wall thickness or gauge No. <u>160PSI</u> TYPE OF SCREEN OR PERFORATION MATERIAL: <u>None</u> ☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: <u>None</u> ☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft. From ft. to ft., From ft. to ft.																																																																								
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☒ Bentonite ☐ Other Grout Intervals: From <u>200</u> ft. to <u>3</u> ft., From ft. to ft., From ft. to ft. What is the nearest source of possible contamination: <u>NONE</u> ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Direction from well Distance from well																																																																								
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>FROM</th> <th>TO</th> <th>LITHOLOGIC LOG</th> <th>FROM</th> <th>TO</th> <th>LITHO. LOG (cont.) or PLUGGING INTERVALS</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>4</td> <td>soil/clay</td> <td></td> <td></td> <td></td> </tr> <tr> <td>4</td> <td>8</td> <td>sandstone</td> <td></td> <td></td> <td></td> </tr> <tr> <td>8</td> <td>23</td> <td>lime</td> <td></td> <td></td> <td></td> </tr> <tr> <td>23</td> <td>35</td> <td>sandstone</td> <td>200</td> <td>3</td> <td>11-200' Bores Plugged</td> </tr> <tr> <td>35</td> <td>50</td> <td>lime</td> <td></td> <td></td> <td>with High Solid Bentonite</td> </tr> <tr> <td>50</td> <td>72</td> <td>shale</td> <td></td> <td></td> <td></td> </tr> <tr> <td>72</td> <td>85</td> <td>lime</td> <td></td> <td></td> <td></td> </tr> <tr> <td>85</td> <td>111</td> <td>shale</td> <td></td> <td></td> <td></td> </tr> <tr> <td>111</td> <td>116</td> <td>lime</td> <td></td> <td></td> <td></td> </tr> <tr> <td>116</td> <td>169</td> <td>shale</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>							FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS	0	4	soil/clay				4	8	sandstone				8	23	lime				23	35	sandstone	200	3	11-200' Bores Plugged	35	50	lime			with High Solid Bentonite	50	72	shale				72	85	lime				85	111	shale				111	116	lime				116	169	shale			
FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS																																																																			
0	4	soil/clay																																																																						
4	8	sandstone																																																																						
8	23	lime																																																																						
23	35	sandstone	200	3	11-200' Bores Plugged																																																																			
35	50	lime			with High Solid Bentonite																																																																			
50	72	shale																																																																						
72	85	lime																																																																						
85	111	shale																																																																						
111	116	lime																																																																						
116	169	shale																																																																						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☒ constructed, ☐ reconstructed, or ☒ plugged under my jurisdiction and was completed on (mo/day/year) <u>10-11-13</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>561</u> This Water Well Record was completed on (mo/day/year) <u>10-15-13</u> under the business name of <u>Evans Energy Development, Inc.</u> by (signature) <u>[Signature]</u>																																																																								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html																																																																								