			m WWC-5	Division of Water					
			hange in Well Use		sources App. No		Well ID		
		VATER WELL:	Fraction	-	ection Number				
County: Johnson   SW¼ NE¼ NW¼ SW¼   35   T 14 S   R 24 ■ E									
2 WELL OWNER: Last Name: Corley First: Shannon Street or Rural Address where well is located (if unknown, distance and									
Business: & Tina direction from nearest town or intersection): If at owner's address, check here:									
Address: 16453 Rond St   11549 W 167(f) 50									
City:	Overland		KS ZIP: 66221	Spring Hill	, KS 66083				
3 LOCAT				400		29 7970			
WITH "	WITH "X" IN SECTION BOY.  Depth(s) Groundwater Encountered: 1)								
SECTIO	ON BOX:			countered: 1)					
1	WELL'S STATIC WATER LEVEL:						LI NAD 83 LI NAD 27		
			WELL'S STATIC WATER LEVEL:						
_ NW	NE		above land surface, measured on (mo-day-yr)						
Pump test data:			ell water was		i	☐ Land Survey ☐ Topographic Map			
w v	E	after hours pumping gpm				Online Mapper:			
X <sub>SW</sub>	SE	Well water was ft.							
SW	35	after hours pumping gpm					□ Ground Level □ T∩C		
		Estimated Yield:	gpm	00 0 1	6 Elevation:ft. Ground Level TOC Source: Land Survey GPS Topographic Map				
1	S mile 1		er: 5.5 in. to 40		Source.				
II. W It.									
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID									
House			tering: how many wells'			ole: well ID			
				charge: well ID					
Livest			toring: well ID						
2. 🔲 Irrigat	2. Irrigation  9. Environmental Remediation: well ID								
3. Teedlo		☐ Air Sp	parge 🔲 Soil Vap	or Extraction					
4. 🔲 Indust	rial	☐ Recov	very		13. 🔲 Oth	er (specify):			
Was a chemical/bacteriological sample submitted to KDHE?  Yes  No If yes, date sample was submitted:									
Water well disinfected? ☐ Yes ☐ No									
8 TYPE (	OF CASING	G USED:  Steel	PVC Other H.D.P	.E CAS	ING JOINTS:	☐ Glued ☐ Clamped	☐ Welded ☐ Threaded		
Casing diameter 1 in to 400 ft. Diameter in to ft. Diameter in to ft.									
Casing diameter									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
Continuous Slot									
Louvered Shutter									
SCREEN-PERFORATED INTERVALS: From									
GRAVEL PACK INTERVALS: From									
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ■ Bentonite ☐ Other									
Nearest source of possible contamination:									
☐ Septic		Lateral	Lines	v ſ	Livestock Pen	s 🔲 Insecticio	de Storage		
Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well									
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well									
Other (Specify)									
Direction from well?									
10 FROM	ТО		LOGIC LOG	FROM			LUGGING INTERVALS		
0			121-130 SHALE	220			8-293 SAND		
8	14		130-132 LIME	233			3-400 SHALE		
14			132-152 SHALE	240		IME			
23	27		152-156 LIME	260		HALE			
27			156-195 SHALE	265		IME			
74	83		195-196 LIME	280	288 S	HALE	this course is a second of the		
83	88		196-207 SHALE	Notes:					
	88 111 SHALE 207-217 LIME 8 TON SYSTEM FOR HOUSE								
111   121   LIME   217-220 SHALE									
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged									
under my jurisdiction and was completed on (mo-day-year) .12/10/2019 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 953 This Water Well Record was completed on the day-year) 12/10/2019 under the business name of Allens Holdings & Investments dba EED Signature									
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section,									
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.									
	Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015								