


USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well: County <u>Dickinson</u> Fraction <u>SW 1/4 SW 1/4 NW 1/4</u> Section number <u>17</u> Township number <u>T 14 S</u> Range number <u>R 4 E</u> <u>EA</u>	
2. Distance and direction from nearest town or city: <u>9 1/2 S</u> Street address of well location if in city: <u>Chapman</u> 3. Owner of well: <u>Dyane hendene</u> R.R. or street: <u>BB</u> City, state, zip code: <u>Chapman</u>	
4. Locate with "X" in section below: Sketch map: 	
5. Type and color of material	
	From To
<u>Lime Stone</u>	<u>0 10</u>
<u>yellow clay</u>	<u>10 15</u>
<u>lime Stone</u>	<u>15 40</u>
<u>yellow Shale</u>	<u>40 62</u>
<u>Red Shale</u>	<u>62 85</u>
<u>Some water</u>	<u>85</u>
<u>yellow clay</u>	<u>85 112</u>
<u>Water</u>	<u>112 114</u>
<u>Gray Rock</u>	<u>114 117</u>
(Use a second sheet if needed)	
18. Elevation:	19. Remarks:
Topography: <input checked="" type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley	20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. <u>Backhus Drilling</u> Business name License No. Address <u>Jampa, Ki.</u> Signed <u>Paul Backhus</u> Date <u>8-10-78</u> Authorized representative

6. Bore hole dia 9.7 in. Completion date 8-10-78
Well depth 117 ft.

7. Cable tool Rotary Driven Dug
 Hollow rod Jetted Bored Reverse rotary

8. Use: Domestic Public supply Industry
 Irrigation Air conditioning Stock
 Lawn Oil field water Other

9. Casing: Material PVC Height: Above or below
Threaded Welded Surface 75 in.
RMP PVC Weight 2540 lbs./ft.
Dia. 5 in. to 117 ft. depth Wall Thickness: inches or
Dia. in. to ft. depth gage No. 238+

10. Screens: Manufacturer's name ASTM
Type PVC Dia. 5"
Slot/gauze 1/8" Length 20
Set between 80 ft. and 90 ft.
97 ft. and 117 ft.
Gravel pack? Size range of material 3/8"

11. Static water level: 85 ft. below land surface Date 8-10-78 mo./day/yr.

12. Pumping level below land surfaces:
 ft. after hrs. pumping g.p.m.
 ft. after hrs. pumping g.p.m.
Estimated maximum yield g.p.m.

13. Water sample submitted: mo./day/yr.
 Yes No Date

14. Well head completion: 15 inches above grade
 Pitless adapter

15. Well grouted?
With: Neat cement Bentonite Concrete
Depth: From 0 ft. to 10 ft.

16. Nearest source of possible contamination: 85 ft. Direction Type Basement
Well disinfected upon completion? Yes No

17. Pump: Not installed
Manufacturer's name
Model number HP Volts
Length of drop pipe ft. capacity g.p.m.
Type:
 Submersible Turbine
 Jet Reciprocating
 Centrifugal Other

T
R
W
E
S
17
1/4
1/4
1/4
1/4
1/4
1/4

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5