WATER WELL RECORD	Form WWC-5	Division of Wate	r Resources App. No	,. [
1 LOCATION OF WATER WELL:	Fraction	Section Number	Township No.	
County: Orkers &	NE 1/4 NW/4NE 1/4 1/4	22		R 4 DE UW
Street/Rural Address of Well Location;		Global Positioning		
from nearest town or intersection: If at	owner's address, check here			(in decimal degrees)
From Woodbird Go 24	a.us poorts and and	Longitude:		
Rd. Then as WAST & M	I on 1600 Rd.	Datum: WGS 8	4 □ NAD 83 □	NAD 27
		Collection Method:		
RR#, Street Address, Box #: Street Schmids		GPS unit (Make/Model:)		
RR#, Street Address, Box #: City, State, ZIP Code : 763 windson		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m		
3 LOCATE WELL Salies	185 67401.	Est. Accuracy.	3 III, [] 3-3 III, []	3-13 III, 🔲 ~13 III
WITH AN "X" IN 4 DEPTH OF	COMPLETED WELL	ft.		
SECTION BOX: Depth(s) Groundwater Encountered (1)7.24				
WELL'S STATIC WATER LEVEL. 60ft. below land surface measured on mo/day/yr				
Pump test data: Well water wasft. after hours pumping gpm				
EST. YIELD. 20gpm Well water was				
W E Bore Hole Diameter				
Domostic Decider Oil field water supply Developing Other (Specify Laley)				
SW SE				
Was a chemical/bacteriological sample submitted to Department? Yes No				
S If yes, mo/day/yr sample was submitted				
1 mile Water well disinfected? No				
5 TYPE OF CASING USED: Steel PVC Other				
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter fin. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in., Weight Child Welded Market Wall thickness or gauge No.				
Casing diameter				
Casing height above land surface				
TYPE OF SCREEN OR PERFORATION MATERIAL:				
Steel Stainless Steel Other (Specify)				
Brass Galvanized Steel Note (open hole) SCREEN OR PERFORATION OPENING ARE				
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)				
Continuous slot Mill slott Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft.				
SCREEN-PERFORATED INTERVALS: From				
From				
From				
6 GROUT MATERIAL: Neat ceme				
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other				
What is the nearest source of possible conta			110111	16. 10
☐ Septic tank ☐ Lateral lin	es Pit privy Livestock p	ns Insecticide	storage	er (specify below)
Sewer lines Cesspool	Sewage lagoon Fuel storage			
☐ Watertight sewer lines ☐ Seepage p		orage ⊔Oil well/ga rom well		
FROM TO LITHOLOG				GGING INTERVALS
A Yaa Sili		73 Tov 5		JOING INTERVALS
1 25 65 11/11	80	JOS HISTORY	T	
55 27 History	73/	OO LIMISS		
77 35 VIllar Shel	(
30 36 How Shell				
36 38 Limaters				
38 48 Commich Shot	•			
48 50 6 mistore				
50 72 Brown Show				
TONTHA STORE OF ANDOUNE PE CENTRE OF THE				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, reconstructed, or plugged				
under my jurisdiction and was completed on (mo/day/year)				
under the business name of his light will by (signature)				
INSTRUCTIONS: Use typewriter of ball point pen. PLEASE PRESS FIRMLY and PAINT clearly. Please fill in blanks and the the content of the conte				
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Vater, Geology Section, 1000 SW Jackson St. Suite 420, Topeka, Kansas 66612-1367.				
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.				
KSA 82a-1212				