KOLAR Document ID: 1380277

WATER W				WWC-5		ivision of			Well ID		
Original Record Correction Change in Well Use					Resources App. I Section Number					ao Numbor	
1 LOCATION OF WATER WELL: County:Fraction1/41/41/41/4					1 0						
						treet or Rural Address where well is located (if unknown, distance and					
						irection from nearest town or intersection): If at owner's address, check here:					
Address:											
Address:											
City:			State:	ZIP:							
3 LOCATE WELL WITH "X" IN 4 DEPTH OF COMPLETED WELL:						ft. 5 Latitude :(decimal degrees)					
SECTION		Depth(s) Groundwater Encountered: 1)				ft. Longitude:					
N	D 02 1 ,		Dry Well			🗌 WGS 84 🛛 NAI					
		WELL'S STATIC WATER LEVEL: below land surface, measured on (mo-day-yr)					Source for Latitude/Longitude:				
	. <u>'</u> X		/-yr) /-yr)			(unit make/model:					
NW	NE	Pump test da		···· (WAAS enabled? □ Yes □ No) □ Land Survey □ Topographic Map			0)				
w	Е	after									
SW	1		ft.								
	SE	after	. gpm	6 Elevation:ft. Ground Level TOO							
s		Estimated Y	ft and								
1 mile		Bore Hole Diameter: in. to in. to									
7 WELL WATER TO BE USED AS:											
1. Domestic: 5. □ Public Water Supply: well ID 10. □ Oil Field Water Supply: lease											
Household 6. Dewatering: how many wells?											
Lawn & Garden 7. Aquifer Recharge: we								Cased 🗌 Uncased 🗌 Geotechnical			
	Livestock 8. Monitoring: well ID							mal: how many bores			
2. ☐ Irrigation 3. ☐ Feedlot	2. [] Irrigation 9. Environmental Remediation: well II 3. [] Feedlot [] Air Sparge [] Soil Vapor										
4. □ Industrial □ Recovery					$13. \square Other (specify):$						
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:											
Water well disinfected? Ves No											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
□ Steel □ Stainless Steel □ Fiberglass □ PVC □ Other (Specify)											
Brass Galvanized Steel Concrete tile None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)											
							1	/	ft. to	ft.	
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft. to ft. or ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.											
Nearest source					-	.	1.0		1.0		
Septic Tan			Lateral Line Cess Pool	s 🗌 Pit Privy Sewage L		Fuel St	ock Pens		cide Storage		
□ Sewer Lin			beepage Pit				zer Storag		ll/Gas Well	wen	
□ Other (Spe	□ Other (Specify)										
				Distance from w							
10 FROM	ТО	L	ITHOLOG	GIC LOG	FROM	TC) LI	THO. LOG (cont.) or	PLUGGIN	3 INTERVALS	
<u>├</u> ─── ─											
					Notes:	-					
	CTODIC			CEDUIDICATIO	NL. 7D1:1	11					
under my juris	diction an	UK LAND(d was compl	eted on (m	S CERTIFICATIO	IN: This was	er well	was 📋 (constructed, \square reco	nstructed,	or \square plugged	
Kansas Water	Well Con	tractor's Lice	ense No.	no-day-year) 	ater Well R	ecord w	as com	leted on (mo-dav-ve	ear)		
under the busi	ness name	of									
	S	end one copy to	WATER W	ELL OWNER and retain	one for your re	cords. Fe	ee of \$5.00) for each <u>constructed</u> we	-11.		
	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212										