


1 LOCATION OF WATER WELL: County: Morris Fraction: SW 1/4 NE 1/4 NW 1/4 Section Number: 35 Township Number: T 14 S Range Number: R 6 E/W

Distance and direction from nearest town or city street address of well if located within city? West side of 4th Street ≈ 125' S of McKenzie MW-2

2 WATER WELL OWNER: White City PWS  
 RR#, St. Address, Box #: White City, Ks  
 City, State, ZIP Code: White City, Ks  
 Board of Agriculture, Division of Water Resources  
 Application Number: KDHE # 152147

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  4 DEPTH OF COMPLETED WELL: 113 ft. ELEVATION: KDHE # 152147  
 Depth(s) Groundwater Encountered: 78.50 ft. 2. 11.5 ft. 3. 96 ft.  
 WELL'S STATIC WATER LEVEL: 78.50 ft. below land surface measured on mo/day/yr 11-15-96  
 Pump test data: Well water was \_\_\_\_\_ ft. after \_\_\_\_\_ hours pumping \_\_\_\_\_ gpm  
 Est. Yield \_\_\_\_\_ gpm: Well water was \_\_\_\_\_ ft. after \_\_\_\_\_ hours pumping \_\_\_\_\_ gpm  
 Bore Hole Diameter: 6 in. to 113 ft., and \_\_\_\_\_ in. to \_\_\_\_\_ ft.  
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well  
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well  
 Was a chemical/bacteriological sample submitted to Department? Yes \_\_\_\_\_ No X; If yes, mo/day/yr sample was submitted \_\_\_\_\_  
 Water Well Disinfected? Yes \_\_\_\_\_ No X

5 TYPE OF BLANK CASING USED: 1 Steel 2 PVC 2 3 RMP (SR) 4 ABS 4 5 Wrought iron 6 Asbestos-Cement 7 Fiberglass 8 Concrete tile 9 Other (specify below) 10 Asbestos-cement 11 Other (specify) 12 None used (open hole)  
 Blank casing diameter: 2 in. to 93 ft., Dia. \_\_\_\_\_ in. to \_\_\_\_\_ ft., Dia. \_\_\_\_\_ in. to \_\_\_\_\_ ft.  
 Casing height above land surface: 36 in., weight 69 lbs./ft. Wall thickness or gauge No. \_\_\_\_\_  
 TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 2 Brass 3 Stainless steel 4 Galvanized steel 5 Fiberglass 6 Concrete tile 7 PVC 7 8 RMP (SR) 9 ABS 10 Asbestos-cement 11 Other (specify) 12 None used (open hole)  
 SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 2 Louvered shutter 3 Mill slot 3 4 Key punched 5 Gauzed wrapped 6 Wire wrapped 7 Torch cut 8 Saw cut 9 Drilled holes 10 Other (specify) 11 None (open hole)  
 SCREEN-PERFORATED INTERVALS: From 93 ft. to 113 ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
 GRAVEL PACK INTERVALS: From 91 ft. to 115 ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 2 3 Bentonite 3 4 Other \_\_\_\_\_  
 Grout Intervals: From 0 ft. to 91 ft., From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
 What is the nearest source of possible contamination: 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 4 Lateral lines 5 Cess pool 6 Seepage pit 7 Pit privy 8 Sewage lagoon 9 Feedyard 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)  
 Direction from well? unknown - near service station How many feet? \_\_\_\_\_

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	6	Clay			
6	30	Silty clay			
30	31	Ls lenses w/ some chert			
31	48	Clay w/ ls seams @ 36 & 42			
		Void @ 43'			
48	73	Shale			
73	74	Void			
74	113	Ls. Shale @ 104-106'			
113	115	Shale			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 11-4-96 and this record is true to the best of my knowledge and belief, Kansas Water Well Contractor's License No. 581 This Water Well Record was completed on (mo/day/yr) 11-16-96 under the business name of Layne Weston Co by (signature) Steve Mitchell

OFFICE USE ONLY T R E/W SEC. 1/4 1/4 1/4