1 LOCATION	N OF WATER	WELL:	Fraction	R WELL RECO	KD~ Form		tion Numbe	Towns	hip Number	Ra	nge Number	
county:	Mori	ris	NE 1/4				12	l .			7	E
istance and	direction from	nearest town	or city street add	ress of well if	located wit	hin city?)wiaht	(ansas					
TWATER W	VELL OWNER:			1 WHAIII	Otreet, E	wigitt, i	\u10u5					
R#. St. Addi	ress, Box #	P.O. Box	k 98					Board of	f Agriculture,	Division of V	Vater Resour	ces
ity State 7	P Code	Dwiaht.	KS 66849					Applicat	ion Number:			
LOCATE	NELL'S LOCA	TON MITH		OMBI ETED M	/ELI	30	. 4 515	VATION:				
JAN "X" IN	SECTION BOX		DEPTH OF C	water Encount	rod115		· · · · · · · · · · · · · · · · · · ·	1 2		ft 3		Ft
	N	l _v	VELL'S STATIC	WATER LEVE	20	.46 ft	below land	surface meas	sured on mo/	/dav/vr	09/08/08	-' "
<u> </u>		. 		test data: V								pm
	.i	. E	st. Yield									pm
	NVV	I B	ore Hole Diame	ter 8.625	In to	3	0	ft and		in to		Ft
₩ W	<u> </u>	∔ EV	VELL WATER To 1 Domestic	O BE USED A	S: 5 Pub	lic water s	upply	8 Air co	enditioning stering	11 Injection	on well (Specify belo	w)
7			2 Irrigation	4 Industrial	7 1 24	n and nar	den (domes	ic) 10 Mon	itoring well		(Opcomy bold 1W-24	,
	sw	SE X	Vas a chemical/									
↓		: 1 1	vas a chemicaln	Dacteriological	sample su	ormited to		ater Well Disi				35
TYPE OF	BLANK ČASIN		domitted	5 Wrought	Iron	8 Conc	ete tile			Glued		
1 Stee		3 RMP (SF	₹)	6 Asbestos						Welded		
2 PVC		4 ABS	,	7 Fiberglas	_				-	Threaded	X	
		•	45	Ft								
slank casing	diameter	- <u></u> 2	n. to 15	Dia		in.	to	ft., Dia		in. to		- ft.
	t above land su REEN OR PER		FLUSH	In., weight		7	LDS./I	t. VVall thickn	ess or gauge	e No.		
1 Stee				5 Fiberolas	s							
2 Bras		4 Galvaniz	s steel ed steel	6 Concrete	tile	9	ABS	11 12	None used	(open hole)		
CREEN OR	PERFORATION	_			Gauzeo	wrapped		8 Saw cu	ut .	11 Nor	ne (open hole	?)
	inuous slot	_	ill slot									
	ered shutter		ey punched		Torch c			10 Other	(specify)			
SCREEN-PE	RFORATED IN	HERVALS:	From		to			From		ft to		. [.
SANI	D PACK INTER	N/Δ1 S·	From	13 #	to	30	fi	From		ft to		Ft.
OAN	DI AON INTER	WALO.	From	ft.	to		ft.	From		ft. to		Ft.
GROUT	MATERIAL:	1 Neat cer	ment 2			3 Ber						
				Ft		-Ft						
			to 2	From2	<u>Z</u> .	to		ft. F				. ft.
vnat is the n 1 Sept	earest source o	•	Lateral lines	7	Pit privy			stock pens storage	15	Oil well/ Ga		
2 Sew			Cess pool		Sewage la	igoon		ilizer storage		Other (spec		
	ertight sewer lin		Seepage pit		Feedyard	.goo		cticide storag		Contami		
Direction from	•		2224230 411		,		How man	•				
FROM	то с	ODE	LITHOL	OGIC LOG		FROM	ТО		PLUGGIN	IG INTERVA	LS	
0	3	Clay	, hard, yell	ow brown								
3	12	Clay	, medium, ; , silty, with	stiff yellow	<u> </u>							
12 16	16 22		clayey, w/li				-					
22	30		, silty, w/lir		ck							
30	TD	End	of Borehol	е								
							-					
										<u> </u>		
				- Mary		· · ·						
7 CONTRAC	CTOR'S OR LA	NDOWNER'S	S CERTIFICATION	ON: This wate	r well was	(x) constru	cted, (2) red	onstructed, o	r (3) plugged	d under my iu	risdiction and	w
			09/09					true to the be				
Vater Well C	ontractor's Lice	ense No.		585		This V	Vater Well F	ecord was co	mpleted on	(mo/day/yr)	10/09/0	
nder the bus	siness name of		Associat	ed Enviror		, Inc.		By (signature) Bradle	y J Johns	son	
INSTRU	CTIONS: Pleas	e fill in blanks a	and circle the corre 296-5545. Send o	ect answers. Se	nd three co	pies to Kan	sas Departme	ent of Health an	d Environmer	nt Bureau of V	vater, Topeka,	
r\aii5a5 (20020-0001. 181	Opinone. 910-2	.00 00 40. Gend C	INTILITY	- LLL OVVINI	, and rela	one for you	1000100.	Burch	Dellah.	200	