County: Morris SE ½ SE ½ SE ½ 12 T 14 S R  Distance and direction from nearest town or city street address of well if located within city?  7th & Main Street, Dwight, Kansas  2 WATER WELL OWNER: Roger Parker  RR#, St. Address, Box # P.O. Box 98 Board of Agriculture, Division of Water City, State, ZIP Code Dwight, KS 66849 Application Number:  3 LOCATE WELL'S LOCATON WITH AN "X" IN SECTION BOX:  Depth of Completed Well Stratic Well water was Ft. after hours pumping  Est. Yield Gpm: Well water was Ft. after hours pumping  Bore Hole Diameter 8.625 In. to 30 ft. and in. to  WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr  Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr	ter Resources Ft. Gpm Gpm
WATER WELL OWNER: Roger Parker  RR#, St. Address, Box # P.O. Box 98  Board of Agriculture, Division of Water, State, ZIP Code Dwight, KS 66849  Application Number:  Depth of Completed Well and Surface measured on mo/day/yr  Pump test data: Well water was ft. after hours pumping  Board of Agriculture, Division of Water, State, ZIP Code Dwight, KS 66849  Application Number:  Depth of Completed Well State, ZIP Code In the State of Sta	ter Resources Ft. Gpm Gpm
WATER WELL OWNER: Roger Parker  ##, St. Address, Box # P.O. Box 98 Board of Agriculture, Division of Water  ##, St. Address, Box # P.O. Box 98 Board of Agriculture, Division of Water  ##, St. Address, Box # P.O. Box 98 Board of Agriculture, Division of Water  ##, St. Address, Box # P.O. Box 98 Board of Agriculture, Division of Water  ##, St. Address, Box # P.O. Box 98 Board of Agriculture, Division of Water  ##, St. Address, Box # P.O. Box 98 Board of Agriculture, Division of Water  ##, Application Number:  ##, St. Address, Box # P.O. Box 98 Board of Agriculture, Division of Water  ##, Application Number:  ##, St. Address, Box # P.O. Box 98 Board of Agriculture, Division of Water  ##, Application Number:  ##, St. Address, Box # P.O. Box 98 Board of Agriculture, Division of Water Application Number:  ##, St. Address, Box # P.O. Box 98 Board of Agriculture, Division of Water Application Number:  ##, St. Address, Box # P.O. Box 98 Board of Agriculture, Division of Water Application Number:  ##, St. Address, Box # Application Number:  ##, St. Address, Box # P.O. Box 98 Board of Agriculture, Division of Water Application Number:  ##, St. Address, Box # Application Number:  ##, St. Address # Application Number:  ##, St. After	Ft. Gpm Gpm
Board of Agriculture, Division of Wate Application Number:    P.O. Box 98	Ft. Gpm Gpm
y. State, ZIP Code  Dwight, KS 66849  Application Number:  Application Number:  Application Number:  Application Number:  Depth of Completed Well  NA  Tyel of Blank Casing Used:  Submitted  Depth of Completed Well  Application Number:  30 ft. ELEVATION:  Depth of Completed Well  Agher Application Number:  30 ft. delevation:  Depth of Completed Well  Agher Application Number:  Submitted  NA  Well water was  Ft. after  Hours pumping  Bore Hole Diameter  Sole Well water was  Bore Hole Diameter  As Acconditioning  11 Injection  11 Domestic 3 Feed lot 6 Oil field water supply  Dewatering  12 Other (Sp  2 Irrigation 4 Industrial 7 Lawn and garden (domestic)  Water Well Disinfected? Yes  No  Water Well Disinfected? Yes  No  Submitted  Water Well Disinfected? Yes  No  Type of Blank Casing Used:  Steel  3 RMP (SR)  6 Asbestos-Cement  9 Other (specify below)  Threaded  Threaded  Threaded	Ft. Gpm Gpm
Depth of Completed Well 30 ft. Elevation:  Depth(s) Groundwater Encountered 11.5 ft. 2 ft. 3  Well's Static Water Level NA ft. below land surface measured on molday/yr  Pump test data: Well water was Ft. after hours pumping  Est. Yield Gpm: Well water was Ft. after Hours pumping  Bore Hole Diameter 8.625 In. to 30 ft. and in. to  Well Water To Be USED AS: 5 Public water supply 8 Air conditioning 11 Injection water supply 9 Dewatering 12 Other (Sp. 2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, molday/yr Submitted  TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded  Threaded 15 Dia In. to ft., Dia in. to	Ft. Gpm Gpm
Depth(s) Groundwater Encountered 11.5  N  WELL'S STATIC WATER LEVEL  NA  Fit. below land surface measured on mo/day/yr  Pump test data: Well water was  Est. Yield  Gpm: Well water was  Fit. after  Hours pumping  Bore Hole Diameter  8.625 In. to  30 fit. and  in. to  WELL WATER TO BE USED AS: 5 Public water supply  1 Domestic 3 Feed lot 6 Oil field water supply  2 Irrigation  4 Industrial 7 Lawn and garden (domestic)  10 Monitoring well  Was a chemical/bacteriological sample submitted to Department? Yes  No X  If yes, mo/day/yr water was  Submitted  TYPE OF BLANK CASING USED:  5 Wrought Iron  8 Concrete tile  CASING JOINTS: Glued  CASING JOINTS: Glued  TYPE OF BLANK CASING USED:  5 Wrought Iron  8 Concrete tile  CASING JOINTS: Glued  CASING JOINTS: Glued  CASING JOINTS: Glued  Threaded	Ft. Gpm Gpm
Depth(s) Groundwater Encountered 11.5 ft. 2 ft. 3  WELL'S STATIC WATER LEVEL NA ft. below land surface measured on mo/day/yr  Pump test data: Well water was Ft. after hours pumping  Est. Yield Gpm: Well water was Ft. after Hours pumping  Bore Hole Diameter 8.625 In. to 30 ft. and in. to  WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injections 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Sp. 2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well  Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr Submitted Water Well Disinfected? Yes No X If yes, mo/day/yr Submitted Water Well Disinfected? Yes No X If yes, mo/day/yr Submitted Water Well Disinfected? Yes No X If yes, mo/day/yr Submitted Yes No X If yes, mo/day/yr Yes No	Ft. Gpm Gpm
WELL'S STATIC WATER LEVEL NA ft. below land surface measured on mo/day/yr  Pump test data: Well water was Ft. after hours pumping  Est. Yield Gpm: Well water was Ft. after Hours pumping  Bore Hole Diameter 8.625 In. to 30 ft. and in. to  WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection of 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Sp. 2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well  Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr submitted Water Well Disinfected? Yes No X Submitted Water Well Disinfected? Yes No X Submitted Water Well Disinfected? Yes No X Submitted Submitted Water Well Disinfected? Yes No X Submitted Submitted Water Well Disinfected? Yes No X Submitted S	Gpm Gpm
Pump test data: Well water was Ft. after hours pumping  Est. Yield Gpm: Well water was Ft. after Hours pumping  Bore Hole Diameter 8.625 In. to 30 ft. and in. to  WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injections 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Sp. 2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well  Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yrs  Submitted Water Well Disinfected? Yes No X Submitted Water Well Disinfected? Yes No X If yes, mo/day/yrs  TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Casing diameter 2 in. to 15 Dia In. to ft., Dia in. to	Gpm Gpm
WELL WATER TO BE USED AS: 5 Public water supply 9 Dewatering 11 Injection of 12 Other (Sp. 12 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well 12 Other (Sp. 13 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well 14 Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr submitted 15 Wrought Iron 8 Concrete tile CASING JOINTS: Glued 15 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 15 PVC 4 ABS 7 Fiberglass Threaded 15 Dia In. to ft., Dia in. to	Gpm Ft. well pecify below)
WELL WATER TO BE USED AS: 5 Public water supply 9 Dewatering 11 Injection of 12 Other (Sp. 12 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well 12 Other (Sp. 13 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well 14 Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr submitted 15 Wrought Iron 8 Concrete tile CASING JOINTS: Glued 15 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 15 PVC 4 ABS 7 Fiberglass Threaded 15 Dia In. to ft., Dia in. to	Ft. well pecify below)
WELL WATER TO BE USED AS: 5 Public water supply 9 Dewatering 11 Injection of 12 Other (Sp. 12 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well 12 Other (Sp. 13 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well 14 Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr submitted 15 Water Well Disinfected? Yes No X If yes, mo/day/yr submitted 15 Wrought Iron 8 Concrete tile CASING JOINTS: Glued 15 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 15 PVC 4 ABS 7 Fiberglass Threaded 15 In. to 15 Dia In. to 16 In. to 17 In. to 18 In. to 19	well pecify below)
2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well MW Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sometiments of the control of the	pecify below)
Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yrs Submitted X Submitted Water Well Disinfected? Yes No X If yes, mo/day/yrs Submitted to Department? Yes No X If yes, mo/day/yrs No X Submitted to Department? Yes No X If yes, mo/day/yrs No X If yes, m	N 25
TYPE OF BLANK CASING USED:  1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below)  2 PVC 4 ABS 7 Fiberglass Threaded  1 Steel 3 In. to 15 Dia In. to ft., Dia in. to	
TYPE OF BLANK CASING USED:  1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded  2 PVC 4 ABS 7 Fiberglass Threaded  Ft., Dia In. to ft., Dia in. to	
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded ank casing diameter 2 in. to 15 Dia In. to ft., Dia in. to	No X
2 PVC 4 ABS 7 Fiberglass Threaded  Ft., ank casing diameter 2 in. to 15 Dia In. to ft., Dia in. to	Clamped
Ft., ank casing diameter 2 in. to 15 Dia In. to ft., Dia in. to	
ank casing diameter 2 in. to 15 Dia In. to ft., Dia in. to	X
TITLE COSTING CHARLES TO THE COST THE C	ft
and bolons above land surface FLUDE In Weight JUE 40 I hs /ft Wall thickness or gaing No	
PE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement	
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)	
REEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (	(open hole)
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes	
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	
REEN-PERFORATED INTERVALS: From 15 ft. to 30 ft. From ft. to	ft.
From ft. to ft. From ft. to	Ft.
SAND PACK INTERVALS: From 13 ft. to 30 ft. From ft. to	Ft.
From ft. to ft. From ft. to	Ft.
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other	
rout Intervals From 3 0 ft. to 2 From 2 2 to 13 ft. From ft. to	ft
hat is the nearest source of possible contamination:  10 Livestock pens  14 Abandoned wa	
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas w	
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage Contaminal	
ection from well?  How many feet?	
FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS	
0 2 Clay, hard, yellow brown	
2 6 Clay, silty dark yellow	
6 14 Clayey silt, moderate brown	
14 30 Clayey Silt, moderate, yellow br 30 TD End of Borehole	
30 TD End of Borehole	
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (x) constructed, (2) reconstructed, or (3) plugged under my jurisd	diction and
mpleted on (mo/day/yr)  03/03/09  And this record is true to the best of my knowledge and belie	
Afford this record is true to the best of my knowledge and believater Well Contractor's License No.  585  This Water Well Record was completed on (mo/day/yr)	ei, Nansas
ater Well Contractor's License No. 585 This Water Well Record was completed on (mo/day/yr)	