- LOCATION OF MATERIALS		R WELL RECORD For	n WWC-5	KSA 82a-1		
1 LOCATION OF WATER WELL:  County: Morris	Fraction NE 1/2	SW ½ SE	1	ion Number 12	Township Number	
County: <b>Morris</b> Distance and direction from nearest tow			hin city?	14	<u>т 14 s</u>	R 7 E
South West Corner of 10 <sup>th</sup> St. Dwight KS						
2 WATER WELL OWNER: Roger					11.11	
RR#, St. Address, Box # : P.O. Bo	ox 98				Board of Agriculture,	Division of Water Resources
City State ZIP Code : Dwight	t. Ks 66849				Application Number:	
3 LOCATE WELL'S LOCATON WITH	4 555711.05.00	NADI ETED VAEL	25	0 515		
AN "X" IN SECTION BOX:	DEP IN OF CO	OMPLETED WELL	33	π. ELE\	/ATION:	
	Depth(s) Groundw	rater Encountered	20		. 2	-t. 3
N		WATER LEVEL23	1.20 H.	below land s	urface measured on mo/	m
1		test data. Vveli water v	vas	「	t. aiter not	irs bumping
NWNE	Est. Yield	Gpm: Well water v	vas		t. after Ho	urs pumping
<u>u</u>	WELL WATER TO	er <b>0.023</b> in to	olic water si	innly	ft. and	in. to Ft. 2
E W	1 Domestic	3 Feed lot 6 Oil	field water s	supply	9 Dewatering	in. to Ft. 2 11 Injection well 12 Other (Specify below)
	2 Irrigation	4 Industrial 7 Lau	un and dard	en (domesti	c) 10 Monitoring well	TMW-34
sw <b>x</b> e	Was a shamical/h	actoriological comple su	hmittad ta F	lonartment?	You No X If	yes, mo/day/yr sample was
<b>+</b>	Submitted	actenological sample su	omitted to L		ter Well Disinfected? Ye	
5 TYPE OF BLANK CASING USED:	Submitted	5 Wrought Iron	8 Concre			Glued Clamped
1 Steel 3 RMP (	SR)	6 Asbestos-Cement				Velded
2 PVC 4 ABS	J. ()		o onler (	opeony belo	,	hreaded X
		7 Fiberglass Ft.,				
Blank casing diameter 2		Dia	In. to	0	ft., Dia	in. to Ft.
Casing height above land surface			H 40	Lbs./ft.	Wall thickness or gauge	No.
TYPE OF SCREEN OR PERFORATION	N MATERIAL:		7	PVC	10 Asbestos-c	ement
1 Steel 3 Stainle	ss steel	5 Fiberglass	8	RMP (SR)	11 Other (spec	cify)
	nized steel		9	ABS	12 None used	(open hole)
SCREEN OR PERFORATION OPENIN		5 Gauzeo				11 None (open hole)
	Mill slot				9 Drilled holes	
	Key punched	7 Torch o			10 Otner (specify)	
SCREEN-PERFORATED INTERVALS:						ft. toft.
CANID BACK INTERVALCE						.ft. toFt. ¬
SAND PACK INTERVALS:						ft. toFt.
6 OPOUT MATERIAL A NEW	From				rom	ft. to Ft.
6 GROUT MATERIAL: 1 Neat of		Cement grout Ft.	E4	tonite	4 Other	
Grout Intervals From3 16	ft. to 18	From2 0	to	16	ft. From	ft. toft.
What is the nearest source of possible of						Abandoned water well
1 Septic tank	4 Lateral lines	7 Pit privy		11 Fuel:	storage 15	Oil well/ Gas well
2 Sewer lines	5 Cess pool	8 Sewage la	agoon	12 Fertili	izer storage 16	Other (specify below)
3 Watertight sewer lines	6 Seepage pit	9 Feedyard		13 Insec	ticide storage	Contaminated Site
Direction from well?				How many	feet?	
FROM TO CODE	LITHOLO	GIC LOG	FROM	то	PLUGGIN	G INTERVALS
0 2 Cla	ay silty, yellov	vish brown				
2 10 Cla	ay silty, brow	n				
10 24 Cla	ay Silty, yellov	wish brown				
24 35 Cla 35 TD EN	ay Silty, yellov ID BOREHOL	wish orange				
35 TD EN	D BOKEHOLI	<u> </u>		+		
<del></del>						
7 CONTRACTOR'S OR LANDOWNER	R'S CERTIFICATIO	N: This water well was	(x) construc	ted, (2) reco	enstructed, or (3) plugged	under my jurisdiction and w
Completed on (mo/day/yr)	9/22/2	009	And th	is record is t	rue to the best of my know	wledge and belief. Kansas
Completed on (mo/day/yr) Water Well Contractor's License No.		585	This W	ater Well Re	ecord was completed on (	mo/day/yr) 10/8/2009
Under the business name of	Associate	ed Environmentai	, Inc.	В	v (signature). <b>Bradie</b>	/ J. Johnson
INSTRUCTIONS: Please fill in blanks	s and circle the corre	ct answers. Send three co	pies to Kansa	as Departmer	nt of Health and Environmen	Bureau Water Topela,
Kansas 66620-0001. Telephone: 913	<u>-∠90-5545. Send or</u>	IE IO VVATER WELL OWN	Erk and retain	one for your	records.	mela John
Manager and the second						