USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 820-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

1. Location of well:	County	Fraction		Section number		Township number		Range number		
	detald Morris	NE 1/4 NE 1/4 S	E 1/4	3	4	т 14	S	R 8		E/w
2. Distance and direction from nearest town or city: 1 miles west of 3. Owner of well:						Gerald Buckman				
Street address of well lacation if in city:						R.R. # 1				
City, state,					code:					
4. Locate with "X" in section below: O Sketch map:						6. Bore hole dia. 8 in. Completion date				
Well was drilled in a field						Well depth 130 ft. 7 - 15 - 77				
				u		7. X Cable tool Rotary Driven Dug Hollow rod Jetted Bored Reverse rotary				
						8. Use: X Domestic Public supply Industry				
W I I E						8. Use: A Domestic Public supply Industry Irrigation Air conditioning Stock				
						Lawn Oil field water Other				
SW SE						9. Casing: Material DISt Height: Above or ******				
						Threaded Weldedgl Surface18 in.				
S 1 Miles						RMP_X PVC Weight lbs./ft. Dia. 5_ in. to 130ft. depth Wall Thickness: inches or				
5. Type and color of material					То	Diain. toft. depth agge No. 0.258				
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				From		10. Screen: Manu	facturer's r			
	Top soil			0	3				511	
-				1		Type <u>RMP</u> Slot/gauze 3/	32	Length	1041	
Brown clay				3	19	Set between	.6	_ft. and		ft.
Hard limestone 19 water				19	51	Gravel pack? Ye	ft. c	and	1/17	t 03
				1						
Blue and red clay				51	89	65ft. bel	ow land sur	face Date	7/15/	777
Hard gray shale				89	118	12. Pumping level	below land	i surfaces:		
				1,,,	7.7.	ft. after				- 1
Soft limestone water				118	119	ft. after Estimated maximum	ا yield	rs. pumping 8 ∔		g.p.m.
Hard blue flint				119	124	13. Water sample	submitted:			day/yr.
Gray shale and clay				101	130	Yes		Date	<u></u>	
Gray Share and Cray				124	∪ر⊥ا	14. Well heod completion: Pitless adapter				
						15. Well grouted?	7.5	mone:	. above gr	
						With: X Neat cement Bentonite Co			ncrete	
				-		Depth: From				
						16. Nearest source of possible contamination:				
						ft Direction Type NONC Well disinfected upon completion? X Yes				No
						17. Pump:		X Nat ins		
						Manufacturer's nar				
						Model number				
	ATTION TO THE PARTY OF THE PART					Length of drop pipe Type:	·	ft. capacit	y —— 9	ı.p.m.
						Submersible	,	_	Turbine	ŀ
Aller and all art and all art						Jet			Reciproco	ating
(Use a second sheet if needed)						Centrifugal			Other	
18. Elevation:	19. Remarks:					20. Water well co This well was drill			and this	enort
						is true to the best		•		,,,,,,
Topography:						Rader Dr		· -	194	<u>-</u>
Hill						Business name	t.on	Kansas	6742	se No.
Slope V Upland						R	18/1			
Valley						Signed Audi	C- 190	TOU L	- Date	161

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5