

County: Morris Fraction NE NW NE Sec. 7 T 16 S R 8 EW

CORRECTION(S) TO WATER WELL COMPLETION RECORD (WWC-5)

(to rectify lacking or incorrect information)

Owner: Maurice Johnson

Location was listed as:

Section-Township-Range: 7-14S-8E

Fraction ($\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$): NE NW NE

Location changed to:

7-16S-8E

NE NW NE

Other changes: Initial statements: _____

Changed to: _____

Comments: _____

Verification method: Written & legal descriptions, and mapping tool
on KGS website.

initials: ORA date: 8/10/2016

Submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726

to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

1 LOCATION OF WATER WELL		Fraction <u>E 1/2 of Sec 7</u>	Section Number <u>7</u>	Township Number <u>T 14 S</u>	Range Number <u>R 8 E</u>
County: <u>Morris</u>		<u>NE 1/4 NW 1/4 NE 1/4</u>	<u>7</u>	<u>14</u>	<u>8 E</u>
Distance and direction from nearest town or city? <u>1 1/2 North & 1 1/2 West of Council Grove</u>			Street address of well if located within city? <u>These roads are not straight they curve around a bunch, but this will get you to Council Grove, LAKE</u>		
2 WATER WELL OWNER: <u>Maurice Johnson</u>			Board of Agriculture, Division of Water Resources		
RR#, St. Address, Box #: <u>RR 1</u>			Application Number:		
City, State, ZIP Code: <u>Council Grove, Ks</u>					
3 DEPTH OF COMPLETED WELL: <u>60</u> ft. Bore Hole Diameter: <u>8</u> in. to <u>60</u> ft., and <u>60</u> in. to <u>60</u> ft.					
Well Water to be used as:					
1 Domestic		3 Feedlot	5 Public water supply	8 Air conditioning	11 Injection well
2 Irrigation		4 Industrial	6 Oil field water supply	9 Dewatering	12 Other (Specify below)
			7 Lawn and garden only	10 Observation well	
Well's static water level: <u>30</u> ft. below land surface measured on <u>April</u> month <u>20</u> day <u>83</u> year					
Pump Test Data: Well water was <u>4</u> gpm: Well water was <u>4</u> ft. after <u>4</u> hours pumping <u>4</u> gpm					
Est. Yield: <u>4</u> gpm: Well water was <u>4</u> ft. after <u>4</u> hours pumping <u>4</u> gpm					
4 TYPE OF BLANK CASING USED:					
1 Steel		3 RMP (SR)	5 Wrought iron	8 Concrete tile	Casing Joints: Glued <u>X</u> Clamped
2 PVC		4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded
			7 Fiberglass		Threaded
Blank casing dia: <u>5</u> in. to <u>30</u> ft. Dia: <u>5</u> in. to <u>30</u> ft. Dia: <u>5</u> in. to <u>30</u> ft. Dia: <u>5</u> in. to <u>30</u> ft.					
Casing height above land surface: <u>16</u> in. weight <u>16</u> lbs./ft. Wall thickness or gauge No: <u>1241</u>					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel		3 Stainless steel	5 Fiberglass	8 RMP (SR)	10 Asbestos-cement
2 Brass		4 Galvanized steel	6 Concrete tile	9 ABS	11 Other (specify)
					12 None used (open hole)
Screen or Perforation Openings Are:					
1 Continuous slot		3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter		4 Key punched	6 Wire wrapped	9 Drilled holes	
			7 Torch cut	10 Other (specify)	
Screen-Perforation Dia: <u>5</u> in. to <u>60</u> ft. Dia: <u>5</u> in. to <u>60</u> ft. Dia: <u>5</u> in. to <u>60</u> ft. Dia: <u>5</u> in. to <u>60</u> ft.					
Screen-Perforated Intervals: From <u>30</u> ft. to <u>60</u> ft. From <u>30</u> ft. to <u>60</u> ft. From <u>30</u> ft. to <u>60</u> ft. From <u>30</u> ft. to <u>60</u> ft.					
Gravel Pack Intervals: From <u>NONE</u> ft. to <u>NONE</u> ft. From <u>NONE</u> ft. to <u>NONE</u> ft. From <u>NONE</u> ft. to <u>NONE</u> ft. From <u>NONE</u> ft. to <u>NONE</u> ft.					
5 GROUT MATERIAL:					
1 Neat cement		2 Cement grout	3 Bentonite	4 Other	
Grouted Intervals: From <u>3</u> ft. to <u>20</u> ft. From <u>3</u> ft. to <u>20</u> ft. From <u>3</u> ft. to <u>20</u> ft. From <u>3</u> ft. to <u>20</u> ft.					
What is the nearest source of possible contamination:					
1 Septic tank		4 Cess pool	7 Sewage lagoon	10 Fuel storage	14 Abandoned water well
2 Sewer lines		5 Seepage pit	8 Feed yard	11 Fertilizer storage	15 Oil well/Gas well
3 Lateral lines		6 Pit privy	9 Livestock pens	12 Insecticide storage	16 Other (specify below)
				13 Watertight sewer lines	
Direction from well: <u>NE</u> How many feet: <u>75</u> ? Water Well Disinfected? Yes <u>X</u> No					
Was a chemical/bacteriological sample submitted to Department? Yes <u>X</u> No <u>X</u> If yes, date sample was submitted: <u>month</u> <u>day</u> <u>year</u> Pump Installed? Yes <u>X</u> No <u>X</u>					
If Yes: Pump Manufacturer's name: <u>Model No.</u> <u>HP</u> <u>Volts</u>					
Depth of Pump Intake: <u>ft.</u> Pumps Capacity rated at: <u>gal./min.</u>					
Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other					
6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>(1)</u> constructed, <u>(2)</u> reconstructed, or <u>(3)</u> plugged under my jurisdiction and was completed on <u>April</u> month <u>20</u> day <u>1983</u> year					
and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>218</u>					
This Water Well Record was completed on <u>26</u> June month <u>26</u> day <u>1983</u> year under the business name of <u>ZINN Water Well Dring</u> by (signature) <u>Joseph A. Zinn</u>					
7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:					
FROM		TO	LITHOLOGIC LOG	FROM	TO
0		1	Top soil		
1		12	Fluorine Chint		
12		19	LIME Lite		
19		26	ASHALE Blue		
26		27	LIME TAN		
27		29	Red Rock		
29		33	LIME		
33		34	BROKEN LIME		
34		36	LIME TAN		
36		50	Shale Gray same LIME		
50		60	LIME Gray		
ELEVATION: <u>33</u> ft. 2. <u>33</u> ft. 3. <u>33</u> ft. 4. <u>33</u> ft.					
(Use a second sheet if needed)					
INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.					