

LOCATION OF WATER WELL
 County: Merriam Fraction: NW 1/4 NW 1/4 NW 1/4 Section Number: 20 Township Number: T 14 S Range Number: R 8 EW

Distance and direction from nearest town or city? Dwight 2 miles east and 1/4 south on east side of road
 Street address of well if located within city?

WATER WELL OWNER: Don Eisenhuet
 City, State, ZIP Code: Dwight Kans 66849 Board of Agriculture, Division of Water Resources
 Application Number:

DEPTH OF COMPLETED WELL: 90 ft. Bore Hole Diameter: 10 in. to 20 ft., and 7 in. to 90 ft.

Well Water to be used as:
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 11 Injection well
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well 12 Other (Specify below)

Well's static water level: 28 ft. below land surface measured on 3 month 20 day 1981 year
 Pump Test Data: Well water was 2 1/2 gpm: Well water was 2 1/2 gpm: Well water was 2 1/2 gpm: Well water was 2 1/2 gpm

TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Casing Joints: Glued X Clamped
 2 PVC 4 ABS 7 Fiberglass Threaded

Blank casing dia: 5 in. to 90 ft., Dia: 10 in. to 20 ft., Dia: 7 in. to 90 ft.
 Casing height above land surface: 26.7 Wall

TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)

Screen or Perforation Openings Are: 040
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 12 None (open hole)
 7 Torch cut 10 Other (specify)

Screen-Perforation Dia: 5 in. to 90 ft., Dia: 10 in. to 20 ft., Dia: 7 in. to 90 ft.
 Screen-Perforated Intervals: From 90 ft. to 20 ft., From 90 ft. to 20 ft., From 90 ft. to 20 ft., From 90 ft. to 20 ft.

Gravel Pack Intervals: From 90 ft. to 20 ft., From 90 ft. to 20 ft., From 90 ft. to 20 ft., From 90 ft. to 20 ft.

GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grouted Intervals: From 20 ft. to 7 ft., From 20 ft. to 7 ft., From 20 ft. to 7 ft., From 20 ft. to 7 ft.

What is the nearest source of possible contamination:
 1 Septic tank 4 Cess pool 7 Sewage lagoon 11 Fertilizer storage 14 Abandoned water well
 2 Sewer lines 5 Seepage pit 8 Feed yard 12 Insecticide storage 15 Oil well/Gas well
 3 Lateral lines 6 Pit privy 9 Livestock pens 13 Watertight sewer lines 16 Other (specify below) Small Creek

Direction from well: east How many feet: 100 ? Water Well Disinfected? Yes X No
 Was a chemical/bacteriological sample submitted to Department? Yes X No X If yes, date sample

Was submitted: month day year Pump Installed? Yes X No X
 Yes: Pump Manufacturer's name: NA Model No. HP Volts

Depth of Pump Intake: ft. Pumps Capacity rated at: gal./min.
 Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other

CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was
 completed on 3 month 20 day 1981 year

and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 237
 This Water Well Record was completed on 3 month 25 day 1981 year under the business
 name of Strader Drilling Co by (signature) Harold Strader

LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		FROM		TO		LITHOLOGIC LOG	
						Casing pulled from old well + drilled to 90	
		50		61		Rock limestone a little water	
		61		90		shale blue	
						most of water at 25ft	

ELEVATION: Depth(s) Groundwater Encountered 1. 28 ft. 2. 51 ft. 3. ft. 4. ft. (Use a second sheet if needed)

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY
 T
 14
 R
 9
 BW
 SEC.
 20
 NW 1/4
 NW 1/4
 NW 1/4