
USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215



Kansas State Dept. Of Health (Water Well Contractors) Forbes–Bldg. 740 Topeka, Kansas 66620

			<u> </u>	
1 Location of well: Morris Warren Swigarn	Secti	on number	inange in the second of the se	number
Distance and direction from nearest town or city: 2 - Miles = 3 Owner of well: Robert Black				
Street address of well location if in city 2 2 S. 05 Alta visto Address: Alta Vista, Kans.				
Locate with "X" in section below: Sketch man-			4 Well depth: 76 ft. Date of completion 9-13	
weil			Well diameter 10 in. 75  S Cable tool Rotary Driven Dug	
			☐ Hollow rod ☐ Jetted ☐ Bored ☐ Reverse rotary	
w - <u>*</u>    E			6 Use: 🙀 Domestic 🗌 Public supply 🔲 Industry	
2 Drive Way			Test well	
			7 Casing: Material RP/A Height: above/below Threaded Welded Surface 24 in.	
S 1 Mile			Diam. Weight lbs./ft in. to ## ft. depth Drive shoe? Yes No	
Type and color of material From To		in. to ft. depth		
	<u> </u>		8 Screen: Manufacturer	<del>1</del>
Clay	0	7	Type Dia	
1 inc	7	17	Slot/gauze Length Set between ft. and ft	
Hof Shale	17	34	Fittings: Gravel pack ፟፟፟፟፟፟X Yes ☐ No Size rang	e of material
Hol Lime Slint	34	61	9 Static water level: ft. below land surface Date	9-12:75
Hd. Gray Shale	61	74	10 Pumping level below land surfaces:	
Hd Red Shale	74	76	ft. after hrs. pumping ft. after hrs. pumping	g g.p.m.
The well is mostly Yock.			Estimated maximum yield g  11 Water sample submitted:	.p.m.
We drove the Casing to rock			Yes No Date	N A
and poured 6" of cement			☐ Pitless adapter ☐ Inches  13 Well grouted? ☑ Yes ☐ No	above grade
ground it, then filled it			Neat cement Bentonite Depth: From D ft. to 10 ft.	
With Gravel to 10 ft.			14 Nearest source of possible contamination ft. 100 Direction 150	on: Cove
Then concret from 10' to			Well disinfected upon completion?	
top of Ground,			15 Pump: X Not in Manufacturer's name	stalled A
Slab provided by the			Model number HP ft. capaci	Volts ity g.m.p.
customer Mr. Block			Type:  Submersible  Turbing	
(use a second sheet if needed)				ocating
16 Remarks: elevation			17 Water well contractor's certification:	
About 2% Slope to			This well was drilled under my jurisdiction and this report is two to the best of my knowledge and belief.	
Topography: We // 5'00+4			Morita Drillia 120  Business nergy Address Address AD BOLG 9 License Ng.	
<b>X</b> Slope				
☑ Upland ☑ Valley			Signed 7.W. / NOY/ 17 Authorized representative	_ Date 4-10