	WA	ATER WELL RECO	ORD Form WWC-5	KSA 82a-	1212 ID No	mW^{-2}		
1 LOCATION OF	WATER WELL:	Fraction			tion Number	Township Numb		inge Number
County: OSag	C	SE 14	SE 1/4 SE	4	<u>6</u>	⊺ 15	⑤ □ R	17 @w
Distance and direc	tion from nearest to	wn or city street ac	Idress of well if located	within city?				
	A	-	• • • •			<i>191</i>		
2 WATER WELL	OWNER: OTTAW	Main PARA	p 640	erousse	. 4	Ph- 785-242-	5/7 <i>0</i>	
RR#, St. Address, City, State, ZIP Co						Board of Agricul Application Nun		Water Resources
		4 DEPTH OF CO	MPLETED WELL	0.5	# 515\/\			
OCATE WELL' AN "X" IN SECT			DIVIPLETED WELL		II. ELEVAI	10N:		£1
AN X IN SECT	N BOX:		water Encountered WATER LEVEL			2		
1	1		p test data: Well wate			•	,	
NW-	NE		gpm: Well wate					
1	'\-	WELL WATER T 1 Domestic		Public water s Dil field water		8 Air conditioning 9 Dewatering	11 Injection we 12 Other (Spe	
w !	<u> </u>	2 Irrigation				Monitoring well		
		g				O		
sw-	- SE	Was a chemical/	hacteriological sample	submitted to F)enartment? V	as ⋒× · If	ves mo/day/vrs	sample was sub-
SW SE Was a chemical/bacteriological sample submitted to Department? Yes()								
	<u> </u>							•
5 TYPE OF BLA	NK CASING USED:	·	5 Wrought iron	8 Concre	to tilo	CASING JOINTS	t Glund (Clamped
1 Steel	3 RMP (SI		6 Asbestos-Cement		specify below)			
⊘ PVC	4 ABS	,	7 Fiberglass			***************************************	Threaded	X
Blank casing diam	eter	,in. to . [.	D., 5 ft., Dia		in. to	ft., Dia	in	. toft.
Casing height abo	ve land surface	Flush	in., weight			lbs./ft. Wall thickness o	ایج.ج.r guage No	i, 40
TYPE OF SCREE	N OR PERFORATIO			(7 PY	-	10 Asbesto		
1 Steel	3 Stainles		5 Fiberglass	8 RM 9 AB	P (SR)	·		
2 Brass	4 Galvaniz		6 Concrete tile		5		sed (open hole)	
	IFORATION OPENIN			ed wrapped		8 Saw cut	11 None	e (open hole)
 Continuous Louvered sl 		Mill slot (ey punched	7 Torch	wrapped cut		9 Drilled holes 10 Other (specify)		ft.
					<i>4</i>			
SCHEEN-PERFO	RATED INTERVALS		ft to		π., From		π. το ft to	Tt.
GRAVE	PACK INTERVALS	: From	ft. to ft. to	-	ft., From		ft. to	ft.
		From	ft. to		ft., From		ft. to	ft.
6 GROUT MATI	-RIAI · (1)Nea	at cement	Coment grout	(3) Rent	onite 1	Other		
	From	ft to 6"	ement grout	ft to	רבייין,	ft From	ft to	ft
	st source of possible				10 Livesto		14 Abandoned	
1 Septic tank	•		7 Pit privy			torage		
2 Sewer lines		s pool	8 Sewage lagoon		12 Fertilizer storage		16 Other (specify below)	
3 Watertight :	sewer lines 6 Seep	•	9 Feedyard		13 Insecticide storage			
Direction from well	?	,	·		How man	y feet?		
FROM TO		LITHOLOGIC	LOG	FROM	то	PLUGG	ING INTERVALS	
0 1'	Gravel-Cla	Loan Mix 1	Brown - Black			***		
1' 2'		- Medium,						
2' 5'	FAT Clay	- Gray Bro	Wn					
5' 10'		-Gray						
10' 11'	FAT Clay-	Red Gra	1 4					
11' 15'	FAT Clay.	- Red, DRage	7					
15' 18'	Can Clay	, Light Br	משי					
18' 20'	FATClay	, Gray/ORa	nge					
20' 20.	5 FEE Clay	- Orenze,	Very Wer					
20.	5 Refuse1	- Lineste	<u> </u>					

7								
∠ CONTRACTOR	'S OR LANDOWNE	R'S CERTIFICATI	ON: This water well wa	as (11) constru	cted, (2) reco	nstructed, or (3) plugg	ed under my juri	isdiction and was
completed on (mo/d	lay/year)	-43-04			and this rec	ord is true to the best o	f my knowledge a	and belief. Kansas
Water Well Contract	tor's Licence No	- 006	This Water	Well Record v				
	name of PSA				- , ,	signature)	COCK	
			<u>MLY</u> and <u>PRINT</u> clearly. Please St., Suite 420, Topeka, Kansas					
) for each <u>constructed</u> well.							