

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Franklin		SW ¼ S4 ¼ SE ¼	29	T 15 S	R 18 W
Distance and direction from nearest town or city street address of well if located within city? 1 ½ East Centropolis Kans.					

2 WATER WELL OWNER: Elwin H Enay		Board of Agriculture, Division of Water Resources Application Number:
RR#, St. Address, Box #: Bot B4		
City, State, ZIP Code: Ottawa Kans 66667		

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 92 ft. ELEVATION:	
		Depth(s) Groundwater Encountered 1. 76 ft. 2. ft. 3. 11-27 ft.	
		WELL'S STATIC WATER LEVEL 40 ft. below land surface measured on mo/day/yr 12-27-89	
		Pump test data: Well water was ft. after hours pumping gpm	
		Est. Yield 20+ gpm: Well water was ft. after hours pumping gpm	
Bore Hole Diameter 10 in. to 32 ft., and 6 3/8 in. to 9 2 ft.			
WELL WATER TO BE USED AS:			
① Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well			
Was a chemical/bacteriological sample submitted to Department? Yes No ✓ If yes, mo/day/yr sample was submitted		Water Well Disinfected? Yes ✓ No	

5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued ✓ Clamped	
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded			
② PVC 4 ABS 7 Fiberglass Threaded			
Blank casing diameter 6 1/4 in. to 32 ft., Dia. in. to ft., Dia. in. to ft.			
Casing height above land surface 24 in., weight Sch 40 lbs./ft. Wall thickness or gauge No. Sch 40			
TYPE OF SCREEN OR PERFORATION MATERIAL:			
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)			
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS ⑫ None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:			
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut ⑪ None (open hole)			
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes			
7 Torch cut 10 Other (specify)			
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.			
GRAVEL PACK INTERVALS: From NON ft. to ft., From ft. to ft.			

6 GROUT MATERIAL:		1 Neat cement ② Cement grout 3 Bentonite 4 Other	
Grout Intervals: From 3 ft. to 32 ft., From ft. to ft., From ft. to ft.			
What is the nearest source of possible contamination:			
1 Septic tank ④ Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well			
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well			
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)			
Direction from well? E-S-E How many feet? 60			

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	15	Soil & Clay			
15	32	Shale			
32	76	Yellow sand stone			
76	92	White sand stone			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ① constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 12-27-89 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 486 This Water Well Record was completed on (mo/day/yr) 12-28-89 under the business name of Edgar Swank Well Drilling by (signature) Edgar Swank

INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.