WATER WELL RECORD		Form WWC-5		Division of Water Resources; App. No.			
1 LOCATION OF WATER WELL: County: FAGE (100)		Fraction NE 14 NE 14	NW1/4	Section Number	Township Number T 15 S	Range Number R X (E/W	
Distance and direction from nearest town or city street address of well if				Systems (decimal deg	rees, min. of 4 digits)		
located within city?				Global Positioning Systems (decimal degrees, min., of 4 digits) Latitude: V38° 42' 34.0' Longitude: V35° 23' 05.5'			
2 WATER WELL OWNER: Charle Honer			Elevation:				
RR#, St. Address, Box # :909 Bames Avc. City, State, ZIP Code : OTTOWA, AS 66067			Datum: NAD 24 Data Collection Method: HAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA				
3 LOCATE WELL'S 4	Data Collection I		A Halla				
LOCATION							
WITH AN "X" IN D SECTION BOX: W	SECTION BOX: Depth(s) Groundwater Encountered (1),				ft. (2) ft. (3) ft. below land surface measured on mo/day/yr		
N	N Pump test data: Well water wasft. after hours pumping						
Est. Yield ().gpm: Well water was							
w - NW NE - E 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Special Control of the C						her (Specify below)	
2	Irrigation 4 In	ndustrial 7 Domes	stic (lawn	& garden) 10 Mor	nitoring well		
Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs							
Sample was submitted							
5 TYPE OF CASING USE	D: 5 Wrough	at Iron 8 Con	ncrete tile	CASIN	G JOINTS: (Glued)	Clamped	
1 Steel 3 RMP (S	SR) 6 Asbesto	os-Cement 9 Oth		below)	Welded		
2 PVC 4 ABS 7 Fiberglass Threaded Threaded							
Casing height above land surface 18 in., Weight 10. lbs./ft. Wall thickness or guage No. 10. lbs./ft. Wall thickness or guage No. 10. lbs./ft.							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
1 Steel 3 Stainless Steel 5 Fiberglass (7 PVC) 9 ABS 11 Other (Specify)							
SCREEN OR PERFORATION OPENINGS ARE:							
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 10 Other (specify)							
SCREEN-PERFORATED INTERVALS: From							
From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From 75 ft. to 110 ft., From ft. to ft.							
From							
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other							
Grout Intervals: From							
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide storage 16 Other (specify							
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide storage 16 Other (specific 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)							
3 Watertight sewer line Direction from well?	es 6 Seepage pit	9 Feedyard	12 Fertili	zer storage 15 Oi y feet?	l well/gas well		
FROM TO	LITHOLOG	IC LOG	FROM		PLUGGING INT	ERVALS	
0 18 (10	4					·	
18 34 5h	o Jona				RECEIVE	n	
50 81 350					HEUDIVL	<u> </u>	
	NO STONE				DEC 17 20	ſΟ	
93 110 56	ale				PUDEALLOEM	INTER	
					BUREAU OF W	IAITA	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged							
under my jurisdiction and was completed on (mo/day/year) 1.2.1.2.1 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. S. S. This Water Well Record was completed on (mo/day/year) under the business name of Jose Year Well Contractor by (signature)							
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top							
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at							
http://www.kdheks.gov/waterwell/in	ndex.html.						