

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Franklin</u>		<u>NE 1/4 SE 1/4 SE 1/4</u>	<u>24</u>	<u>T 15 S</u>	<u>R 18 E</u>
Distance and direction from nearest town or city street address of well if located within city? <u>1 mile North of Centropolis Kansas.</u>					
2 WATER WELL OWNER:		Board of Agriculture, Division of Water Resources			
RR#, St. Address, Box # : <u>1623 Thomas Rd.</u>		Application Number:			
City, State, ZIP Code : <u>Ottawa, Kansas 66067</u>					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>107</u> ft. ELEVATION:			
		Depth(s) Groundwater Encountered <u>1. 96-104</u> ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL <u>34</u> ft. below land surface measured on mo/day/yr <u>10-5-94</u>			
		Pump test data: Well water was ft. after hours pumping gpm Est. Yield <u>10</u> gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter in. to ft., and in. to ft.			
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well <u>Domestic</u> 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well			
Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted					
Water Well Disinfected? Yes <u>X</u> No					
5 TYPE OF BLANK CASING USED:					
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued <u>X</u> Clamped <u>2 PVC</u> 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded 7 Fiberglass Threaded					
Blank casing diameter <u>5</u> in. to <u>97</u> ft. Dia. in. to ft. Dia. in. to ft.					
Casing height above land surface <u>40</u> in., weight lbs./ft. Wall thickness or gauge No. <u>200#</u>					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From <u>97</u> ft. to <u>107</u> ft. From ft. to ft. From ft. to ft. From ft. to ft.					
GRAVEL PACK INTERVALS: From <u>107</u> ft. to <u>28</u> ft. From ft. to ft. From ft. to ft. From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout <u>3 Bentonite</u> 4 Other					
Grout Intervals: From <u>28</u> ft. to <u>0</u> ft. From ft. to ft. From ft. to ft. From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage <u>16 Other (specify below)</u> <u>Creek</u>					
Direction from well? <u>North</u> How many feet? <u>75</u>					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	12	Soil & Clay			
12	32	Clay, Sand, gravel			
32	58	Shale			
58	65	Silty Shale			
65	96	Shale			
96	104	SAND - Large grained			
104	106	Sandy Lime			
106	107	Shale			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>10-5-94</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>561</u> This Water Well Record was completed on (mo/day/year) <u>10-9-94</u> under the business name of <u>EVANS Energy Dev. Inc.</u> by (signature) <u>Scott E. Evans</u>					