WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

County	Fraction		number	Township number Range number
1. Location of well: franklin	MW 1/4 NW 1/4 SW 1/4	129	7	T 15 S R 19 EAR
2. Distance and direction from nearest tow	wn or city: 2 East I Norh 3. Ow	ner of wel	Dona	ld_Start Steward
Street address of well location if in city: Centroplis R.R. or streeRR1 City, state, zip code: Ottawa, Kan 66067				
4. Locate with "X" in section below:	Sketch map:	state, zip	code: U	6. Bore hole dia in . Completion date 4-78
N	<u> </u>	i		6. Bore hole dig 5 fr. Completion date 5 4 7 8 Well depth 5 fr. 9 50 20
	House owe	(1		7. X Cable tool Rotary Driven Dug
NW NE				Hollow rod Jetted Bored Reverse rotary 8. Use: X Domestic Public supply Industry
₩ I I E	- 8 \ \ \N			Irrigation Air conditioning Stock
SW SE	(2) Ja			Lawn Oil field water Other 9. Casing: Material Height: Above or bolds
<u> </u>	1 /2			ThreadedSurfacein. RMP PVCWeight _sch _lplbs./ft.
\$	12			RMP PVC X Weight _sch _li0 bs./ft. Dia.64 in. to ft. depth Wall Thickness; inches or
5. Type and color of material	2	From	То	Diain. to ft. depth gage No. sch 40
			-	10. Screen: Manufacturer's name
soil & clay		D	6	Type NONE Dia.
yellww sand	rock	6	1,3	Slot/gauze Length Set between ft.
grey sand		43	57	ft. andft. Gravel pack? DO Size range of material
		1.		11. Static water level:mo./day/yr.
lime		57_	59	_30ft. below land surface Date _5/78
white sand		59	85	12. Pumping level below land surfaces: ft. after hrs. pumping g.p.m.
				ft. after hrs. pumping g.p.m. Estimated maximum yield g.p.m.
				Estimated maximum yield
				YesNo Date
		+		14. Well head completion: X Pitless adapter Inches above grade
	774	-		15. Well grouted? Bentonite Concrete
		ļ		Depth: From ft. to ft.
				16. Nearest source of possible contamination: fr. LOO Direction South Type septic Well disinfected upon completion? Yes No
				Well disinfected upon completion?No
				17. Pump: Not installed Nanufacturer's name Red Jacket
				Model number 50N19BC HP Volts 220
			-	Length of drop pipe 75 ft. capacity 10 g.p.m.
		-	-	Submersible Turbine Jet Reciprocating
	(Use a second sheet if needed)			Gentrifugal Other
18. Elevation: 19. Remarks:				20. Water well contractor's certification: This well was drilled under my jurisdiction and this report
This Well WAS Drilled This Well WAS Drilled This The Feild. For A New				is true to the best of my knowledge and belief.
Topography:	he Feild Fon A	N 4	ew	SWANK ONILLING 124 Business name License No.
Slope		•		Address R4 OTTAWA KANS
Upland house	e.			Signed Signed Authorized representative