

1 LOCATION OF WATER WELL: County: FRANKLIN	Fraction SE 1/4 SW 1/4 NW 1/4	Section Number 31	Township Number T 15 S	Range Number R 19 E/W
--	---	-----------------------------	----------------------------------	---------------------------------

Distance and direction from nearest town or city street address of well if located within city?
 1/2 mile south of Centropolis

2 WATER WELL OWNER: **Phillip Pearce**
 RR#, St. Address, Box #: **Rt. 1 Box 89G**
 City, State, ZIP Code: **Eudora, KS 66025**
 Board of Agriculture, Division of Water Resources
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 100 ft. ELEVATION:
--	--

N

NW	NE
X	
SW	SE

S

Depth(s) Groundwater Encountered 1. **50-90** ft. 2. ft. 3. ft.

WELL'S STATIC WATER LEVEL **43'** ft. below land surface measured on mo/day/yr **8-3-90**

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield **8** gpm: Well water was ft. after hours pumping gpm

Bore Hole Diameter **8 3/4** in. to ft., and in. to ft.

WELL WATER TO BE USED AS:

5 Public water supply	8 Air conditioning	11 Injection well
1 Domestic	3 Feedlot	6 Oil field water supply
2 Irrigation	4 Industrial	7 Lawn and garden only
		10 Monitoring well
		12 Other (Specify below)

Was a chemical/bacteriological sample submitted to Department? Yes No **X**; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes **X** No

5 TYPE OF BLANK CASING USED:

1 Steel	3 RMP (SR)	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued X Clamped
2 PVC	4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded
		7 Fiberglass		Threaded

Blank casing diameter **5"** in. to **0-50** ft., Dia **5"** in. to **90-100** ft., Dia in. to ft.

Casing height above land surface **24"** in., weight **2.82** lbs./ft. Wall thickness or gauge No. **258**

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel	3 Stainless steel	5 Fiberglass	7 PVC	10 Asbestos-cement
2 Brass	4 Galvanized steel	6 Concrete tile	8 RMP (SR)	11 Other (specify)
			9 ABS	12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	
		7 Torch cut	10 Other (specify)	

SCREEN-PERFORATED INTERVALS: From **50** ft. to **90** ft., From ft. to ft.

GRAVEL PACK INTERVALS: From **24** ft. to **100** ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other **hole plug**

Grout Intervals: From **4** ft. to **24** ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	

Direction from well? **east** How many feet? **135'**

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	Top Soil			
2	5	Clay-Brown			
5	24	Shale-Yellow			
24	27	Shale-Grey			
27	44	Sandy Shale-Grey			
44	66	Sandstone-Brown			
66	72	Sand Rock-Grey			
72	82	Sandstone-Grey			
82	84	Limestone-Grey			
84	100	Shaley Limestone-Grey			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) **8-03-90** and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. **182** This Water Well Record was completed on (mo/day/yr) **9-11-90** under the business name of **STRADER DRILLING CO., INC.** by (signature) *Phillip Pearce*

OFFICE USE ONLY

T

R

EW

SEC.

1/4

1/4

1/4