

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: Douglas	SE 1/4 SW 1/4 NW 1/4	13	T 15 S	R 19E E/W
Distance and direction from nearest town or city street address of well if located within city? 2 3/4 xxx miles west and 1 1/4 miles south of Baldwin City				
2 WATER WELL OWNER: Harry North Site: 74E 1300 Rd, Baldwin City				
RR#, St. Address, Box # : 95E 1300 Rd		Permit: 1817		Board of Agriculture, Division of Water Resources
City, State, ZIP Code : Baldwin City, Ks. 66006		Application Number:		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 120 ft. ELEVATION:		
		Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft.		
		WELL'S STATIC WATER LEVEL 60 ft. below land surface measured on mo/day/yr 3-9-05		
		Pump test data: Well water was ft. after hours pumping gpm		
		Est. Yield 3 gpm: Well water was ft. after hours pumping gpm		
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well		
		1 <u>Domestic</u> 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)		
		2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well		
		Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was submitted		
		Water Well Disinfected? Yes X No		
5 TYPE OF BLANK CASING USED:				
1 Steel		5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued X Clamped
3 RMP (SR)		6 Asbestos-Cement	9 Other (specify below)	Welded
2 <u>PVC</u>		7 Fiberglass		Threaded
Blank casing diameter 5 in. to ft., Dia in. to ft., Dia in. to ft.				
Casing height above land surface 24 in., weight 2.82 lbs./ft. Wall thickness or gauge No. .258				
TYPE OF SCREEN OR PERFORATION MATERIAL:				
1 Steel		3 Stainless Steel	5 Fiberglass	7 <u>PVC</u>
2 Brass		4 Galvanized Steel	6 Concrete tile	8 RMP (SR)
				9 ABS
				10 Asbestos-Cement
				11 Other (Specify)
				12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:				
1 Continuous slot		3 Mill slot	5 Gauzed wrapped	8 Saw cut
2 Louvered shutter		4 Key punched	6 Wire wrapped	9 Drilled holes
			7 Torch cut	10 Other (specify)
				11 None (open hole)
SCREEN-PERFORATED INTERVALS: From 55 ft. to 75 ft., From ft. to ft.				
GRAVEL PACK INTERVALS: From 50 ft. to 120 ft., From ft. to ft.				
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 <u>Bentonite</u> 4 Other				
Grout Intervals: From 0 ft. to 50 ft., From ft. to ft., From ft. to ft.				
What is the nearest source of possible contamination:				
1 <u>Septic tank</u>		4 Lateral lines	7 Pit privy	10 Livestock pens
2 Sewer lines		5 Cess pool	8 Sewage lagoon	11 Fuel storage
3 Watertight sewer lines		6 Seepage pit	9 Feedyard	12 Fertilizer storage
				13 Insecticide storage
				14 Abandoned water well
				15 Oil well/Gas well
				16 Other (specify below)
Direction from well? East		How many feet? 105		
FROM	TO	LITHOLOGIC LOG	FROM	TO
0	3	top xxx soil		
3	8	clay brown		
8	26	shale yellow		
26	27	shale brown		
27	46	sandstone x yellow		
46	51	shale grey snady		
51	59	sandstone brown		
59	68	snadstone grey		
68	76	limestone grey		
76	120	shale grey		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3-9-05 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No 182 This Water Well Record was completed on (mo/day/yr) 3-30-05 under the business name of Strader Drilling Co., Inc. by (signature) <i>Jim Strader</i>				
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.				