WATER WELL RECORD			Form WWC-5		Division of Wate	er Resources App. N	o.	
1 LOCATION OF WATER WELL: County: DOUBLAS		Fraction 1/4 SW1/4 M	145W4	Section Number		Range Number R /9 ⋈E □W		
			if unknown, distance & direction		Global Positioning	System (GPS) in	oformation:	
from nearest town or intersection: If at owner's address, check here .					Global Positioning System (GPS) information: Latitude: 38:27.3/3 (in decimal degrees) Longitude: 95:27665 (in decimal degrees) Elevation: 978			
2 WATER WELL OWNER: FO McMillan					<u>Datum</u> : ☑ WGS 84, ☐ NAD 83, ☐ NAD 27			
					Collection Method: GPS unit (Make/Model: CALMON ETPLAN)			
RR#, Street Address, Box #: 1214 NORTH 200 RD City, State, ZIP Code : DAI OF COOK TOWN					Digital Nam/Photo Transportion Nam Transportion			
BALVU			ON CTTY, KS 60	6006	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 5-15 m, ☐ >15 m			
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL ft.								
SECTION BOX: Depth(s) Groundwater Encountered (1)								
, seci	SECTION BOX: Depth(s) Groundwater Encountered (1)							
	Pump test data: Well water wasft. afterhours pumping gpm							
ECT VIELD SA annu Well wester was A after house manning						ning gnm		
NW	/ NE	E Bore Hole Diam	eter					
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐								
							Other (Specify below)	
SW SW	Domestic Feedlot Oil field water supply Dewatering Other (Specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well							
			bacteriological sample	e submitted to	Department?	Yes No		
Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted								
1 mile Water well disinfected? Yes \(\sum \) No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter 6 in to 80 ft Diameter in to ft Diameter in to ft								
Casing diameter								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
Steel Stainless Steel VC Other (Specify)								
	Brass	Galvanized Steel	None used (open h		(1 - 2)			
SCREE	N OR PE	RFORATION OPENING	S ARE:					
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)								
Louvered shutter								
SCREEN-PERFORATED INTERVALS: From 60 ft. to 80 ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From								
GRAVEL PACK INTERVALS: From								
From								
Grout Intervals: FromO								
What is the nearest source of possible contamination:								
	Septic tan			Livestock p	ens Insecticide	storage 🔏 Oth	er (specify below)	
Cassnool Savinga Inggon Abandonad water well								
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well								
		well		T	from well		CODIO POPORTO	
FROM	TO	LITHOLOG	IC LOG	FROM	TO LITHO. L	OG (cont.) or PLU	GGING INTERVALS	
35	- - +	CLAY		 	·····			
25	<i>8</i> 0 .	SANDSTUNE		 				
				1				
				 				
	+							
				†				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed. reconstructed, or plugged								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year). (a. 1.2.2.1) and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. Add This Water Well Record was completed on (medday/year)								
under the business name of ASSOCIATED DETUTION DIVINION by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
		Kansas Department of Health 522. Send one copy to WAT						
		v/waterwell/index.html.	C DEE OWITER AND		om 1000143. Melude <u>le</u>	2 01 40.00 101 Cacil C	oinsiacioa weii. Visit us at	
	KSA 82a-1212							