		RECORD		WWC-5		vision of Wate			
				e in Well Use		ources App. N		Well ID	
1 LOCATION OF WATER WELL: County: Franklin			Fraction SE 1/4 NE 1/4 SE 1/4	i i	ction Numbe 34	er Township Numb	Per Range Number R 21 ■ E □ W		
2 WELL OWNER: Last Name: Taylor First: Garrett Street or Rural Address where well is located (if unknown, distance and									
Business: direction from nearest town or intersection): If at owner's address, check here									
Address: 4785 Shawnee Terrace									
Address: City: Wellsville State: KS ZIP: 66092									
3 LOCAT		<u> </u>			450		20 6076	00	
WITH "		4 DEPTH	OF COM	IPLETED WELL:	(२V 1) A	t. 5 Latit	ude:	(decimal degrees)	
SECTION BOX: Depth(s) Groundwater Encountered 2)									
WELL'S STATIC WAT						,	e for Latitude/Longitude		
				, measured on (mo-day-		G	GPS (unit make/model:)		
				, measured on (mo-day-		1	(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map		
				vater was f				raphic Map A	
W	Well water								
				s pumping	gpm	(15)	.40		
	Estimated Yield: 9.			gpm				t. Ground Level TOC GPS Topographic Map	
S Bore Hole Diameter:			9.9(Q., in, to	It. and	Source				
1 mile in. to ft. Uther									
1. Domestic:				ater Supply: well ID		10. □ O	il Field Water Supply: 1	ease	
☐ Housel	☐ Household 6. ☐ Dewatering: how many wells?					11. Test Hole: well ID			
	☐ Lawn & Garden 7. ☐ Aquifer Recharge: well ID								
1	Livestock 8. Monitoring: well ID								
3. Feedlo	2. ☐ Irrigation 9. Environmental Remediation: well ID 3. ☐ Feedlot ☐ Air Sparge ☐ Soil Vapor Example 1.					a) Closed Loop			
4. Industr			Recovery						
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:									
Water well disinfected? Yes No									
8 TYPE OF CASING USED: ☐ Steel ☐ PVC ■ Other HD Poly CASING JOINTS: ☐ Glued ☐ Clamped ■ Welded ☐ Threaded									
Casing diameter 3/4 in. to 150 ft., Diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 36 in. Weight SDR21 lbs./ft. Wall thickness or gauge No. 160.PSI									
TYPE OF SCREEN OR PERFORATION MATERIAL: NONE									
Steel Stainless Steel Fiberglass PVC Other (Specify)									
Brass Galvanized Steel Concrete tile None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE: NONE									
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)									
Louvered Shutter									
GRAVEL PACK INTERVALS: From									
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other									
Nearest source of possible contamination:									
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage ☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well									
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well									
Uther (Specify) Direction from well? Distance from well?									
10 FROM	TO		ITHOLO		FROM	ТО	LITHO. LOG (cont.) o	r PLUGGING INTERVALS	
0 18	18 47		131-141	snaie limestone	-	-			
47	70	limestone	1-11-11-11-11-11-11-11-11-11-11-11-11-1	milosione	150	3	4-150' Bores Plugg	ed with	
70	75	shale			1.00		High Solid Bentonit		
75	87	limestone							
87	95	shale							
95		limestone							
122 129 shale									
129 131 limestone									
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) .08/01/207 and this record is true to the best of my knowledge and belief.									
Kansas Wa	ter Well Co	ntractor's Lice	ense No. 🤅	561 This Wa	ter Well Re	cord was co	mpleted on (mo-day-y	/ent 7 .08/04/2017	
under the b	usiness nan	ne of Evans L	Energy D	evelopmentlnc	S	ignature	Soll Com	Karaman and a second	
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section,									
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015									