WATER WELL RECORD   Form WWC-5   KSA 82a-1212

1. LOCATION OF WATER WELL:

	Fraction	Section Number	Township Number	Range Number
County: Miami	SE ¼ NE ¼ NE ¼	33	T 15 S	R 23 (E)W

Distance and direction from nearest town, or city street address of well if located within city?
2 S and 1 West of Spring Hill

2. WATER WELL OWNER: Glen Hamond
RR#, St. Address, Box #: B1
City, State, ZIP Code: Springhill Kans

Board of Agriculture, Division of Water Resources
Application Number:

3. LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

```
        N
 --NW--|--NE--X
   W   |      E
 --SW--|--SE--
        S
```
(1 Mile)

4. DEPTH OF COMPLETED WELL 50 ft. ELEVATION: ....

Depth(s) Groundwater Encountered 1. 12 ft. 2. .... ft. 3. .... ft.

WELL'S STATIC WATER LEVEL 8 ft. below land surface measured on mo/day/yr 3-14-90

Pump test data: Well water was .... ft. after .... hours pumping .... gpm
Est. Yield 2 gpm; Well water was .... ft. after .... hours pumping 50 gpm
Bore Hole Diameter 9 in. to 18 ft., and 6 ⅞ in. to 50 ft.

WELL WATER TO BE USED AS:
(1) Domestic   3 Feedlot   5 Public water supply   6 Oil field water supply   8 Air conditioning   9 Dewatering   11 Injection well   12 Other (Specify below)
2 Irrigation   4 Industrial   7 Lawn and garden only   10 Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes....... No ✓; If yes, mo/day/yr sample was submitted
Water Well Disinfected? Yes ✓   No

5. TYPE OF BLANK CASING USED:
1 Steel   3 RMP (SR)   5 Wrought iron   8 Concrete tile
(2) PVC   4 ABS   6 Asbestos-Cement   9 Other (specify below)
7 Fiberglass

CASING JOINTS: Glued .... Clamped ✓
Welded ....
Threaded.......

Blank casing diameter 6 ¼ in. to 18 ft., Dia .... in. to .... ft., Dia .... in. to 6 40 ft.
Casing height above land surface 24 in., weight Sch 4 lbs./ft. Wall thickness or gauge No. Sch 40

TYPE OF SCREEN OR PERFORATION MATERIAL:
1 Steel   3 Stainless steel   5 Fiberglass   7 PVC   10 Asbestos-cement
2 Brass   4 Galvanized steel   6 Concrete tile   8 RMP (SR)   11 Other (specify)
9 ABS   (12) None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:
1 Continuous slot   3 Mill slot   5 Gauzed wrapped   8 Saw cut   (11) None (open hole)
2 Louvered shutter   4 Key punched   6 Wire wrapped   9 Drilled holes
7 Torch cut   10 Other (specify)

SCREEN-PERFORATED INTERVALS: From....... ft. to....... ft., From....... ft. to.......ft.
From....... ft. to....... ft., From....... ft. to.......ft.

GRAVEL PACK INTERVALS: From....... ft. to....... ft., From....... ft. to.......ft.
From....... ft. to....... ft., From....... ft. to.......ft.

6. GROUT MATERIAL: 1 Neat cement   (2) Cement grout   3 Bentonite   4 Other ....
Grout Intervals: From 3 ft. to 18 ft., From....... ft. to....... ft., From....... ft. to.......ft.

What is the nearest source of possible contamination:
1 Septic tank   4 Lateral lines   7 Pit privy   10 Livestock pens   14 Abandoned water well
2 Sewer lines   5 Cess pool   8 Sewage lagoon   11 Fuel storage   15 Oil well/Gas well
3 Watertight sewer lines   6 Seepage pit   9 Feedyard   12 Fertilizer storage   16 Other (specify below)
13 Insecticide storage

Direction from well? N. E.   How many feet? 100

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	9	Soil & Clay			
9	14	Lime			
14	20	Shale			
20	38	Lime			
38	50	grey Shale			

7. CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3-14-90 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 486. This Water Well Record was completed on (mo/day/yr) 3-28-90 under the business name of Edgar Swank Well Drilling by (signature) Edgar Swank

OFFICE USE ONLY
E/W SEC.
¼ ¼ ¼