

WATER WELL RECORD

Form WWC-5

Division of Water Resources App. No.

1 LOCATION OF WATER WELL: County: Johnson		Fraction SW ¼ NW ¼ NW ¼ NW ¼		Section Number 3	Township No. T 15 S	Range Number R 23 ☒ E ☐ W																																																																		
2 WATER WELL OWNER: Shawn Swearmain RR#, Street Address, Box #: 19195 S. Hedoe Lane City, State, ZIP Code : Spring Hill, KS 66083				Global Positioning System (GPS) information: Latitude: (in decimal degrees) Longitude: (in decimal degrees) Elevation: Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method: ☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m																																																																				
3 LOCATE WELL WITH AN "X" IN SECTION BOX: N <table border="1" style="margin: auto; border-collapse: collapse;"> <tr> <td style="width: 25px; height: 25px; text-align: center;">X</td> <td style="width: 25px; height: 25px;"></td> </tr> <tr> <td style="text-align: center;">-- NW --</td> <td style="text-align: center;">-- NE --</td> </tr> <tr> <td style="width: 25px; height: 25px;"></td> <td style="width: 25px; height: 25px;"></td> </tr> <tr> <td style="text-align: center;">-- SW --</td> <td style="text-align: center;">-- SE --</td> </tr> </table> S 1 mile		X		-- NW --	-- NE --			-- SW --	-- SE --	4 DEPTH OF COMPLETED WELL ^{Plugged} 230 ft. Depth(s) Groundwater Encountered (1) 0 ft. (2) ft. (3) ft. WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pumping gpm EST. YIELD 0 gpm. Well water was ft. after hours pumping gpm Bore Hole Diameter 6 in. to 230 ft., and in. to ft. WELL WATER TO BE USED AS: ☐ Public water supply ☒ Geothermal ☐ Injection well ☐ Domestic ☐ Feedlot ☐ Oil field water supply ☐ Dewatering ☒ Other (Specify below) ☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well closed loop Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☒ No If yes, mo/day/yr sample was submitted Water well disinfected? ☐ Yes ☒ No																																																														
		X																																																																						
-- NW --	-- NE --																																																																							
-- SW --	-- SE --																																																																							
5 TYPE OF CASING USED: ☐ Steel ☐ PVC ☒ Other H.D. Polyethylene CASING JOINTS: ☐ Glued ☐ Clamped ☒ Welded ☐ Threaded Fusion Casing diameter 3/4 in. to 230 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 36 in., Weight 50.0 lbs./ft., Wall thickness or gauge No. 16.0 P.S.I. TYPE OF SCREEN OR PERFORATION MATERIAL: None ☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: None ☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft. From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft. From ft. to ft., From ft. to ft.																																																																								
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☒ Bentonite ☐ Other Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft. What is the nearest source of possible contamination: ☒ E ☒ Septic tank ☒ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Direction from well E.A.S. Distance from well 150																																																																								
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>FROM</th> <th>TO</th> <th>LITHOLOGIC LOG</th> <th>FROM</th> <th>TO</th> <th>LITHO. LOG (cont.) or PLUGGING INTERVALS</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>9</td> <td>soil/clay 96-182 shale</td> <td></td> <td></td> <td></td> </tr> <tr> <td>9</td> <td>13</td> <td>sandstone 182-188 lime</td> <td></td> <td></td> <td></td> </tr> <tr> <td>13</td> <td>24</td> <td>lime 188-190 shale</td> <td></td> <td></td> <td></td> </tr> <tr> <td>24</td> <td>32</td> <td>shale 190-205 lime</td> <td></td> <td></td> <td></td> </tr> <tr> <td>32</td> <td>40</td> <td>lime 205-230 shale</td> <td>230</td> <td>3</td> <td>3-230' bores plugged with</td> </tr> <tr> <td>40</td> <td>49</td> <td>shale</td> <td></td> <td></td> <td>High Solid Bentonite</td> </tr> <tr> <td>49</td> <td>57</td> <td>sandstone</td> <td></td> <td></td> <td></td> </tr> <tr> <td>57</td> <td>66</td> <td>lime</td> <td></td> <td></td> <td></td> </tr> <tr> <td>66</td> <td>82</td> <td>shale</td> <td></td> <td></td> <td></td> </tr> <tr> <td>82</td> <td>96</td> <td>lime</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>							FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS	0	9	soil/clay 96-182 shale				9	13	sandstone 182-188 lime				13	24	lime 188-190 shale				24	32	shale 190-205 lime				32	40	lime 205-230 shale	230	3	3-230' bores plugged with	40	49	shale			High Solid Bentonite	49	57	sandstone				57	66	lime				66	82	shale				82	96	lime			
FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS																																																																			
0	9	soil/clay 96-182 shale																																																																						
9	13	sandstone 182-188 lime																																																																						
13	24	lime 188-190 shale																																																																						
24	32	shale 190-205 lime																																																																						
32	40	lime 205-230 shale	230	3	3-230' bores plugged with																																																																			
40	49	shale			High Solid Bentonite																																																																			
49	57	sandstone																																																																						
57	66	lime																																																																						
66	82	shale																																																																						
82	96	lime																																																																						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☒ constructed, ☐ reconstructed, or ☒ plugged under my jurisdiction and was completed on (mo/day/year) 4/1/2013 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 561 This Water Well Record was completed on (mo/day/year) 4/1/2013 under the business name of Evans Energy Development, Inc. by (signature) <i>[Signature]</i>																																																																								
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. I include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html .																																																																								