Driginal Record	W
County: MIAM SW / NW / SU / NW	W
WELL OWNER: Last Name: BROCK First: MIKE Business: Address: 23367 S. MOONLIGHT ROAD Address: 23367 S. MOONLIGHT R	OCC (fap
Business: Address: 23367 S. MOONLIGHT ROAD Address: City: SPRING HILL State: KS ZIP: 66083 3 LOCATE WELL WITH "X" IN SECTION BOX: N SECTION	OC dap
Address: City: SPRING HILL State: KS ZIP: 66083 3 LOCATE WELL WITH "X" IN SECTION BOX: N	OC dap
Address: City: SPRING HILL	COC dap
City: SPRING HILL State: KS ZIP: 66083	COC dap
3 LOCATE WELL WITH "X" IN SECTION BOX: N	OC Map
WITH "X" IN SECTION BOX: N Depth(s) Groundwater Encountered: 1)	COC dap
SECTION BOX: N) OCC flap
N) OC flap
below land surface, measured on (mo-day-yr)	OC dap
above land surface, measured on (mo-day-yr)	OC dap
Pump test data: Well water was	OC fap r
W	OC fap r
Well water was ft. after hours pumping gpm Estimated Yield: O gpm Bore Hole Diameter: 5.5/8 in. to 200 ft. and Source: Land Survey GPS Topographic Other Other Develop Topographic Other Othe	OC fap r
Stimated Yield: 0,gpm Source: Land Survey GPS Topographic Source: Land Survey GPS Topographic Other	faр г
Bore Hole Diameter: .5.5/8. in. to 200	faр г
Twell water to be used as: 1. Domestic: 5.	r
7 WELL WATER TO BE USED AS: 1. Domestic: 5. □ Public Water Supply: well ID	r
Domestic: Public Water Supply: well ID 10. Oil Field Water Supply: lease 11. Test Hole: well ID Cased Uncased Geotechnical Livestock 8. Monitoring: well ID 12. Geothermal: how many bores? 7. Aquifer Recharge: well ID Cased Uncased Geotechnical 12. Geothermal: how many bores? 7. Aquifer Recharge: well ID 12. Geothermal: how many bores? 7. Aquifer Recharge: well ID Air Sparge Soil Vapor Extraction Soil Vapor Extraction Soil Vapor Extraction Dopen Loop Surface Discharge Inj. of Water Was a chemical/bacteriological sample submitted to KDHE? Yes No No No No No No No N	r
☐ Household 6. ☐ Dewatering: how many wells? 11. Test Hole: well ID ☐ Cased ☐ Uncased ☐ Geotechnical ☐ Lawn & Garden 7. ☐ Aquifer Recharge: well ID ☐ Cased ☐ Uncased ☐ Geotechnical ☐ Livestock 8. ☐ Monitoring: well ID 12. Geothermal: how many bores? 7. ☐ Active Many bores? 2. ☐ Irrigation 9. Environmental Remediation: well ID a) Closed Loop ☐ Horizontal ☐ Vertical 3. ☐ Feedlot ☐ Air Sparge ☐ Soil Vapor Extraction b) Open Loop ☐ Surface Discharge ☐ Inj. of Water 4. ☐ Industrial ☐ Recovery ☐ Injection 13. ☐ Other (specify): Water well disinfected? ☐ Yes ☐ No ☐ No 8 TYPE OF CASING USED: ☐ Steel ☐ PVC ☐ Other HD POLY. CASING JOINTS: ☐ Glued ☐ Clamped ☐ Welded ☐ Threatory in to fit, Diameter in to fit, Diameter in to fit. Casing diameter 3/4 in to 200 ft, Diameter in to fit, Diameter in to fit, Diameter in to fit. Yes ☐ Other (Specify) TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)	r
□ Lawn & Garden 7. □ Aquifer Recharge: well ID □ Cased □ Uncased □ Geotechnical □ Livestock 8. □ Monitoring: well ID 12. Geothermal: how many bores? 2. □ Irrigation 9. Environmental Remediation: well ID a) Closed Loop □ Horizontal ■ Vertical 3. □ Feedlot □ Air Sparge □ Soil Vapor Extraction b) Open Loop □ Surface Discharge □ Inj. of Water (specify): 4. □ Industrial □ Recovery □ Injection 13. □ Other (specify): Was a chemical/bacteriological sample submitted to KDHE? □ Yes No If yes, date sample was submitted: Water well disinfected? □ Yes No 8 TYPE OF CASING USED: □ Steel □ PVC ■ Other HD POLY CASING JOINTS: □ Glued □ Clamped ■ Welded □ Threa Casing diameter	•
□ Livestock 8. □ Monitoring: well ID 12. Geothermal: how many bores? 7. 2. □ Irrigation 9. Environmental Remediation: well ID a) Closed Loop □ Horizontal ■ Vertical 3. □ Feedlot □ Air Sparge □ Soil Vapor Extraction b) Open Loop □ Surface Discharge □ Inj. of War 4. □ Industrial □ Recovery □ Injection 13. □ Other (specify): Was a chemical/bacteriological sample submitted to KDHE? □ Yes ■ No If yes, date sample was submitted: Was submitted: Water well disinfected? □ Yes ■ No 8 TYPE OF CASING USED: □ Steel □ PVC ■ Other HD POLY CASING JOINTS: □ Glued □ Clamped ■ Welded □ Threatory Casing diameter 3/4 in to 200 ft., Diameter in to 5/1. Diameter in to 5/1. Diameter in to 5/1. Diameter in to 5/1. Wall thickness or gauge No. 160 PSI TYPE OF SCREEN OR PERFORATION MATERIAL: □ Steel □ Stainless Steel □ Fiberglass □ PVC □ Other (Specify)	•
2. ☐ Irrigation 9. Environmental Remediation: well ID	•
3. ☐ Feedlot ☐ Air Sparge ☐ Soil Vapor Extraction ☐ By Open Loop ☐ Surface Discharge ☐ Inj. of Water Industrial ☐ Recovery ☐ Injection ☐	•
4. ☐ Industrial ☐ Recovery ☐ Injection ☐ 13. ☐ Other (specify):	
Water well disinfected? ☐ Yes ■ No 8 TYPE OF CASING USED: ☐ Steel ☐ PVC ■ Other HD POLY CASING JOINTS: ☐ Glued ☐ Clamped ■ Welded ☐ Threa Casing diameter 3/4 in. to 200 ft., Diameter in. to ft., Diameter in. to ft., Casing height above land surface 36 in. Weight SDR11 lbs./ft. Wall thickness or gauge No. 160 PSI TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)	
Water well disinfected? ☐ Yes ■ No 8 TYPE OF CASING USED: ☐ Steel ☐ PVC ■ Other HD POLY CASING JOINTS: ☐ Glued ☐ Clamped ■ Welded ☐ Threa Casing diameter 3/4 in. to 200 ft., Diameter in. to ft., Diameter in. to ft., Casing height above land surface 36 in. Weight SDR11 lbs./ft. Wall thickness or gauge No. 160 PSI TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)	
8 TYPE OF CASING USED: ☐ Steel ☐ PVC ☐ Other HD POLY CASING JOINTS: ☐ Glued ☐ Clamped ☐ Welded ☐ Threa Casing diameter	
Casing diameter 3/4 in. to 200 ft., Diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 36 in. Weight SDR11 lbs./ft. Wall thickness or gauge No. 160 PSI TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel Fiberglass PVC Other (Specify)	ou De
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel Fiberglass PVC Other (Specify)	
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel Fiberglass PVC Other (Specify)	
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:	
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)	
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)	
SCREEN-PERFORATED INTERVALS: From	
GRAVEL PACK INTERVALS: From	
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other	
Nearest source of possible contamination: Septic Tank	
Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well	
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well	
Other (Specify)	
Direction from well?	
10 FROM TO LITHOLOGIC LOG FROM TO LITHO. LOG (cont.) or PLUGGING INTERV	LS
0 6 SOIL/CLAY 178-190 LIME	
6 10 BROKEN LIME 190-200 SHALE	
10 16 SHALE 200 3 7-200' BORES PLUGGED WITH	
16 37 LIME HIGH SOLID BENTONITE	
37 58 SHALE	
58 74 LIME	
744 165 SHALE Notes:	
165 174 LIME	
174 178 SHALE	
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plug	ed
under my jurisdiction and was completed on (mo-day-year) 03/5/2019 and this record is true to the best of my knowledge and bel	et.
Kansas Water Well Contractor's License No. 933 This Water Well Record was completed on (mo-day-year)	
under the business name of ALLEN'S HOLDING AND INVESTMENT. Signature Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section,	••
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.	
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/201:	