3---.

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215 W SW SW

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	County	Fraction		Section number		Township number	Range number		
1. Location of well:	Maimi	SW 1/4 SW 1/4 SEE	C-1/4	25		т 15 s	R 24	E/W	
				ner of wellW. Donald Rooney					
Characteristics of well leading if in city					street: Route 1 Tate, zip code: Bucyrus, Ks. 66013				
4. Locate with "X" in section below: Sketch map:				6. Bore hole diain. Completion date			-5-7		
N				L		Well depth 237 ft.			
BARN X SEPTIC X						7. Cable tool Rotary Driven Dug Hollow rod Jetted Bored Reverse rotary			
						8. Use: X Domestic Public supply Industry			
						DRYrigoHOLEAir conditioning Stock Lawn Oil field water Other			
						9. Casing: Material Height: Above or below			
						Threaded Welded Surface in. RMP DRY PYOLE Weight lbs./ft.			
S / Mile						Diain. to ft. dep			
5. Type and color of material				From	То	Diain. to ft. dept			
					-2	10. Screen: Manufacturers	Æ		
surface				0		Type Slot/gauze	_ Dia _ Length		
clay (brown)				3_	17	Set betweenft. a	ft. and	ft.	
shale (grey)				17	20	Gravel pack? Size ran			
shale (red)				20	23	11. Spring water for: E		/day/yr.	
shale (grey-green)				23	30	12. Pumping tevel below fund			
lime (grey)				30	38	ft. after h		. g.p.m.	
shale (lt.grey)				3 8	44	13. Water sample submitted: Yes No	mo. Date	_g.p.m. /day/yr.	
lime (lt.grey)				44	81		Dale		
shale (grey)				81	84	14. Well-head-completions	Inches above		
lime (brown)				84	123	15. Well grouted? With:	Bentonite (Concrete	
TIME (DIOWIT)				-		Depth: From ft. to _		— l	
shale (grey)				125		16. Nearest source of possible fDRY HO be Ection	Туре		
lime (white)				159		Well disinfected upon comple		— No	
160lime				160	164	17. Pump: DRY HOLE		~	
DRY HOLEPLUGGED						Model number	HP Vol ft. capacity		
2 7 (3	30	Туре:			
shale (grey)				164	18	Submersible Jet	Turbine Recipro		
continued on pages treed sheet if needed)						Centrifugal	Other	* v-	
18. Elevation: 19. Remarks: Customer is aware of State regulation and agrees to install a 4'						This well was drilled under my jurisdiction and this report			
square re-enforced concrete platfo					m į	is true to the best of my knowledge and belief. F.E.Young Drilling Co.240			
around top of well.					·	Business name	Lice	anea Nia	
Slope XUpland								4-7	
Valley						Signed Authorized repr	resentative Date	\$ 16 m	

Rowte X 1
Rucyrus, hansas 55013
page 2

lime 186 188 shale 188 193 lime 195 214 shale(dk.)214 219 lime 219 257