

WATER WELL RECORD

Form WWC-5

Division of Water Resources; App. No.

1 LOCATION OF WATER WELL: County: Miami, Fraction: SW 1/4 NE 1/4 NW 1/4, Section Number: 22, Township Number: T 15 S, Range Number: R 24 E W

Distance and direction from nearest town or city street address of well if located within city? 12967 W 215th Bryan, KS. 66613 Global Positioning Systems (decimal degrees, min. of 4 digits)

2 WATER WELL OWNER: Gary Mosch, RR#, St. Address, Box #: 12967 W 215th, City, State, ZIP Code: Bryan, KS 66613

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: [Diagram showing a 3x3 grid with an 'X' in the top-left cell]

4 DEPTH OF COMPLETED WELL: 30 ft. Depth(s) Groundwater Encountered: (1) 51-65 ft. WELL'S STATIC WATER LEVEL: 54 ft. below land surface measured on 3-24-09

5 TYPE OF CASING USED: 2 PVC, 5 Wrought Iron, 8 Concrete tile, CASING JOINTS: Glued, Clamped, Welded, Threaded

Blank casing diameter: 5 in. to 0-45 ft., Diameter: 5 in. to 65-80 ft., Diameter: in. to ft. Casing height above land surface: 24 in., Weight: 5.0R 24 lbs./ft. Wall thickness or gauge No. 142 PS 1

TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC, 9 ABS, 11 Other (Specify)

SCREEN OR PERFORATION OPENINGS ARE: 8 Saw cut, 10 Other (specify)

SCREEN-PERFORATED INTERVALS: From 65 ft. to 75 ft., From ft. to ft. GRAVEL PACK INTERVALS: From 80 ft. to 20 ft., From ft. to ft.

6 GROUT MATERIAL: 3 Bentonite, 4 Other, Grout Intervals: From 20 ft. to 0 ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination: none at time of drilling

Table with columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, PLUGGING INTERVALS. Rows include lithological data from 0 to 80 feet depth.

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3-24-09

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers.