WATER WELL RECORD		Form WWC-5		Di	vision of Water	r Resources App. N	o	
1 LOCATION OF WATER WELL:		Fraction		Section	Section Number Township No. Range Number			
County: Dic Kin		1/4Se1/Se	1/45 W/4		36	т /5 s	R 3 ZE-EW	
Street/Rural Address o	f unknown, distance &	direction_			System (GPS) in	iformation:		
from nearest town or intersection: If at owner's address, check here .					Latitude: (in decimal degrees)			
					Longitude: (in decimal degrees)			
2 WATER WELL OWNER: Jeff mein RR#, Street Address, Box #: 762 Rain Rd				Eleva	Elevation:			
2 WATED WELL OWNED. 2 0 0					<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
DD# Street Address Pov # JEFF MEIN					Collection Method:			
City, State, ZIP Code : 76 & Frain Fd			1 2	☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
HOPE, KS 67431			Fet A	Est. Accuracy: \square <3 m, \square 3-5 m, \square 5-15 m, \square >15 m				
3 LOCATE WELL	- FOP						5 15 III, Can 15 III	
WITH AN "X" IN	4 DEPTH OF O	COMPLETED WELL	L	<u> </u>	ft:			
SECTION BOX:	N BOX: Depth(s) Groundwater Encountered (1)					. ft. (2) tt. (3) tt.		
N	N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr							
Pump test data: Well water wasft. after hours pumping							ping gpm	
NW NE	ft.	. after	hours pum	ping gpm				
W E Bore Hole Diameter					a., andft.			
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
SW SE	Domestic	☐ Feedlot ☐					Other (Specify below)	
Was a chemical/bacteriological sample submitted to Department? Yes Z No								
S If yes, mo/day/yr sample was submitted								
1 mile	Water well disin	fected? Z Yes	No					
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Gued Clamped Welded Threaded								
Casing diameter in, to ft. Diameter in, to ft. Diameter in, to ft.								
Casing diameter in to ft., Diameter in to ft., Diameter in to ft., Diameter in to ft., Casing height above land surface in, Weight S.D.B. 26.lbs./ft., Wall thickness or gauge No. 12.14.								
TYPE OF SCREEN OR PERFORATION MATERIAC:								
Steel Stainless Steel PVC Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From 5.0 ft. to ft., From ft. to ft.							to It.	
From ft. to ft., From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From Q D ft. to ft., From ft. to ft.								
URAVEL PACK INTERVALS: FIOII								
From								
6 GROUT MATERIAL: Neat cement Cement grout Abentonite Other								
Grout Intervals: From								
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)							ner (specify helow)	
Sewer lines Cesspool		Sewage lagoon		Transaction of the Control of the Co				
Watertight sewer lines Seepage p			☐ Fuel stora ☐ Fertilizer	~	Oil well/ga		************	
Direction from well							. 	
FROM TO	LITHOLOG		FROM	TO	LITHO. L	OG (cont.) or PLU	JGGING INTERVALS	
	10W C/	2.1/		*******			Marine (1997) - 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997 1997	
	s we work							
24 26 him	,0							
20 300						10 to 40 Miles (10 Miles (
26 54 Bra	1.1 1 1 10	110W Sha.	1.0					
20 27 2 10	wiryo	now -in						
154 124 131W	e Shale	2						
77 67	C Shale	7/0 /0 1/11	a for		1		The second of th	
64 65 Cru	molec S	shale + W	acc.	1				
1010 D 12 D		1 0						
7 CONTRACTOR'S ORLANDOWNER'S CERTIFICATION; This water well was a constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo/day/year)								
Kansas Water Well Contractor's License No								
under the business name of Backhus Drilling by (signature) bull Backhus								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212		Aliba.		8.8 44	6 6 6			

C1 11 11 1 ==

KSA 82a-1212