OCATION OF WATER WEL	L Fraction	no m	Section Numb	er Township Nu		ber EW
unty Dickinson				<u> </u>	S R	
ance and direction from nea	wood bing	0	Street address of well	if located within city?		
WATER WELL OWNER:	Baymond	Pagenkopf	, e			
#, St. Address, Box # :	wood bine	67401		-	riculture, Division of Water F	Resou
		• • • •	2	Application	Number:	
DEPTH OF COMPLETED W			in. to	·	and the second s	
Il Water to be used as: 1 Domestic 3 Feedlot	5 Public wate		8 Air conditioning 9 Dewatering	•	ction well er (Specify below)	
•	6 Oil field wa	., ,	10 Observation well		ive Stack	
2 Irrigation 4 Industrial	<i>[n []</i>	and surface measured on	2	1/	$-\mu$	v
mp Test Data		ft. after		•	•	•
\sim \sim \sim \sim \sim \sim	m: Well water was			hours pumping		g
TYPE OF BLANK CASING	USED:	5 Wrought iron	8 Concrete tile	Casing Jo	ints: Glued . X . Clamped .	
1 Steel 3 F	RMP (SR)	6 Asbestos-Cement	9 Other (specify be		Welded	
2 PVC	ABS ()	7 Fiberglass			Threaded	
nk casing dia	\cdots in to $\mathcal{F}_{\mathcal{A}}$	/ ft., Dia	in. to	ft., Dia	in. to	
sing height above land surfac	ce	in., weight	LS 1601	bs./ft. Wall thickness of	or gauge No 160	
PE OF SCREEN OR PERFO	PRATION MATERIAL:		7_PVC	10 Asbe	stos-cement	
1 Steel 3 S	Stainless steel	5 Fiberglass	8 RMP (SR)	11 Othe	r (specify)	
2 Brass 4 (Galvanized steel	6 Concrete tile	9 ABS	12 None	used (open hole)	
een or Perforation Openings	Are:	5 Gauzed	wrapped	8 Saw cut	11 None (open h	nole)
1 Continuous slot	3 Mill slot	6 Wire wr	apped	9 Drilled holes		
2 Louvered shutter	ر Key punched هــــــر	7 Torch ci		• • • • • • • • • • • • • • • • • • • •		
een-Perforation Dia	$\geq \ldots$ in to $\ldots Z$	ft., Dia	in. to	ft., Dia	in to	
een-Perforated Intervals:	From	// ft. to	ft., From .		ft. to	
	From , ,	ft. to	ft., From .		ft. to	
avel Pack Intervals:	From	ft. to	ft., From .		ft. to	
	_					
	From	ft. to	ft., From		ft. to	
GROUT MATERIAL: 1	Neat coment	2 Cement grout	3 Bentonite			
GROUT MATERIAL: 1 outed Intervals: From	Neat coment	2 Cement grout	3 Bentonite			
GROUT MATERIAL: 1 Duted Intervals: From	Neat coment ft. to cossible contamination:	2 Cement grout 5 ft., From	3 Bentoniteft. to 10 Fu	ft., From el storage		
GROUT MATERIAL: 1 outed Intervals: From	Neat cement ft. to/ possible contamination: 4 Cess pool	2 Cement grout ft., From 7 Sewage lagoor	3 Bentoniteft. to 10 Fu	ft., From el storage tilizer storage	ft. to	ell
GROUT MATERIAL: 1 outed Intervals: From	Neat coment ft. to/ cossible contamination: 4 Cess pool 5 Seepage pit	2 Cement grout tt., From 7 Sewage lagoor 8 Feed yard	3 Bentoniteft. to 10 Function 11 Feronal 12 Ins	tt., From el storage tilizer storage ecticide storage	ft. to	ell
GROUT MATERIAL: puted Intervals: From	Neat coment ft. to cossible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy	2 Cement grout 5ft., From 7 Sewage lagoor 8 Feed yard 9 Livestock pens	3 Bentoniteft. to 10 Function 11 Feron 12 Ins	tilizer storage ecticide storage tertight sewer lines	ft. to	ell
GROUT MATERIAL: puted Intervals: From	Neat coment ft. to possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy	2 Cement grout 5 ft., From 7 Sewage lagoor 8 Feed yard 9 Livestock pens	3 Bentoniteft. to 10 Function 11 Feron 12 Install 13 Ward 12 Possible 13 Ward 14 Possible 14 Possible 15 Possible	tilizer storage ecticide storage tertight sewer lines er Well Disinfected?	ft. to	 eli v)
GROUT MATERIAL: puted Intervals: From	Meat coment ft. to cossible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Hosample submitted to D	2 Cement grout 1. From 7 Sewage lagoon 8 Feed yard 9 Livestock pens ow many feet	3 Bentonite ft. to 10 Fun 11 Fen 12 Ins 13 Wa 2? Wat	tt., From tilizer storage ecticide storage tertight sewer lines er Well Disinfected?	ft. to	 eli v)
GROUT MATERIAL: puted Intervals: From	Meat cement ft. to cossible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Hosample submitted to D month	2 Cement grout 1. From 7 Sewage lagoor 8 Feed yard 9 Livestock pens ow many feet	3 Bentonite	ft., From tilizer storage ecticide storage tertight sewer lines er Well Disinfected? \ No lled? Yes	ft. to	ell v) sam
GROUT MATERIAL: puted Intervals: From	Meat coment ft. to cossible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Ho sample submitted to D monthme	2 Cement grout ft., From 7 Sewage lagoor 8 Feed yard 9 Livestock pens ow many feet	3 Bentonite	ft., From It., From	ft. to	v) sam
GROUT MATERIAL: puted Intervals: From	Neat coment ft. to cossible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Sample submitted to D month me	2 Cement grout ft., From 7 Sewage lagoor 8 Feed yard 9 Livestock pens ow many feet	3 Bentonite	ft., From el storage tillizer storage ecticide storage tertight sewer lines er Well Disinfected? \\ No \(\) lled? Yes \(\) HP \(\) at	ft. to	v) sam
GROUT MATERIAL: puted Intervals: From	Neat coment ft. to cossible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy sample submitted to D month me Submersible	2 Cement grout ft., From 7 Sewage lagoor 8 Feed yard 9 Livestock pens ow many feet / O. O. department? Yes	3 Bentonite ft. to 10 Furn 11 Fern 12 Ins 13 Wat 2	ft., From el storage tillizer storage ecticide storage tertight sewer lines er Well Disinfected? \\ No \(\) lled? Yes \(\) at \(\) ntrifugal 5 Re	ft. to	v) sam gal./r
GROUT MATERIAL: puted Intervals: From	ft. to ft. to	2 Cement grout 1. From 7 Sewage lagoon 8 Feed yard 9 Livestock pens ow many feet Department? Yes day ft. 2 Turbine 3 ATION: This water well was	3 Bentonite ft. to 10 Furn 11 Fern 12 Ins 13 Wat 2	ft., From el storage etilizer storage ecticide storage tertight sewer lines er Well Disinfected? \ No \(\) HP \(\) at \(\) ntrifugal \(\) 5 Re econstructed or (3) pl	ft. to	v) sam gal./r
GROUT MATERIAL: puted Intervals: From	ft. to ft. to cossible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Hosample submitted to D month me Submersible OWNER'S CERTIFICA	2 Cement grout 7 Sewage lagoon 8 Feed yard 9 Livestock pens ow many feet	3 Bentonite	ft., From el storage tilizer storage ecticide storage tertight sewer lines er Well Disinfected? \ No	ft. to	v) sam gal./r
GROUT MATERIAL: puted Intervals: From	ft. to ft. to	2 Cement grout ft., From 7 Sewage lagoor 8 Feed yard 9 Livestock pens ow many feet department? Yes day ft. 2 Turbine 3 ATION: This water well was month and belief. Kansas Water We	3 Bentonite ft. to 10 Fur 11 Fer 12 Ins 13 Wat 2	ft., From el storage tillizer storage ecticide storage tertight sewer lines er Well Disinfected? No	ft. to 14 Abandoned water w 15 Oil well/Gas well 16 Other (specify below Yes	eil sam gal./i and
GROUT MATERIAL: puted Intervals: From	Meat coment ft. to cossible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy sample submitted to D month me Submersible OWNER'S CERTIFICA est of my knowledge aumpleted on	2 Cement grout 7 Sewage lagoon 8 Feed yard 9 Livestock pens ow many feet	3 Bentonite ft. to 10 Furnition 11 Fernition 13 Wat 2	ft., From el storage tillizer storage ecticide storage tertight sewer lines er Well Disinfected? No	ft. to	eil sam gal./i and
GROUT MATERIAL: puted Intervals: From	Meat coment ft. to cossible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Ho sample submitted to D month me Submersible OWNER'S CERTIFICA est of my knowledge au mpleted on	2 Cement grout ft., From 7 Sewage lagoor 8 Feed yard 9 Livestock pens ow many feet department? Yes day ft. 2 Turbine 3 ATION: This water well was month mot belief. Kansas Water We	3 Bentonite ft. to 10 Furnition 11 Fernition 13 Wat 2	ft., From el storage tillizer storage ecticide storage tertight sewer lines er Well Disinfected? No	ft. to	eil sam gal./i and
GROUT MATERIAL: puted Intervals: From	tt. to ft. to cossible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Ho sample submitted to D month me Submersible OWNER'S CERTIFICA est of my knowledge and impleted on.	2 Cement grout 7 Sewage lagoon 8 Feed yard 9 Livestock pens ow many feet	3 Bentonite ft. to 10 Furnition 11 Fernition 13 Wat 2	ft., From el storage tillizer storage ecticide storage tertight sewer lines er Well Disinfected? No	ft. to 14 Abandoned water w 15 Oil well/Gas well 16 Other (specify below Yes	gal.//
GROUT MATERIAL: puted Intervals: From	tt. to ft. to cossible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Ho sample submitted to D month me Submersible OWNER'S CERTIFICA est of my knowledge and impleted on.	2 Cement grout ft., From 7 Sewage lagoor 8 Feed yard 9 Livestock pens ow many feet	3 Bentonite ft. to 10 Furn 11 Fern 12 Ins 13 War 2 Wat 2 Wat Model No Pumps Capacity rated Jet 4 Cer 5 (1) constructed. (2) received and and and and and and and and and an	ft., From el storage tillizer storage ecticide storage tertight sewer lines er Well Disinfected? No	ft. to	gal.//
GROUT MATERIAL: auted Intervals: From	tt. to ft. to cossible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Ho sample submitted to D month me Submersible OWNER'S CERTIFICA est of my knowledge and impleted on.	2 Cement grout ft., From 7 Sewage lagoor 8 Feed yard 9 Livestock pens ow many feet	3 Bentonite ft. to 10 Furnition 11 Fernition 13 Wat 2	ft., From el storage tillizer storage ecticide storage tertight sewer lines er Well Disinfected? No	ft. to	gal./
ground MATERIAL: uted Intervals: From	tt. to ft. to cossible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Ho sample submitted to D month me Submersible OWNER'S CERTIFICA est of my knowledge and impleted on.	2 Cement grout ft., From 7 Sewage lagoor 8 Feed yard 9 Livestock pens ow many feet	3 Bentonite ft. to 10 Fur 11 Fer 12 Ins 13 Wat 2? Wat	ft., From el storage tillizer storage ecticide storage tertight sewer lines er Well Disinfected? No	ft. to	gal./
GROUT MATERIAL: auted Intervals: From	tt. to ft. to cossible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Ho sample submitted to D month me Submersible OWNER'S CERTIFICA est of my knowledge and impleted on.	2 Cement grout ft., From 7 Sewage lagoor 8 Feed yard 9 Livestock pens ow many feet	3 Bentonite ft. to 10 Furn 11 Fern 12 Ins 13 War 2 Wat 2 Wat Model No Pumps Capacity rated Jet 4 Cer 5 (1) constructed. (2) received and and and and and and and and and an	ft., From el storage tillizer storage ecticide storage tertight sewer lines er Well Disinfected? No	ft. to	gal.//
ground MATERIAL: uted Intervals: From	tt. to ft. to cossible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Ho sample submitted to D month me Submersible OWNER'S CERTIFICA est of my knowledge and impleted on.	2 Cement grout ft., From 7 Sewage lagoor 8 Feed yard 9 Livestock pens ow many feet	3 Bentonite ft. to 10 Fur 11 Fer 12 Ins 13 Wat 2? Wat	ft., From el storage tillizer storage ecticide storage tertight sewer lines er Well Disinfected? No	ft. to	gal./
GROUT MATERIAL: auted Intervals: From	tt. to ft. to cossible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Ho sample submitted to D month me Submersible OWNER'S CERTIFICA est of my knowledge and impleted on.	2 Cement grout ft., From 7 Sewage lagoor 8 Feed yard 9 Livestock pens ow many feet	3 Bentonite ft. to 10 Fur 11 Fer 12 Ins 13 Wat 2? Wat	ft., From el storage tillizer storage ecticide storage tertight sewer lines er Well Disinfected? No	ft. to	eil sam gal./i and
GROUT MATERIAL: puted Intervals: From	tt. to ft. to cossible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Ho sample submitted to D month me Submersible OWNER'S CERTIFICA est of my knowledge and impleted on.	2 Cement grout ft., From 7 Sewage lagoor 8 Feed yard 9 Livestock pens ow many feet	3 Bentonite ft. to 10 Fur 11 Fer 12 Ins 13 Wat 2? Wat	ft., From el storage tillizer storage ecticide storage tertight sewer lines er Well Disinfected? No	ft. to	gal.//
GROUT MATERIAL: puted Intervals: From	tt. to ft. to cossible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Ho sample submitted to D month me Submersible OWNER'S CERTIFICA est of my knowledge and impleted on.	2 Cement grout ft., From 7 Sewage lagoor 8 Feed yard 9 Livestock pens ow many feet	3 Bentonite ft. to 10 Fur 11 Fer 12 Ins 13 Wat 2? Wat	ft., From el storage tillizer storage ecticide storage tertight sewer lines er Well Disinfected? No	ft. to	gal.//
GROUT MATERIAL: puted Intervals: From	tt. to ft. to cossible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Ho sample submitted to D month me Submersible OWNER'S CERTIFICA est of my knowledge and impleted on.	2 Cement grout ft., From 7 Sewage lagoor 8 Feed yard 9 Livestock pens ow many feet	3 Bentonite ft. to 10 Fur 11 Fer 12 Ins 13 Wat 2? Wat	ft., From el storage tillizer storage ecticide storage tertight sewer lines er Well Disinfected? No	ft. to	gal.//
ground MATERIAL: uted Intervals: From	tt. to ft. to cossible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Ho sample submitted to D month me Submersible OWNER'S CERTIFICA est of my knowledge and impleted on.	2 Cement grout ft., From 7 Sewage lagoor 8 Feed yard 9 Livestock pens ow many feet	3 Bentonite ft. to 10 Fur 11 Fer 12 Ins 13 Wat 2? Wat	ft., From el storage tillizer storage ecticide storage tertight sewer lines er Well Disinfected? No	ft. to	gal./
ground MATERIAL: uted Intervals: From	Submersible OWNER'S CERTIFICA The property of	2 Cement grout ft., From 7 Sewage lagoor 8 Feed yard 9 Livestock pens ow many feet	3 Bentonite ft. to 10 Fur 11 Fer 12 Ins 13 Wat 2 Wat 2 Year: Pump Insta Model No. Pumps Capacity rated Jet 4 Cer 5 (1) constructed. (2) re day Il Contractor's License inth. (signature) FR	ft., From el storage tillizer storage ecticide storage tertight sewer lines er Well Disinfected? No	ft. to	gal./