WATER WELL RECORD	Form WWC-5	Division of Water	r Resources App. N		
1 LOCATION OF WATER WELL:	Fraction Q. 1/ Ala. a/	Section Number	Township No. T 5 S	Range Number	
Street/Rural Address of Well Location;	if unknown distance & direction	Global Positioning		R S W	
from nearest town or intersection: If at				(in decimal degrees)	
from nearest town of intersection. If at	owner success, eneon nero per.			(in decimal degrees)	
		Elevation:			
2 WATER WELL OWNER: Mark	V Fakla Rom	Datum: WGS 84	4, □ NAD 83, □] NAD 27	
2 WATER WELL OWNER: Mark Hickhaefer Collection Method: RR#, Street Address, Box #: 1020 U.S. 144772 City, State, ZIP Code: 1020 U.S. 144772 Digital Map/Photo, Topographic Map, Land Survey					
City, State, ZIP Code : Land Survey					
Herr	ing ton 45 67449	Est. Accuracy: <	3 m, □ 3-5 m, □] 5-15 m,	
3 LOCATE WELL	COMPLETED WELL) ft			
	dwater Encountered (1)7.2	ft. (2)	ft	(3), ft.	
N WELL'S STAT	WELL'S STATIC WATER LEVEL				
Pump	Pump test data: Well water wasft. after hours pumping gpm				
*NW EST. YIELD.	EST. YIELD. G. Well water was				
W Bore Hole Diameter					
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Qther (Specify below)					
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well Cact. E					
Was a chemical/bacteriological sample submitted to Department? Yes Z No					
S If yes, mo/day/yr sample was submitted					
Water well disinfected? Wes No					
5 TYPE OF CASING USED: Steel PVC Other					
CASING JOINTS: Glued Clamped Welded Threaded					
Casing diameter					
Casing height above land surface in., Weight 1.13.4lbs./ft., Wall thickness or gauge No					
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify)					
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)					
SCREEN OR PERFORATION OPENINGS ARE:					
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)					
Louvered shutter Key punched Wire wrapped Screen-Perforated Intervals: From ft. to ft., From ft. to ft.					
From ft. to ft. From ft. to ft.					
GRAVEL PACK INTERVALS: From					
From					
6 GROUT MATERIAL: Deat cement Cement grout Bentonite Other					
Grout Intervals: From					
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)					
Sewer lines					
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well					
		from wellQQQ			
FROM TO LITHOLOG	GIC LOG FROM	TO LITHO. L	OG (cont.) <u>or</u> PL	UGGING INTERVALS	
O 2 top Soil					
2. 30 hime					
30 45- YEllow Sha	10				
30 13 YEIIOW SINCE					
45 70 Bed 11					
70 72 5: me					
72 73- hime + War	ten				
73 60 hine					
TONIED & CTOP'S OF ITANION NEEDS CEPTIFICATION. This was well used a reconstructed on a plugged					
7 CONTRACTOR'S OR L'ANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year)					
Kansas Water Well Contractor's License No					
under the business name of PMARAUS Dashille by (signature) Full Dashille					
under the business name of					
(white, blue, pink) to Kansas Department of Health	h and Environment, Bureau of Water, Geol	ogy Section, 1000 SW Ja	ickson St., Suite 420	, Topeka, Kansas 66612-1367.	
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.					
KSA 82a-1212					