		WA	ATER WELL REC	CORD For	rm WWC-5	KSA 82a-	1212 IF	No. Pr	1W -	12 S			
1 LOCATION OF WATER WELL:			Fraction	30110			Section Number		Township Number		Range Number		
County:	\mathcal{N}^{cr}	<u>is</u>	NE 14	NE 14	NW	1/4	30	Т	15	s	R (0	E W	
Distance a	nd direction	from nearest to	wn or city street	address of we	ell if located	within city?						_	
	N-12S	@ Tric	ountyAir	port,	Heri	ngton	<u>, KS</u>						
2 WATER	R WELL OW	NER: Hodo	don Pow	der co.,	/R, rod	ex Corp.	•						
RR#, St. A	ddress, Box			•				Boa	rd of Agri	culture, Div	ision of Water	Resources	
City, State,	ZIP Code	: Heri	naton K	S 67	<u> 449</u>			• • •	lication N				
3 LOCATE	WELL'S LO	CATION WITH	4 DEPTH OF C	COMPLETED				VATION:					
AN "X" II	N SECTION	BOX:	Depth(s) Grou					ft. 2					
	X N	1	WELL'S STATI										
	1	l l						ft. after ft. after					
	-NM	- NE	Est. Yield gpm: Well water was ft. after hours pumping g WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well									gpiii	
	!		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well									elow)	
w	-	¦ E	2 Irrigation	4 Indus	trial 7	Domestic (lav	wn & gardei	n) 10 Monitor	ing well	ואוא	ひこにし	!	
	1	1											
	-SW -	- SE	Was a chemica	al/bacteriologi	ical sample	submitted to	Departmen	t? Yes No	o .X ;	If yes, mo	day/yrs samp	ile was sub-	
			mitted	nitted				Water Well Disinfected? Yes No					
	S												
5 TYPE	OF BLANK (ASING USED:		5 Wrought	iron	8 Concre	ete tile	CASI	NG JOIN	TS: Glued	Clamp	 ed	
1 Steel 3 RMP (SR)			· ·				(specify bel				l		
2 PVO 4 ABS			7 Fiberglass								ed 		
Blank casir	ng diameter	<i>ට</i> "	in. to	3.0	ft., Dia		in. to		ft., Dia		in. to	ft.	
Casing hei	ght above la	nd surface	30."	in., weig)ht		_	lbs./ft. Wall	l thicknes:	s or guage	No		
TYPE OF SCREEN OR PERFORATION MATERIAL							7 PVC			stos-Cemer			
1 Steel 3 Stainless Steel 2 Brass 4 Galvanized Steel				5 Fiberglas	8 RN 9 AB	MP (SR)			(Specify)		••••••		
2 Bras				6 Concrete			55			` .	•		
		RATION OPENII				ed wrapped		8 Saw c		•	I1 None (ope	n hole)	
	tinuous slot		Mill slot		7 Torch	wrapped		9 Drilled				ft	
	vered shutte		(ey punched	3 O,		_ ^ -							
SCREEN-	PERFORATI	ED INTERVALS		3.0.				omom					
(GRAVEL PAG	CK INTERVALS	 څ From	2.5	ft. to	8.5	ft Fro	om	• • • • • • • • • • • • • • • • • • • •	ft. to		ft.	
								om					
				 									
	JT MATERIA		t cement	2 Cemer		♂ Ben							
Grout Inter			ft. to T a	V ft., F	rom	ft. 1			m				
			contamination:					estock pens			andoned wate		
1 Septic tank 4 Lateral lines					7 Pit privy			el storage					
2 Sewer lines 5 Cess pool			· ·	_				rtilizer storage	~ ~ ~ ~ .				
3 Watertight sewer lines 6 Seepa			page pit 9 Feedyard					ecticide stora	•			WIXIE	
Direction fr						T		nany feet?					
FROM	ТО		LITHOLOGIC	C LOG		FROM	ТО		PLUG	GING INT	ERVALS		
0.0	6.5	Sili	ry Clay										
6.5	8.3	<u>Li</u> r	niestonie	<u></u>									
8.3	14.0	Sh	ale										
						ļ							
CONTR	ACTOR'S O	R LANDOWNE	R'S CERTIFICA	TION: This w	ater well w	as (1) constr	ucted (2) r	econstructed,	or (3) plu	gged unde	my jurisdicti	on and was	
completed of	on (mo/day/y	ear) 05./	90104				and this	record is true	to the bes	t of my kno	wledge and be	elief. Kansas	
Water Well	Contractor's	Licence No	570		This Water	Well Record						K	
under the b	usiness nam	e of AQUAD	DRILL, INC	· •			t	y (signature) *	Taua	سلانت	tuful	<u>ak</u>	
INOTOLIO	TIONO III.	والمعامم والمعامم ومعامر	DI EAOE DEEOO		mala auto Dia a a	a fill in blanks	dadina ar ai1-	the servest or	o Condition	bean annia- +-	K B	ant of Hoolth	