

County: Morris Fraction SE SE SW Sec. 36 T 15 S R 6 (EW)

CORRECTION(S) TO WATER WELL COMPLETION RECORD (WWC-5)

(to rectify lacking or incorrect information)

Owner: Tischhouser Seeds Inc.

Location was listed as:

Section-Township-Range: None Given

Fraction ($\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$): _____

Location changed to:

36-15S-6E

SE SE SW

Other changes: Initial statements: _____

Changed to: _____

Comments: _____

Verification method: well site address, area road map, Morris County
online parcel search, and mapping tool & aerial photos
on KGS website. initials: DRG date: 11/20/2014

Submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726

to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

WATER WELL RECORD Form WWC-5

☐ Original Record ☐ Correction ☐ Change in Well Use

Division of Water
Resources App. No.

Well ID

1 LOCATION OF WATER WELL:

County: Morris

Fraction

$\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$

Section Number

Township Number

T S

Range Number

R ☐ E ☐ W

2 WELL OWNER: Last Name:

Business: Tischhauser Seeds Inc.

Address: 2040 Ave


City: Wilsey

State: KS

ZIP: 66873

Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here: ☒

3 LOCATE WELL WITH "X" IN SECTION BOX:



4 DEPTH OF COMPLETED WELL: 120 ft.

Depth(s) Groundwater Encountered: 1) 30 ft.

2) 85 ft. 3) 30 ft. 4) ☐ Dry Well

WELL'S STATIC WATER LEVEL: 30 ft.

☐ below land surface, measured on (mo-day-yr)

☒ above land surface, measured on (mo-day-yr) 6-5-14

Pump test data: Well water was 30 ft.

after 7 hours pumping 30 gpm

Well water was 30 ft.

after 7 hours pumping 30 gpm

Estimated Yield: 7 gpm

Bore Hole Diameter: 8 1/2 in. to 30 ft. and

7 1/2 in. to 120 ft.

5 Latitude: (decimal degrees)

Longitude: (decimal degrees)

Datum: ☐ WGS 84 ☐ NAD 83 ☐ NAD 27

Source for Latitude/Longitude:

☐ GPS (unit make/model:)

(WAAS enabled? ☐ Yes ☐ No)

☐ Land Survey ☐ Topographic Map

☐ Online Mapper:

6 Elevation: ft. ☐ Ground Level ☐ TOC

Source: ☐ Land Survey ☐ GPS ☐ Topographic Map

☐ Other

7 WELL WATER TO BE USED AS:

1. Domestic:

☐ Household

☒ Lawn & Garden

☐ Livestock

2. ☐ Irrigation

3. ☐ Feedlot

4. ☐ Industrial

5. ☐ Public Water Supply: well ID

6. ☐ Dewatering: how many wells?

7. ☐ Aquifer Recharge: well ID

8. ☐ Monitoring: well ID

9. Environmental Remediation: well ID

☐ Air Sparge

☐ Soil Vapor Extraction

☐ Recovery

☐ Injection

10. ☐ Oil Field Water Supply: lease

11. Test Hole: well ID

☐ Cased ☐ Uncased ☐ Geotechnical

12. Geothermal: how many bores?

a) Closed Loop ☐ Horizontal ☐ Vertical

b) Open Loop ☐ Surface Discharge ☐ Inj. of Water

13. ☐ Other (specify):

Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☒ No If yes, date sample was submitted:

Water well disinfected? ☒ Yes ☐ No

8 TYPE OF CASING USED: ☐ Steel ☒ PVC ☐ Other

Casing diameter 3 in. to 180 ft., Diameter 180 in. to 180 ft., Diameter 180 in. to 180 ft.

Casing height above land surface 12 in. Weight SDR20 lbs./ft. Wall thickness or gauge No. 214

TYPE OF SCREEN OR PERFORATION MATERIAL:

☐ Steel

☐ Stainless Steel

☐ Fiberglass

☒ PVC

☐ Other (Specify)

☐ Brass

☐ Galvanized Steel

☐ Concrete tile

☐ None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

☐ Continuous Slot

☐ Mill Slot

☐ Gauze Wrapped

☐ Torch Cut

☐ Drilled Holes

☐ Other (Specify)

☐ Louvered Shutter

☐ Key Punched

☐ Wire Wrapped

☒ Saw Cut

☐ None (Open Hole)

SCREEN-PERFORATED INTERVALS: From 20 ft. to 35 ft., From 60 ft. to 120 ft., From ft. to ft.

GRAVEL PACK INTERVALS: From 30 ft. to 40 ft., From ft. to ft., From ft. to ft.

9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☒ Bentonite ☐ Other

Grout Intervals: From 0 ft. to 20 ft., From ft. to ft., From ft. to ft.

Nearest source of possible contamination:

☐ Septic Tank

☐ Lateral Lines

☐ Pit Privy

☐ Livestock Pens

☐ Insecticide Storage

☐ Sewer Lines

☐ Cess Pool

☒ Sewage Lagoon

☐ Fuel Storage

☐ Abandoned Water Well

☐ Watertight Sewer Lines

☐ Seepage Pit

☐ Feedyard

☐ Fertilizer Storage

☐ Oil Well/Gas Well

☐ Other (Specify)

Direction from well? NE Distance from well? 100+ ft.

10 FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS
0	10	Clay + lime	86	105	Red Shale
10	15	Brown Clay	105	115	lime
15	29	lime	105	120	Blue Shale
29	31	Some Water			
31	40	lime			
40	65	Yellow Shale Hard			
65	85	lime			
85	86	Some Water			

Notes:

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☒ constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed on (mo-day-yr) 6-5-14 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 1888 This Water Well Record was completed on (mo-day-yr) 6-25-14 under the business name of Backhaus Drilling

INSTRUCTIONS: Send one copy to WATER WELL OWNER and retain one copy for your records. Submit fee of \$5.00 for each constructed well along with one (white) copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone (785) 296-3565.

Visit us at <http://www.kdheks.gov/waterwell/index.html>

KSA 82a-1212

Revised 9/10/2012