

## Form WWC-5 KSA 82a-1212

LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Lyon		NE 1/4 SW 1/4 SE 1/4	20	T 16 S	R 12 E
Distance and direction from nearest town or city street address of well if located within city?					
WATER WELL OWNER: Mundy Service RR#, St. Address, Box #: % Robert J. Mundy City, State, ZIP Code: 3149 Rd S5, Ardmore, KS 66830 MW# 9					
Board of Agriculture, Division of Water Resources Application Number:					
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		DEPTH OF COMPLETED WELL: 30 ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. .ft. 2. .ft. 3. .ft.			
		WELL'S STATIC WATER LEVEL 7.21 ft. below land surface measured on mo/day/yr			
		Pump test data: Well water was .ft. after .hours pumping gpm			
		Est. Yield gpm: Well water was .ft. after .hours pumping gpm			
		Bore Hole Diameter 8 in. to 30 in. to .in. to .ft.			
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes No X			
TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded 7 Fiberglass Threaded X					
Blank casing diameter 2 in. to 10 in. Dia .ft. Dia .in. to .ft. Dia .in. to .ft.					
Casing height above land surface 0 in., weight 716 lbs./ft. Wall thickness or gauge No. 154					
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From 10 ft. to 30 ft. From .ft. to .ft. From .ft. to .ft. From .ft. to .ft.					
GRAVEL PACK INTERVALS: From 5 ft. to 30 ft. From .ft. to .ft. From .ft. to .ft. From .ft. to .ft.					
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From 0 ft. to 3 ft. From 3 ft. to 5 ft. From .ft. to .ft.					
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) contaminated site					
Direction from well? How many feet?					
LITHOLOGIC LOG FROM TO DESCRIPTION 0 1 Gravel and sand w/ silty clays 1 11 Silty clays 11 11.5 Rock & gravel 11.5 15 mottled c. clays w/ weathered shale 15 15.5 Gravel, thick rock 15.5 23.5 clay w/ weathered shale 23.5 30 Blue Shales					
PLUGGING INTERVALS FROM TO					
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9-11-97 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 554 This Water Well Record was completed on (mo/day/yr) 10-22-97 under the business name of Woofler Pump & Well, Inc by (signature) Gary E. Woofler					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answer. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.					