WATER WELL RECORD	Form WWC-5			er Resources; App. 1			
1 LOCATION OF WATER WELL: County: Osage	Fraction NW 4 NW 4 N	W ½ S	ection Nun 25	nber Township	Number	Range Number	
County: Osage NW 1/2 NW 1/2 NW 1/2 25 T 16 S R 14 E Distance and direction from nearest town or city street address of well if Global Positioning System (decimal degrees, min. of 4 digits)							
located within city? SE corner of intersection of Holiday and Auburn in Osage City, KS Latitude: N 38.63537° Longitude: W 95.81935°							
2 WATER WELL OWNER: Home Oil Co. of Osage Inc. Elevation: RIM: 1078.77; TOC: 1078.47							
RR#, St. Address, Box # : 4 Martingwood Dr. Datum: NAVD29							
City, State, ZIP Code : Osage	City, KS 66523			tion Method: leg	al survey		
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 15.30 ft.							
LOCATON	1 . 17		MW6	0.0	0 0		
WITH AN "X" IN Depth(s) Ground SECTION BOX: WELL'S STATE	idwater Encountered I	(15 A	holow lond	n. 2	π. 3	tt.	
N Pumr	Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL 6.15 ft. below land surface measured on mo/day/yr 3/20/12 Pump test data: Well water was ft. after hours pumping and surface measured on mo/day and surface measured on m						
X Est. Yield	Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm						
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well							
1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)							
W E 2 Irrigation 4	Industrial 7 Domestic (lawn & ga	rden) (10)Monitoring well		(1)	
Syv St							
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs							
S Sample was submitted Water Well Disinfected? Yes No X							
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped							
1 Steel 3 RMP (SR) 6	Asbestos-Cement 9	Other (sp	pecify below	w)	Welded		
(2) PVC 4 ABS 7	Fiberglass				Thread	ed X	
Cooling height below land surface 0.34	3 II., Dia	ın	. to	T., Dia	n. 1	tt.	
2 PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 3 ft., Dia in. to ft., Dia in. to ft. Casing height below land surface 0.30 ft., Weight lbs./ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL:							
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS II Other (specify)							
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:							
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slat							
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 3 ft. to 15.30 ft. From ft. to ft. From ft. to ft. From ft. to ft. GRAVEL PACK INTERVALS: From 2 ft. to 15.30 ft. From ft. to ft. From ft. to ft. From ft. to ft. GROUT MATERIAL: 1 Next comput 2 Comput grout (2 Pontonits (4) Other Computer 2 15.							
SCREEN-PERFORATED INTERVALS: From 3 ft. to 15.30 ft. From ft. to ft.							
From ft. to ft. From ft. to ft.							
GRAVEL PACK INTERVALS:	From 2	ft. to	15.30 f	ft. From	ft. to	ft.	
	From	ft. to	f	t. From	ft. to	ft.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Concrete: 0-1 ft Grout Intervals From 1 ft. to 2 ft. From ft. to ft. From ft. to ft.							
Grout Intervals From 1 ft. to 2 ft. From ft. to ft. From ft. to ft.							
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify)							
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify 2 Sewer lines 5 Cess pool 8 Sewage lagoon (1) Fuel storage 14 Abandoned water well below)							
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well							
Direction from well? S How many feet? ~300 ft							
FROM TO LITHOL	OGIC LOG	FROM	TO	PLUGGI	NG INTE	RVALS	
0 15.30 Soft black silty clay							
15.30 Limestone							
			FI	lushmount waive	er from Bo	OW	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged							
under my jurisdiction and was completed on (mo/day/year) Kansas Water Well Contractor's License No. 757 This Water Well Record was completed on (mo/day/year) 4/18/12							
under the business name of Larsen & Associates, Inc. by (signature)							
				tment of Health and E	invironment.	Bureau of Water,	
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to Water WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.							
To but to the total to the total tot	The second second						