WA	ATER WELL RE	CORD	Form W	WC-5	Division of Wate	er Resources; App. No.		
1	LOCATION OF WA	ȚER WELL:	Fraction		Section Number	Township Number		
	Distance and direction	In	n or city street address	1/4 NW1/4	35	T 16 S		
	located within city?	mom nearest tow	in or city street address	s or well if		Systems (decimal deg		
	1390 OSDO	N Rd	Pamana Ks	<				
2	WATER WELL OV	VNER: Locen	and Rober		Flevation:			
	RR#, St. Address, Bo	x# :1390		d	Datum:			
	City, State, ZIP Code	Pomo			Data Collection	Method:		
3	LOCATE WELL'S	4 DEPTH OF	COMPLETED WEL	L				
	LOCATION							
WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1). 94. 1.26 ft. (2)							ft.	
	SECTION BOX:	WELL'S STAT	IC WATER LEVEL	. Y.O. ft	below land surface	measured on mo/day	/yr. % :3.:0.4	
		Fump to	est data: Well water w	/as	ft. after	hours pumping	gpm	
Est. Yield. 26 gpm: Well water was								
WELL WATER TO BE USED AS. 3 Fublic water supply 8 Air conditioning 11 injection well Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below the supply of t								
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well								
	SW SE							
	Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs							
Sample was submitted								
5	TYPE OF CASING U	ICED: 5 W.	equalit Iran 0	Compress tile	CACINI	G JOINTS: Glued.	Classes 1	
3				Other (specify	below)	Welded Welded	Clamped	
	O PVC 4 ABS	7 Fib	erolass	•	ŕ	Threaded		
OPVC 4 ABS 7 Fiberglass Threaded Blank casing diameter 5 in. to 110 ft., Diameter in. to ft., Diameter in. to ft.								
Casing height above land surface. Sk. in., Weight. SU.L. &lbs./ft. Wall thickness or guage No.								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
1 Steel 3 Stainless Steel 5 Fiberglass								
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
1 Continuous slot 3 Mill slot 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)								
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
	ORAVEL PACE							
From								
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Dentonite 4 Other								
Grout Intervals: From 4.0. ft. to ft., From ft. to ft., From ft. to ft., From ft. to ft.								
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify								
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)								
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well 3D								
	rection from well?				y feet?			
FR	OM TO		LOGIC LOG	FROM	TO I	PLUGGING INTI	ERVALS	
(0.14019						
~		prodston!						
2	. & 45 S		19/0					
ч	6 48	C091						
		SANDSTON	(A) 2:					
_5	3 84	50 Nd 5+0	20					
	34 120	Smaln 5	hale					
_	14 120 1		in adstone					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged								
under my jurisdiction and was completed on (mo/day/year) . and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No								
under the business name of rans from the business name of the business								
INS	TRUCTIONS: Use typew	riter or ball point per	. PLEASE PRESS FIRMLY	and PRINT clear	rly. Please fill in blanks	, underline or circle the co	rrect answers. Send top	
	' . II D	0.77 1.1 1.5						
	-296-5522. Send one	ent of Health and Env	vironment, Bufeau of Water, OWNER and retain of	Geology Section,	, 1000 SW Jackson St., S	Suite 420, Topeka, Kansas	66612-1367. Telephone	