



USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Franklin	Fraction NE 1/4 SW 1/4 SW 1/4	Section number 15	Township number T 16 S R 19 E	Range number
2. Distance and direction from nearest town or city: IN 2 1/2 N		3. Owner of well: Bob Bear		R.R. or street: RR 4		
Street address of well location if in city: OTTAWA KAN.		City, state, zip code: Ottawa, Kna., 66067				
4. Locate with "X" in section below: 		Sketch map: 		6. Bore hole dia. 6 in. Completion date 5-2-78 Well depth 70 ft. 9-2-78		
		7. <input checked="" type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary				
		8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other				
		9. Casing: Material <input type="checkbox"/> Height: Above <input type="checkbox"/> Below 18 in. Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface <input type="checkbox"/> in. RMP <input type="checkbox"/> PVC <input checked="" type="checkbox"/> Weight Sch 40 lbs./ft. Dia. 6 in. to 24 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. Sch 40				
5. Type and color of material		From	To	10. Screens: Manufacturer's name none Don't need screen on solid sand stone walls Type <input type="checkbox"/> Slot/gauze <input type="checkbox"/> Length <input type="checkbox"/> Set between <input type="checkbox"/> ft. and <input type="checkbox"/> ft. <input type="checkbox"/> ft. and <input type="checkbox"/> ft. Gravel pack? <input type="checkbox"/> Size range of material <input type="checkbox"/>		
Soil & clay		0	12	11. Static water level: 28 ft. below land surface Date 5-2-78 mo./day/yr.		
yellow sand Rock		12	15	12. Pumping level below land surfaces: <input type="checkbox"/> ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. <input type="checkbox"/> ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield 2 1/2 g.p.m.		
grey sand rock		15	54	13. Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <input type="checkbox"/>		
sand		54	69	14. Well head completion: COMPLETION <input type="checkbox"/> Pitless adapter NOT inches above grade		
shald		69	70	15. Well grouted? <input checked="" type="checkbox"/> With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 3 ft. to 24 ft.		
				16. Nearest source of possible contamination: ft. <input type="checkbox"/> NONE Section <input type="checkbox"/> Type <input type="checkbox"/> Well disinfected upon completion? <input type="checkbox"/> Yes <input type="checkbox"/> No		
				17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name <input type="checkbox"/> Model number <input type="checkbox"/> HP <input type="checkbox"/> Volts <input type="checkbox"/> Length of drop pipe <input type="checkbox"/> ft. capacity <input type="checkbox"/> g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
				20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. EDGAR SWANK 124 Business name License No. Address 114 OTTAWA KAN Signed Edgar Swank Date 9-31-78 Authorized representative		
18. Elevation:		19. Remarks: Drill before anything else was done. This well does not need a screen in it. The walls on this well is hard sand stone.				