WATER WELL RECOR	RD Form WW	'C-5	Division of Wate	r Resources; App. No. L	
1 LOCATION OF WATER	WELL: Fraction	Sec	ction Number	Township Number	Range Number
County: Frankl	m SW 1/4 SW 1/4	VW1/4	8	T 16 S	R G BW
Distance and direction from	nearest town or city street address of	f well if Glo	bal Positioning	Systems (decimal degr	ees, min. of 4 digits)
located within city?				38° 40' 3	8.8"
		Lo	ongitude: W	95° 40' 3	1.71
	e: Harold Myers	Ele	evation:	60'	
RR#, St. Address, Box #	: 1103 Fremont St	. Da	atum:		
City, State, ZIP Code	: Baldwin City, KS	66 00h. Da	ata Collection	Method:	
3 LOCATE WELL'S 4 D	DEPTH OF COMPLETED WELL	12	. <b>O</b> ft.		
LOCATION					
WITH AN "X" IN Dep	oth(s) Groundwater Encountered (1	D	ft. (2)	ft. (3)	ft.
SECTION BOX: WE	LL'S STATIC WATER LEVEL	.Oft. bel	low land surface	measured on mo/day/	/yr
N	Pump test data: Well water was	ft	t. after	hours pumping	gpm
	. Yield.≠. <b>.l.O</b> .gpm: Well water was				
NWNE WE	LL WATER TO BE USED AS: 5 P	ublic water supp	ply 8 Air	conditioning 11 Inje	ection well
$ \mathbf{w} \mathbf{v} $			y 9 Dew		ner (Specify below)
2 II	rrigation 4 Industrial 7 Dom	estic (lawn & ga	arden) 10 Mor	itoring well	
SW SE	1 10 11 1	1 20 1 5	40.37	y	7.0
	s a chemical/bacteriological sample s	ubmitted to Dep	partment? Yes.	; No\(\Lambda_{}\);	If yes, mo/day/yrs
,	nple was submitted	water w	ell disintected?	Yesy No	•••
S					
5 TYPE OF CASING USED				G JOINTS: Glued)	
1 Steel 3 RMP (SR		ther (specify bel			
PVC 4 ABS	7 Fiberglass in. to ft., Diameter.			Threaded	(200
Blank casing diameter	in. to	in. to الب	0 II.,	Diameter	
TYPE OF SCREEN OR PERF			/it. wan und	ikiless of guage No	3.67.1.5
1 Steel 3 Stainless	1,000	9 ABS	1	11 Other (Specify) .	
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)					
SCREEN OR PERFORATION		.011)		12 1 tone word (open	,
1 Continuous slot Mill slov 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)					
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From					
SCREEN-PERFORATED INTERVALS: From					
From					
From ft. to ft., From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite) 4 Other					
Grout Intervals: From	.O ft. to	Dentonite 4	to f	t From	ft to ft
What is the nearest source of p				, 110111	11. 10
Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide storage 16 Other (specify					
2 Sewer lines	5 Cess pool 8 Sewage lagoon	11 Fuel stora	•	oandoned water well	below)
3 Watertight sewer lines	,	12 Fertilizer s		l well/gas well .	
Direction from well?		How many fe	eet?	1.0.0	
FROM TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTI	ERVALS
0 18 Cla	M				
18 34 Sha	<u>U</u>				
34 50 cm 83 5m	estone				emut
50 83 Sha	Le .		09	WWFR. 00	3
83 90 San	dy shale.				
90 100 Lt. B	rown standstor				
(00 118 DK.B	nown Sandstone				
118 120 Sha	le				
_	and the second s				
	and the state of t				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged					
under my jurisdiction and was completed on (mo/day/year) 5/12/15/15 and this record is true to the best of my knowledge and belief.					
Kansas Water Well Contractor's License No. 595 This Water Well Record was completed on (mo/day/year) Call 15/04					
under the business name of Jesse Yealkum well willing by (signature) INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top					
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66d12-1367. Telephone					
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at					
http://www.kdheks.gov/waterwell/inde	ex.html.				/