KOLAR Document ID: 1573778

					Division of Water				
<u> </u>				sources App. lection Numb		Tournahin Numb	Well ID	aca Mumban	
1 LOCATION OF WATER WELL: County:		Fraction 1/4 1/4 1/4			er	Township Number	er Range Number R		
2 WELL OWNER: L			et or Rural Address where well is located (if unknown, distance and						
Business: direction from nearest town or intersection): If at owner's address, check here:									
Address:									
Address:	G	ZID							
City: 3 LOCATE WELL	State:	ZIP:							
WITH "X" IN					ft. 5 Latitude:(decimal degrees)				
SECTION BOX:	Depth(s) Groundwater Encountered: 1) f			Longitude:(decimal degrees)					
N	2) ft. 3				WGS 84 ☐ NAD		JAD 27		
	WELL'S STATIC WATER LEVEL: f □ below land surface, measured on (mo-day-yr)				Source for Latitude/Longitude:				
	above land surface.								
NW NE	Pump test data: Well w								
W	after hours		Online Mapper:						
	Well w	t.							
SW SE	after hours pumping gpm			6 Elevation:ft. ☐ Ground Level ☐ TOC					
	Estimated Yield:gpm			Source: Land Survey GPS Topographic Map					
S mile	Bore Hole Diameter: in. to ft. an in. to ft.			Source	Other				
7 WELL WATER TO BE USED AS:									
1. Domestic:		ater Supply: well ID		10 🗆 0	il Fie	eld Water Supply: Te	ase		
☐ Household	6. ☐ Dewaterin			10. Oil Field Water Supply: lease					
☐ Lawn & Garden	7. Aquifer Recharge: well ID				☐ Cased ☐ Uncased ☐ Geotechnical				
☐ Livestock	8. Monitorin		12. Geot	12. Geothermal: how many bores?					
2. Irrigation	Environmenta	xtraction		a) Closed Loop					
3. ☐ Feedlot	☐ Air Sparge		b) Open Loop ☐ Surface Discharge ☐ Inj. of Water						
4. ☐ Industrial ☐ Recovery ☐ Injection 13. ☐ Other (specify):									
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:									
Water well disinfected?									
8 TYPE OF CASING USED: ☐ Steel ☐ PVC ☐ Other									
Casing diameter									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL: □ PVC □ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)									
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)									
SCREEN-PERFORATED INTERVALS: From ft., From ft., From ft., From ft., From ft.									
GRAVEL PACK INTERVALS: From ft., From ft. to ft., From ft. to ft.									
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other									
Grout Intervals: From									
Nearest source of possible contamination: No potential source of contamination within 200 ft. ☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage									
☐ Septic Tank☐ Sewer Lines									
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well ☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well									
Other (Specify)									
Direction from well? Distance from well?									
10 FROM TO	LITHOLOG	GIC LOG	FROM	TO	LIT	HO. LOG (cont.) or	PLUGGIN	G INTERVALS	
			+						
			Note:						
	Notes:								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged									
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief									
under my jurisdiction and was completed on (mo-day-year)									
under the business name	e of								
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.									
	ks.gov/waterwell/index.html		JO D W JACKSO	51., 5unt 420	, торс	ла, танзаз 00012-130		SA 82a-1212	