3300 K-68 Highway, Ottawa, KS  2 WATER WELL OWNER: Wal-Mart Stores East LP  RR#, St. Address, Box # : 2101 SE Simple Savings Drive Board of Agriculture, Division of Water Resource  City, State, ZIP Code Bentonville, Arkansas 72716 Application Number:  3 LOCATE WELL'S LOCATON WITH AN "X" IN SECTION BOX:  Depth OF COMPLETED WELL 15 ft. ELEVATION: RIM 942.70/TOC 942.35  Depth(s) Groundwater Encountered 1.5 5 ft. 2 ft. 3 Ft. WELL'S STATIC WATER LEVEL 6.12 ft. below land surface measured on mo/day/yr 11/13/12  Pump test data: Well water was Ft. after hours pumping Gpn  Est. Yield Gpm: Well water was Ft. after Hours pumping Gpn  Bore Hole Diameter 8.625 In. to 15 ft. and in. to FWELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well MW-3  Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was Submitted Water Well Disinfected? Yes No X  5 TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped  1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded  2 PVC 4 ABS 7 Fiberglass Threaded X  Threaded X
Distance and direction from nearest town or city street address of well if located within city?  3300 K-68 Highway, Ottawa, KS  2 WATER WELL OWNER: Wal-Mart Stores East LP  RR#, St. Address, Box # : 2101 SE Simple Savings Drive  City, State, ZIP Code Bentonville, Arkansas 72716  3 LOCATE WELL'S LOCATON WITH AN "X" IN SECTION BOX:  Depth OF COMPLETED WELL  Depth(s) Groundwater Encountered 1.5 5 ft. 2 ft. 3 Ft. After hours pumping Gpm  WELL'S STATIC WATER LEVEL 6.12 ft. below land surface measured on mo/day/yr 11/13/12  Pump test data: Well water was Ft. after hours pumping Gpm  Bore Hole Diameter 8.625 In. to 15 ft. and in. to Ft. After hours pumping Gpm  WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was Submitted Water Well Disinfected? Yes No X  TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped  1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below)  PVC 4 ABS 7 Fiberglass Threaded X  Threaded X
3300 K-68 Highway, Ottawa, KS  2 WATER WELL OWNER: Wal-Mart Stores East LP  RR#, St. Address, Box # : 2101 SE Simple Savings Drive Board of Agriculture, Division of Water Resource  City, State, ZIP Code Bentonville, Arkansas 72716 Application Number:  3 LOCATE WELL'S LOCATON WITH AN "X" IN SECTION BOX:  Depth OF COMPLETED WELL 15 ft. ELEVATION: RIM 942.70/TOC 942.35  Depth(s) Groundwater Encountered 1.5 5 ft. 2 ft. 3 Ft. WELL'S STATIC WATER LEVEL 6.12 ft. below land surface measured on mo/day/yr 11/13/12  Pump test data: Well water was Ft. after hours pumping Gpn  Est. Yield Gpm: Well water was Ft. after Hours pumping Gpn  Bore Hole Diameter 8.625 In. to 15 ft. and in. to FWELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well MW-3  Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was Submitted Water Well Disinfected? Yes No X  5 TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped  1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded  2 PVC 4 ABS 7 Fiberglass Threaded X  Threaded X
RR#, St. Address, Box # : 2101 SE Simple Savings Drive  City, State, ZIP Code : Bentonville, Arkansas 72716
Application Number:  RIM 942.70/TOC 942.35  Depth(s) Groundwater Encountered 1.5 ft. ELEVATION: RIM 942.70/TOC 942.35  Depth(s) Groundwater Encountered 1.5 ft. 2 ft. 3
3 LOCATE WELL'S LOCATON WITH AN "X" IN SECTION BOX:    Depth(s) Groundwater Encountered 1.5   5   ft. 2   ft. 3   Ft. 4   Ft. 3   Ft. 4   Ft.
Depth(s) Groundwater Encountered 1.5
Depth(s) Groundwater Encountered 1.5 5 ft. 2 ft. 3 Ft. 2 ft. 3 Ft. 2 ft. 3 Ft. 2 ft. 3 Ft. 4 Ft.
Pump test data: Well water was Ft. after hours pumping Gpn  Est. Yield Gpm: Well water was Ft. after Hours pumping Gpn  SWSE  Well water was Ft. after Hours pumping Gpn  Well water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well  Was a chemical/bacteriological sample submitted to Department? Yes No X  Water Well Disinfected? Yes No X  TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped  1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below)  Pump test data: Well water was Ft. after Hours pumping Gpn  in. to FWELL WATER TO BE USED AS: 5 Public water supply 9 Dewatering 11 Injection well 12 Other (Specify below)  Www-3  Water Well Disinfected? Yes No X  Type OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped  1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below)  Pump test data: Well water was Ft. after Hours pumping Gpn  in. to FWELL WATER TO BE USED AS: 5 Public water supply 9 Dewatering 11 Injection well 12 Other (Specify below)  MW-3  Well water was Ft. after Hours pumping Gpn  in. to FWELL WATER TO BE USED AS: 5 Public water supply 9 Dewatering 11 Injection well 12 Other (Specify below)  Water Well Disinfected? Yes No X  Threaded X  Ft.
Pump test data: Well water was Ft. after hours pumping Gpn  Est. Yield Gpm: Well water was Ft. after Hours pumping Gpn  Well WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well MW-3  Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was Submitted Water Well Disinfected? Yes No X  5 TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped  1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below)  Ft.
Est. Yield Gpm: Well water was Ft. after Hours pumping Gpm  Bore Hole Diameter 8.625 In. to 15 ft. and in. to F  WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well MW-3  Was a chemical/bacteriological sample submitted to Department? Yes No X  Submitted Water Well Disinfected? Yes No X  5 TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped  1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below)  Yelded  Threaded X  Ft.
Well Water To Be USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 12 Other (Specify below)  Sw. SE
2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well MW-3  Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was Submitted Water Well Disinfected? Yes No X  TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped  1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded  2 PVC 4 ABS 7 Fiberglass Threaded X  Ft.
2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well MW-3  Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was Submitted Water Well Disinfected? Yes No X  TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped  1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded  2 PVC 4 ABS 7 Fiberglass Threaded X  Ft.
Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was Submitted Water Well Disinfected? Yes No X  5 TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped  1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded  2 PVC 4 ABS 7 Fiberglass Threaded X
Submitted  Submitted  Water Well Disinfected? Yes  No X  5 TYPE OF BLANK CASING USED:  1 Steel  3 RMP (SR)  6 Asbestos-Cement  7 Fiberglass  Ft.  Water Well Disinfected? Yes  No X  Clamped  Clamped  Threaded  X
TYPE OF BLANK CASING USED:  5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped  1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded  2 PVC 4 ABS 7 Fiberglass Threaded X  Ft.
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded X  Ft.
2 PVC 4 ABS 7 Fiberglass Threaded X Ft.
Ft
Ft.,  Blank casing diameter 2 in to 5 Dia In to ff Dia in to ff
Blank casing diameter 2 in. to 5 Dia In. to ft., Dia in. to ft.  Casing height above land surface FLUSH In., weight SCH 40 Lbs./ft. Wall thickness or gauge No.
TYPE OF SCREEN OR PERFORATION MATERIAL:  7 PVC  10 Asbestos-cement
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)
SCREEN-PERFORATED INTERVALS: From 5 ft. to 15 ft. From ft. to ft.
Fromft. toft. Fromft. toF
SAND PACK INTERVALS: From 3 ft. to 15 ft. From ft. to F
From ft. to ft. From ft. to F
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
Ft. Ft. Ft. Grout Intervals From 2
What is the nearest source of possible contamination:  10 Livestock pens  14 Abandoned water well
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage Contaminated Site
Direction from well?  How many feet?
FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS
0 1 Concrete and Gravel fill material
1 5 Silty Clay, dark yellowish brown
Silty Clay, very dark grayish
5 12 brown
12 15 Shale, black, weathered 15 TD End of Borehole
15 TD End of Borehole
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (x) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and w
Completed on (mo/day/yr)  11/13/12  And this record is true to the best of my knowledge and belief. Kansas
Water Well Contractor's License No. 585 This Water Well Record was completed on (mo/day/yr) 11/21/12
under the business name of Associated Environmental, Inc. By (signature) Bradley J. Johnson
INSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Burgas of Water, Topeka,
Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.
War Was Comment of the Comment of th