## CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

Location listed as:	County: M('am t Location <del>changed to</del> :
Section-Township-Range:	36-165-21E
Fraction ( 1/4 1/4 1/4):	NE NE SW
Other changes: Initial statements: Franklin County	<b>y</b>
	•
Changed to: Miami County	
Comments:	
verification method: Written & legal descr	ciptions, position on plat map
and mapping tool on he we	initials: ORL date: 11/8/2006

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

			ATER WELL REC	ORD Form WWC-5	KSA 82a-				
		TER WELL:	Fraction	115 54		ction Number	Township Number		
	Frank		NE 14			36	т /6	s   R 2/ (E)W	
Distance ar	nd direction	from nearest to		address of well if located	within city?				
2 WATER	R WELL OW	MER: 120	ast of	<u> Maul</u>					
$\vdash$		1)011	Buch						
City, State,		Well	Virginia SVITIC K	5 66092	4.5		Application Num		
3 LOCATE	WELL'S LC	CATION WITH	4 DEPTHOF C	OMPLETED WELL	210	ft. ELEVATION	ON:		
AN "X" IN	N SECTION	BOX:	Depth(s) Groun	ndwater Encountered	<b>1</b>	<i>70</i> ft. 2	110	ft. 3 18.5 ft.	
	<del>`</del> `	ī						/yr gpm	
	1 /	1						ours pumping gpm	
	-NW   -	- NE			oublic water		Air conditioning	11 Injection well	
	<u> </u>		1 Domestic		Oil field wate		Dewatering	12 Other (Specify below)	
W	18	<del></del>  E	2 Irrigation	4 Industrial 7	Jomestic (lav	wn & garden) 10	Monitoring well		
		1					/		
	-sw -	- SE		ıl/bacteriological sample	submitted to			yes, mø/day/yrs sample was sub-	
	i l	1	mitted			vvaie	er Well Disinfected? Y	′es ✓ No	
	Ś		1.						
$\boldsymbol{\sqsubseteq}$		CASING USED:		5 Wrought iron	8 Concre		CASING JOINTS	: Glued Clamped	
1 Stee	_	3 RMP (S 4 ABS	iH)	6 Asbestos-Cement 7 Fiberglass		(specify below)		Welded Threaded	
			in to					5 in to 2/0 ft.	
Casing hei	oht above la	nd surface	1B	in weight 22	o PSI	dl	s /ft Wall thickness o	r guage No. SDR ZI	
		R PERFORATIO		woight	(7 PV		10 Asbesto		
1 Stee		3 Stainles		5 Fiberglass		MP (SR)		Specify)	
2 Bras	ss	4 Galvani:	zed Steel	6 Concrete tile	9 AB	S	12 None us	sed (open hole)	
SCREEN C	OR PERFOR	RATION OPENII	NGS ARE:	5 Guaz	ed wrapped		8 Saw cut	11 None (open hole)	
1 Cont	tinuous slot	3 N	/lill slot		wrapped	_	9 Drilled holes		
2 Louv	vered shutte	r 4 K	Key punched	7 Torch				ft.	
SCREEN-F	PERFORATI	ED INTERVALS						ft. to	
	DDAVEL DA		From	ft. to	7//	ft., From		ft. to	
	SHAVEL PAG	CK INTERVALS						π. το π. ft. toft.	
6 GROU	T MATERIA	L: 1 Nea	at cement	2 Cement grout	3 Ben	tonite 4	Other		
Grout Inter	vals: Fron	n <i>Q</i>	ft. to <u>Z</u> .S	ft., From	ft. 1	o	ft., From	ft. toft.	
What is the	nearest so	urce of possible	contamination:			10 Livestoo	k pens	14 Abandoned water well	
1 Sep	tic tank	4 Late	ral lines	7 Pit privy		11 Fuel sto	rage	15 Oil well/Gas well	
	er lines	5 Cess		8 Sewage lagoon		12 Fertilizer storage		16 Other (specify below)	
	ertight sewe	r lines 6 See	page pit	9 Feedyard		13 Insectici	ecticide storage		
Direction from	<u>.</u>	KIOININ	<del>,                                    </del>			How many			
FROM	то		LITHOLOGIC	LOG	FROM	ТО	PLUGGI	NG INTERVALS	
0	22	Chay	,				,		
22	67	SUNA	stone						
47	91	Shall	-1 - 3					· · · · · · · · · · · · · · · · · · ·	
9/	1/5	Sunas	M						
1/5	123	Shale	9						
123	143	Lines	PORC						
143	175	Shale							
175	180	BIACK	SMAIC.						
180	210	GMiy.	snale_				10401		
								ed under my jurisdiction and was	
completed on (mo/day/year)									
Water Well Contractor's Licence No									
under the bu	usiness nam	ie of <i>Je</i> 55c	- YOUVUV	n WP11 1)rill	inc	by (sig	gnature)	10 ( )() U	
LUNGTOUGT			- jourcon	1012111					
								e copies to Kansas Department of Health  L OWNER and rotain one for your	